

**NYS Grade 3 to Grade 5 Mathematics Learning Standards**

**Grade 3**

**Operations & Algebraic Thinking**

	Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
<b>Clusters</b>  A. Represent and solve problems involving multiplication and division.	3.OA.A.1	1. Interpret products of whole numbers, e.g., interpret $5 \times 7$ as the total number of objects in 5 groups of 7 objects each. For example, describe a context in which a total number of objects can be expressed as $5 \times 7$ .	1. No change.	
	3.OA.A.2	2. Interpret whole-number quotients of whole numbers, e.g., interpret $56 \div 8$ as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. For example, describe a context in which a number of shares or a number of groups can be expressed as $56 \div 8$ .	2. No change.	
	3.OA.A.3	3. Use multiplication and division within 100 to solve word problems in situations involving equal groups, arrays, and measurement quantities, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem. (See glossary table 2)	3. No change.	
	3.OA.A.4	4. Determine the unknown whole number in a multiplication or division equation relating three whole numbers. For example, determine the unknown number that makes the equation true in each of the equations $8 \times ? = 48$ , $5 = \_ \div 3$ , $6 \times 6 = ?$ .	4. No change.	

**NYS Grade 3 to Grade 5 Mathematics Learning Standards**

**Grade 3**

**Operations & Algebraic Thinking**

	Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
<b>Clusters</b> B. Understand properties of multiplication and the relationship between multiplication and division.	3.OA.B.5	5. Apply properties of operations as strategies to multiply and divide. Examples: If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$ is also known. (Commutative property of multiplication.) $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$ then $15 \times 2 = 30$ , or by $5 \times 2 = 10$ then $3 \times 10 = 30$ . (Associative property of multiplication.) Knowing that $8 \times 5 = 40$ and $8 \times 2 = 16$ , one can find $8 \times 7$ as $8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56$ . (Distributive property.) (Students need not use formal terms for these properties.)	5. Apply properties of operations as strategies to multiply and divide. <b>Examples:</b> <ul style="list-style-type: none"> <li>If <math>6 \times 4 = 24</math> is known, then <math>4 \times 6 = 24</math> is also known. (Commutative property of multiplication.)</li> <li><math>3 \times 5 \times 2</math> can be found by <math>3 \times 5 = 15</math>, then <math>15 \times 2 = 30</math>, or by <math>5 \times 2 = 10</math>, then <math>3 \times 10 = 30</math>. (Associative property of multiplication.)</li> <li>Knowing that <math>8 \times 5 = 40</math> and <math>8 \times 2 = 16</math>, one can find <math>8 \times 7</math> as <math>8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56</math>. (Distributive property.)</li> </ul> <p><b>Note:</b> Students need not use formal terms for these properties. A variety of representations can be used when applying the properties of operations, which may or may not include parentheses.</p>	
	3.OA.B.6	6. Understand division as an unknown-factor problem. For example, divide $32 \div 8$ by finding the number that makes 32 when multiplied by 8.	6. No change.	

**NYS Grade 3 to Grade 5 Mathematics Learning Standards**

**Grade 3**

**Operations & Algebraic Thinking**

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
<b>Clusters</b>	C. Multiply and divide within 100.	3.OA.C.7	7. Fluently multiply and divide within 100, using strategies such as the relationship between multiplication and division (e.g., knowing that $8 \times 5 = 40$ , one knows $40 \div 5 = 8$ ) or properties of operations. By the end of Grade 3, know from memory all products of one-digit numbers.	7. Fluently solve <b>single-digit multiplication and related divisions</b> , using strategies such as the relationship between multiplication and division (e.g., knowing that $8 \times 5 = 40$ , one knows $40 \div 5 = 8$ ) or properties of operations. By the end of Grade 3, know from memory all products of two one-digit numbers.  <i>Fluency expectation: Reaching fluency will take much of the year for many students, so work on developing understanding and fluency of multiplication and division should begin at or near the beginning of the year.</i>	
	D. Solve problems involving the four operations, and identify and explain patterns in arithmetic.	3.OA.D.8	8. Solve two-step word problems using the four operations. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding. (This standard is limited to problems posed with whole numbers and having whole-number answers; students should know how to perform operations in the conventional order when there are no parentheses to specify a particular order.	8. Solve two-step word problems <b>posed with whole numbers and having whole-number answers</b> using the four operations. <ul style="list-style-type: none"> <li>a. Represent these problems using equations <b>or expressions</b> with a letter standing for the unknown quantity.</li> <li>b. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.</li> </ul> <i>Note: Two-step problems need not be represented by a single expression or equation.</i>	Delaying the introduction of the Order of Operations until Grade 4. (See 4.OA.A.3 and 5.OA.A.1)
		3.OA.D.9	9. Identify arithmetic patterns (including patterns in the addition table or multiplication table), and explain them using properties of operations. For example, observe that 4 times a number is always even, and explain why 4 times a number can be decomposed into two equal addends.	9. No change.	

[Submit comments on the draft NYS Grade 3 Mathematics Learning Standards](#)

**NYS Grade 3 to Grade 5 Mathematics Learning Standards**



**Grade 3  
Number & Operations in Base Ten**

	Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
<b>Clusters</b>  A. Use place value understanding and properties of operations to perform multi-digit arithmetic. A range of algorithms may be used.	3.NBT.A.1	1. Use place value understanding to round whole numbers to the nearest 10 or 100.	1. No change.	
	3.NBT.A.2	2. Fluently add and subtract within 1000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction. (A range of algorithms may be used.)	2. No change.	
	3.NBT.A.3	3. Multiply one-digit whole numbers by multiples of 10 in the range 10-90 (e.g., $9 \times 80$ , $5 \times 60$ ) using strategies based on place value and properties of operations.	3. No change.	

NYS Grade 3 to Grade 5 Mathematics Learning Standards

Grade 3

Number & Operations - Fractions (limited to denominators 2, 3, 4, 6, 8)

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes	
Clusters	A. Develop understanding of fractions as numbers.	3.NF.A.1	1. Understand a fraction $1/b$ as the quantity formed by 1 part when a whole is partitioned into $b$ equal parts; understand a fraction $a/b$ as the quantity formed by $a$ parts of size $1/b$ . (Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8.)	1. No change.		
		3.NF.A.2	2. Understand a fraction as a number on the number line; represent fractions on a number line diagram.	2. No change.		
		3.NF.A.2a	2a. Represent a fraction $1/b$ on a number line diagram by defining the interval from 0 to 1 as the whole and partitioning it into $b$ equal parts. Recognize that each part has size $1/b$ and that the endpoint of the part based at 0 locates the number $1/b$ on the number line. (Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8.)	2a. Represent a fraction $1/b$ on a number line diagram by defining the interval from 0 to 1 as the whole and partitioning it into $b$ equal parts. Recognize that each part has size $1/b$ and that the endpoint of the part starting at 0 locates the number $1/b$ on the number line. <b>For example,</b>		
		3.NF.A.2b	2b. Represent a fraction $a/b$ on a number line diagram by marking off $a$ lengths $1/b$ from 0. Recognize that the resulting interval has size $a/b$ and that its endpoint locates the number $a/b$ on the number line. (Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8.)	2b. Represent a fraction $a/b$ on a number line diagram by marking off $a$ lengths $1/b$ from 0. Recognize that the resulting interval has size $a/b$ and that its endpoint locates the number $a/b$ on the number line. <b>For example,</b>		

**NYS Grade 3 to Grade 5 Mathematics Learning Standards**

**Grade 3**

**Number & Operations - Fractions (limited to denominators 2, 3, 4, 6, 8)**

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	A. Develop understanding of fractions as numbers.	3.NF.A.3	3. Explain equivalence of fractions in special cases, and compare fractions by reasoning about their size.	3. No change.	
		3.NF.A.3a	3a. Understand two fractions as equivalent (equal) if they are the same size, or the same point on a number line. (Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8.)	3a. No change.	
		3.NF.A.3b	3b. Recognize and generate simple equivalent fractions (e.g., $1/2 = 2/4$ , $4/6 = 2/3$ ), Explain why the fractions are equivalent, e.g., by using a visual fraction model. (Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8.)	3b. Recognize and generate equivalent fractions (e.g., $1/2 = 2/4$ , $4/6 = 2/3$ ). Explain why the fractions are equivalent, e.g., by using a visual fraction model.	
		3.NF.A.3c	3c. Express whole numbers as fractions, and recognize fractions that are equivalent to whole numbers. Examples: Express 3 in the form $3 = 3/1$ ; recognize that $6/1 = 6$ ; locate $4/4$ and 1 at the same point of a number line diagram. (Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8.)	3c. Express whole numbers as fractions, and recognize fractions that are equivalent to whole numbers. Examples: Express 3 in the form $3 = 3/1$ ; recognize that $6/3 = 2$ ; locate $4/4$ and 1 at the same point of a number line diagram.	
		3.NF.A.3d	3d. Compare two fractions with the same numerator or the same denominator, by reasoning about their size. Recognize that valid comparisons rely on the two fractions referring to the same whole. Record the results of comparisons with the symbols $>$ , $=$ , or $<$ , and justify the conclusions, e.g., by using a visual fraction model. (Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, and 8.)	3d. Compare two fractions with the same numerator or the same denominator by reasoning about their size. Recognize that comparisons rely on the two fractions referring to the same whole. Record the results of comparisons with the symbols $>$ or $<$ , and justify the conclusions, e.g., by using a visual fraction model.	

NYS Grade 3 to Grade 5 Mathematics Learning Standards

Grade 3  
Measurement & Data

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	A. Solve problems involving measurement and estimation of intervals of time, liquid volumes, and masses of objects.	3.MD.A.1	1. Tell and write time to the nearest minute and measure time intervals in minutes. Solve word problems involving addition and subtraction of time intervals in minutes, e.g., by representing the problem on a number line diagram.	1. Tell and write time to the nearest minute and measure time intervals in minutes. Solve <b>one-step</b> word problems involving addition and subtraction of time intervals in minutes (e.g., by representing the problem on a number line diagram). <b>Note: This includes one-step problems that cross into a new hour as well as those that cross the a.m./p.m.</b>	
		3.MD.A.2	2. Measure and estimate liquid volumes and masses of objects using standard units of grams (g), kilograms (kg), and liters (l). (Excludes compound units such as cm <sup>3</sup> and finding the geometric volume of a container.) Add, subtract, multiply, or divide to solve one-step word problems involving masses or volumes that are given in the same units, e.g., by using drawings (such as a beaker with a measurement scale) to represent the problem. (Excludes multiplicative comparison problems (problems involving notions of “times as much.”))	2. No change.	
	B. Represent and interpret data.	3.MD.B.3	3. Draw a scaled picture graph and a scaled bar graph to represent a data set with several categories. Solve one- and two-step “how many more” and “how many less” problems using information presented in scaled bar graphs. For example, draw a bar graph in which each square in the bar graph might represent 5 pets.	3. No change.	
		3.MD.B.4	4. Generate measurement data by measuring lengths using rulers marked with halves and fourths of an inch. Show the data by making a line plot, where the horizontal scale is marked off in appropriate units—whole numbers, halves, or quarters.	4. No change.	





**NYS Grade 3 to Grade 5 Mathematics Learning Standards**

**Grade 3  
Measurement & Data**

	Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
<b>Clusters</b> C. Geometric measurement: understand concepts of area and relate area to multiplication and to addition.	3.MD.C.5	5. Recognize area as an attribute of plane figures and understand concepts of area measurement.	5. No change.	
	3.MD.C.5a	5a. A square with side length 1 unit, called “a unit square,” is said to have “one square unit” of area, and can be used to measure area.	5a. No change.	
	3.MD.C.5b	5b. A plane figure which can be covered without gaps or overlaps by $n$ unit squares is said to have an area of $n$ square units.	5b. No change.	
	3.MD.C.6	6. Measure areas by counting unit squares (square cm, square m, square in, square ft, and improvised units).	6. No change.	

**NYS Grade 3 to Grade 5 Mathematics Learning Standards**

**Grade 3  
Measurement & Data**

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
<b>Clusters</b>  C. Geometric measurement: understand concepts of area and relate area to multiplication and to addition.		3.MD.C.7	7. Relate area to the operations of multiplication and addition.	7. No change.	
		3.MD.C.7a	7a. Find the area of a rectangle with whole-number side lengths by tiling it, and show that the area is the same as would be found by multiplying the side lengths.	7a. No change.	
		3.MD.C.7b	7b. Multiply side lengths to find areas of rectangles with whole-number side lengths in the context of solving real world and mathematical problems, and represent whole-number products as rectangular areas in mathematical reasoning.	7b. No change.	
		3.MD.C.7c	7c. Use tiling to show in a concrete case that the area of a rectangle with whole-number side lengths $a$ and $b + c$ is the sum of $a \times b$ and $a \times c$ . Use area models to represent the distributive property in mathematical reasoning.	7c. Use tiling to show in a concrete case that the area of a rectangle with whole-number side lengths $a$ and $b + c$ is the sum of $a \times b$ and $a \times c$ . Use area models to represent the distributive property in mathematical reasoning. <div style="text-align: center;">  </div>	
		3.MD.C.7d	7c. Recognize area as additive. Find areas of rectilinear figures by decomposing them into non-overlapping rectangles and adding the areas of the non-overlapping parts, applying this technique to solve real world problems.	7d. Recognize area as additive. Find areas of figures composed of non-overlapping rectangles, including within the context of real world problems. For example, <div style="text-align: center;">  </div>	

[Submit comments on the draft NYS Grade 3 Mathematics Learning Standards](#)

**NYS Grade 3 to Grade 5 Mathematics Learning Standards**

**Grade 3  
Measurement & Data**

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
<b>Clusters</b>	D. Geometric measurement: recognize perimeter as an attribute of plane figures and distinguish between linear and area measures.	3.MD.C.8	8. Solve real world and mathematical problems involving perimeters of polygons, including finding the perimeter given the side lengths, finding an unknown side length, and exhibiting rectangles with the same perimeter and different area or with the same area and different perimeter.	8. Solve real world and mathematical problems involving perimeters of polygons, including finding the perimeter given the side lengths, finding an unknown side length. <b>Represent</b> rectangles with the same perimeter and different areas or with the same area and different perimeters.	

NYS Grade 3 to Grade 5 Mathematics Learning Standards

Grade 3  
Geometry

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	A. Reason with shapes and their attributes.	3.G.A.1	1. Understand that shapes in different categories (e.g., rhombuses, rectangles, and others) may share attributes (e.g., having four sides), and that the shared attributes can define a larger category (e.g., quadrilaterals). Recognize rhombuses, rectangles, and squares as examples of quadrilaterals, and draw examples of quadrilaterals that do not belong to any of these subcategories.	1. Classify polygons based on the number of sides and vertices. Recognize triangles, quadrilaterals, pentagons, and hexagons as examples of polygons, and draw examples of polygons that do not belong to any of these subcategories.	The original standard was not possible in grade 3 because it required students to understand both angles and parallelism, which were not (and still are not) introduced until grade 4. Students were also not coming into grade 3 understanding what a polygon is because that was not explicitly taught anywhere in the standards. This new standard is similar to what was previously done in grade 2. Grade 2 will now introduce polygons (2.G.A.1). These two changes collectively lead to a vertical coherence of the progression of 2-D geometry from grades 2-5.
		3.G.A.2	2. Partition shapes into parts with equal areas. Express the area of each part as a unit fraction of the whole. For example, partition a shape into 4 parts with equal area, and describe the area of each part as $\frac{1}{4}$ of the area of the shape.	2. No change.	