## **NYS Grade 6 to Grade 8 Mathematics Learning Standards**

#### Grade 7

## **Ratios and Proportional Relationships**

	Ratios and Proportional Relationships				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	A. Analyze proportional relationships and use them to solve real-world problems.	7.RP.A.1	1. Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks 1/2 mile in each 1/4 hour, compute the unit rate as the complex fraction (1/2)/(1/4) miles per hour, equivalently 2 miles per hour.	1. Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks 1/2 mile in each 1/4 hour, compute the rate as the complex fraction (1/2)/(1/4) miles per hour, equivalently 2 miles per hour with 2 being the unit rate.	Clarification
Clu	A. Analyze proportional relationshi prok	7.RP.A.2	Recognize and represent proportional relationships between quantities.	2. No Change	

#### **NYS Grade 6 to Grade 8 Mathematics Learning Standards**

#### **Grade 7**

**Ratios and Proportional Relationships** 

				portional Relationships	
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	problems.	7.RP.A.2a	2a. Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.	2a. Decide whether two quantities are in a proportional relationship, which includes testing for equivalent ratios in a table and graphing on a coordinate plane and observing whether the graph is a straight line through the origin.	In this standard, "or" was changed to "and" to assure that both strategies are addressed.
	o solve real-world	7.RP.A.2b	2b. Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.	2b. No Change	
Clusters	nships and use them t	7.RP.A.2c	2c. Represent proportional relationships by equations. For example, if total cost t is proportional to the number n of items purchased at a constant price p, the relationship between the total cost and the number of items can be expressed as t = pn.	2c. No Change	
	A. Analyze proportional relationships and use them to solve real-world problems.	7.RP.A.2d	2d. Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points (0, 0) and (1, r) where r is the unit rate.	2d. No Change	
		7.RP.A.3	Use proportional relationships to solve multistep ratio and percent problems.     Examples: simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease, percent error.	3. Use proportional relationships to solve multistep ratio and percent problems which includes simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease.	In this standard, "percent error" was removed to reduce the number of expected applications.

### NYS Grade 6 to Grade 8 Mathematics Learning Standards

#### Grade 7

### **The Number System**

	The Number System				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	d extend previous understandings of fractions to add, subtract, multiply, and divide rational numbers.	7.NS.A.1	Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.	1. No Change	
	A. Apply and extend properations with fractions divide rat	7.NS.A.1a	1a. Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged.	1a. Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because it has one negatively charged electron and one positively charged proton.	Clarification

	7.NS.A.1b	1b. Understand p + q as the number located a	1b. Understand p + q as the number located a distance	Clarification
		distance  q  from p, in the positive or negative	q  from p, in the positive or negative direction	
		direction depending on whether q is positive or	depending on whether q is positive or negative. Show	
		negative. Show that a number and its opposite	that a number and its opposite have a sum of 0 (are	
		have a sum of 0 (are additive inverses).	additive inverses). Interpret sums of rational	
		Interpret sums of rational numbers by	numbers by describing real-world contexts.	
		describing real-world contexts.	Examples: If a football player gains 5 yards on the	
			first play and loses 5 yards on the second play, the	
			player has gained 0 yards. A bird flying 5 feet above	
			the surface of the water (+5) sees a fish below the	
			surface of the water and descends 6.5 feet (-6.5) to	
			catch the fish. The fish was 1.5 feet below (-1.5) the	
			surface of the water (sum of +5 and -6.5).	

#### **NYS Grade 6 to Grade 8 Mathematics Learning Standards**

#### Grade 7

#### **The Number System**

L		The rumber system				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes	
	Clusters understandings of operations with fractions to add,		1c. Understand subtraction of rational numbers as adding the additive inverse, p – q = p + (–q). Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.	1c. No Change		

	Busine comments on the druft 1/15	Grade / Wathematics Learning Standards		
7.NS.A.1d	Apply properties of operations as strategies to add and subtract rational numbers.	1d. No Change		
7.NS.A.2	Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.	2. No Change		
	NYS Grade 6 to Grade 8 N	Nathematics Learning Standards		
		Grade 7		
The Number System				
Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes	

	ins to add, subtract, multiply,	7.NS.A.2a	2a. Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as (-1)(-1) = 1 and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.	2a. No Change	
Clusters	standings of operations with fractio and divide rational numbers.	7.NS.A.2b	2b. Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers then $-(p/q) = (-p)/q = p/(-q)$ . Interpret quotients of rational numbers by describing real-world contexts.	2b. No Change	
	A. Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and extend	7.NS.A.2c	Apply properties of operations as strategies to multiply and divide rational numbers.	2c. No Change	
				Nathematics Learning Standards	
				Grade 7 mber System	
		Standard	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes

		Code		Oracle / Mantenacies Beating Sandards	
	previous understandings of s to add, subtract, multiply, and tional numbers.	7.NS.A.2d	2d. Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.	2d. No Change	
7	A. Apply and extend previce operations with fractions to ac divide rational	7.NS.A.3	3. Solve real-world and mathematical problems involving the four operations with rational numbers. (Computations with rational numbers extend the rules for manipulating fractions to complex fractions.)	3. Solve real-world and mathematical problems involving the four operations with rational numbers. (Note: Computations with rational numbers extend the rules for manipulating fractions to complex fractions.)	Clarification

## NYS Grade 6 to Grade 8 Mathematics Learning Standards

#### Grade 7

	Expressions and Equations (Inequalities)				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	A. Use properties of operations to generate equivalent expressions.	7.EE.A.1	Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.	1. No Change	
		7.EE.A.2	2. Understand that rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. For example, a + 0.05a = 1.05a means that "increase by 5%" is the same as "multiply by 1.05."	2. Understand that rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. For example, a + 0.05a and 1.05a are equivalent expressions meaning that "increase by 5%" is the same as "multiply by 1.05."	Clarification
Clusters	B. Solve real-life and mathematical problems using numerical and algebraic expressions and equations (inequalities).	7.EE.B.3	3. Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. For example: If a woman making \$25 an hour gets a 10% raise, she will make an additional 1/10 of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar 9 3/4 inches long in the center of a door that is 27 1/2 inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.	3. Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using mathematically appropriate strategies. Apply properties of operations as strategies to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. For example: If a woman making \$25 an hour gets a 10% raise, she will make an additional 1/10 of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar 9 3/4 inches long in the center of a door that is 27 1/2 inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.	Clarification

## NYS Grade 6 to Grade 8 Mathematics Learning Standards

#### Grade 7

	Expressions and Equations (Inequalities)				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	c expressions	7.EE.B.4	4. Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities.	4. No Change	
Clusters	s using numerical and algebrai (inequalities).	7.EE.B.4a	4a. Solve word problems leading to equations of the form px + q = r and p(x + q) = r, where p, q, and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. For example, The perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?	4a. Fluently solve word problems leading to equations of the form px + q = r and p(x + q) = r, where p, q, and r are rational numbers and x represents the unknown quantity. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. For example, The perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?	Note: Solving equations of the form $px + q = r$ and $p(x + q) = r$ is an expected fluency in grade 7.
Clus	B. Solve real-life and mathematical problems using numerical and algebraic expressions and capressions	7.EE.B.4b	4b. Solve word problems leading to inequalities of the form px + q > r or px + q < r, where p, q, and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. For example, As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.	4b. Solve word problems leading to inequalities of the form px + q > r or px + q < r, where p, q, and r are rational numbers and x represents the unknown quantity. Graph the solution set of the inequality and interpret it in the context of the problem. For example, As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions. (Note: Inequalities using less than or equal to and greater than or equal to are included in this standard.)	Clarification

## NYS Grade 6 to Grade 8 Mathematics Learning Standards

## Grade 7 Geometry

	Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
geometrical figures and describe the relationships	7.G.A.1	Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.	1. No Change	
Clusters construct and describe geometrical fi	7.G.A.2	2. Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	2. Explore geometric shapes through the use of freehand drawings, rulers, protractors, and/or technology. Focus on constructing triangles with given conditions from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	Clarification
A. Draw, construct a	7.G.A.3	Describe the two-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.	3. Explore and describe the two-dimensional figures that result from slicing three-dimensional figures parallel or perpendicular to a base, as in plane sections of right rectangular prisms and right rectangular pyramids.	Clarification, limiting the slices to those that are parallel or perpendicular to a base, though students could explore askew slices that will arise in in the discussion of plane sections at the high school level.

## NYS Grade 6 to Grade 8 Mathematics Learning Standards

# Grade 7 Geometry

-		Chandand			
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	lving angle measure, area, surface area	7.G.B.4	4. Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.	4. Use the formulas for the area and circumference of a circle to solve problems; give an informal derivation of the relationship between the circumference and area of a circle. (Note: Calculating the radius of a circle given its area is not expected.)	Clarification
Clusters	and mathematical problems involving and volume.	7.G.B.5	<ol> <li>Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in a figure.</li> </ol>	5. No Change	
	B. Solve real-life and m	7.G.B.6	<ol> <li>Solve real-world and mathematical problems involving area, volume and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.</li> </ol>	<ol> <li>Solve real-world and mathematical problems involving area, volume and surface area of two- and three-dimensional objects composed of triangles, special quadrilaterals, cubes, and right rectangular prisms.</li> </ol>	Clarification

## NYS Grade 6 to Grade 8 Mathematics Learning Standards

$\vdash$		Statistics and Florability			
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clictore	Clusters  A. Use random sampling to draw inferences about a population.	7.SP.A.1	1. Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population.  Understand that random sampling tends to produce representative samples and support valid inferences.	1. No Change	
		7.SP.A.2	2. Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Gauge how far off the estimate or prediction might be.	2. Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to evaluate the variation in estimates or predictions. For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Evaluate how far off the estimate or prediction might be.	Clarification

NYS Grade 6 to Grade 8 Mathematics Learning Standards					
Grade 7 Statistics and Probability					
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	comparative inferences about two populations.	7.SP.B.3	3. Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.	3. No Change	
	B. Draw informal com	7.SP.B.4	4. Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.	4. No Change	

## **NYS Grade 6 to Grade 8 Mathematics Learning Standards**

		Statistics and Probability			
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	evaluate probability models.	7.SP.C.5	5. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.	5. Understand that the probability of a chance event is a number between 0 and 1 inclusive that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.	Clarification
Clusters	develop, use and	7.SP.C.6	6. Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.	6. No Change	
	C. Investigate chance processes and	7.SP.C.7	7. Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.	7. No Change	

## **NYS Grade 6 to Grade 8 Mathematics Learning Standards**

	Statistics and Probability				
	Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes	
and develop, use and / models.	7.SP.C.7a	7a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected.	7a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. For example, the probability of rolling a fair number cube and landing on a 2 is 1/6. The probability of landing on an even number is also 3/6.	Clarification	
chance processes valuate probability	7.SP.C.7b	7b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?	7b. No Change		
C. Investigate	7.SP.C.8	8. Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation.	8. No Change		

## NYS Grade 6 to Grade 8 Mathematics Learning Standards

	Statistics and Probability				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	lop, use and	7.SP.C.8a	8a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.	8a. No Change	
21.10		7.SP.C.8b	8b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the outcomes in the sample space which compose the event.	8b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language, identify the outcomes in the sample space which compose the event. For example, "rolling double sixes".	Clarification
	C. Investigate chance evaluate	7.SP.C.8c	8c. Design and use a simulation to generate frequencies for compound events. For example, use random digits as a simulation tool to approximate the answer to the question: If 40% of donors have type A blood, what is the probability that it will take at least 4 donors to find one with type A blood?	8c. No Change	