

# New York State Regents Examination in Algebra I (Common Core)

# **Performance Level Descriptions**

August 2014



### **Policy-Level Performance Level Definitions**

For each subject area, there are students performing along a proficiency continuum with regard to the skills and knowledge necessary to meet the demands of Common Core Learning Standards for Mathematics. There are students who are exceed the expectations of the standards, students meet the expectations, students who partially meet the expectations, and students who do not demonstrate sufficient knowledge or skills required for any performance level. New York State assessments are designed to classify students into one of four proficiency categories; these proficiency categories are defined as:

#### NYS Level 5

Students performing at this level exceed Common Core expectations.

#### NYS Level 4

Students performing at this level meet Common Core expectations.

#### NYS Level 3

Students performing at this level partially meet Common Core expectations (required for current Regents Diploma purposes).

#### NYS Level 2 (Safety Net)

Students performing at this level partially meet Common Core expectations (required for Local Diploma purposes).

#### NYS Level 1

Students performing at this level do not demonstrate the knowledge and skills required for NYS Level 2.

#### **Performance Level Descriptions**

*Performance Level Descriptions* (PLDs) describe the range of knowledge and skills students should demonstrate at a given performance level.

#### How were the PLDs developed?

The New York State Education Department (NYSED) convened the state's English Language Arts (ELA) and Math Content Advisory Panels (CAPs) to develop the initial draft PLDs for Algebra I and English Language Arts. The CAPs are classroom teachers from elementary, middle and high school, school and district administrators, English Language Learner (ELL) and students with disabilities (SWD) specialists, and higher education faculty members from across the state.

The draft PLDs from the CAPs then went through additional rounds of review and edit from a number of NYS-certified educators, content specialists, and assessment experts under NYSED supervision. In developing PLDs, participants considered policy-level definitions of the performance levels (see above) and the expectations for each grade level in the Common Core Learning Standards.



#### How are the PLDs used in Assessment?

PLDs are essential in setting standards for the New York State Regents Examinations. Standard setting panelists use PLDs to determine the threshold expectations for students to demonstrate the knowledge and skills necessary to attain just barely a Level 2, Level 3, Level 4, or Level 5 on the assessment. These discussions then influence the panelists in establishing the cut scores on the assessment. PLDs are also used to inform item development, as each test needs questions that distinguish performance all along the continuum.

#### How can the PLDs be used in Instruction?

PLDs help communicate to students, families, educators and the public the specific knowledge and skills expected of students to demonstrate proficiency and can serve a number of purposes in classroom instruction. They are the foundation of rich discussion around what students need to do to perform at higher levels and to explain the progression of learning within a subject area. We encourage the use of the PLDs for a variety of purposes, such as differentiating instruction to maximize individual student outcomes, creating classroom assessments and rubrics to help in identifying target performance levels for individual or groups of students, and tracking student growth along the proficiency continuum as described by the PLDs. In order to facilitate the use of the PLDs in instruction, the skills differentiating performance levels have been identified using bold text.

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
The Real	Generalize and explain	Calculate sums and	Calculate sums and	Distinguish between	Identify and order
Number	when the sums and	products of two rational	products of two rational	rational and irrational	rational numbers on a
System	products are rational or	and/or irrational	or two irrational	numbers.	number line.
(N-RN)	irrational using abstract	numbers.	numbers.		
	representations.				
		Explain when sums and	Determine whether		
	Justify the conjecture	products are rational and	sums and products are		
	using concrete examples.	irrational using concrete	rational or irrational.		
	~	examples.	<b>.</b>		
Quantities	Compare and interpret	Choose and interpret	Interpret units	Choose units for the	<b>Identify</b> units relevant to
(N-Q)	different representations	units consistently.	selectively.	solutions of problems.	a context.
	of the accuracy of a				
	quantity and justify choice of units and				
	quantities.				
	quantities.	Choose and interpret	Given a graph or data	Given a graph or data	Given a graph or data
	<b>Recognize and explain</b>	the scale and the origin	display, <b>interpret the</b>	display, <b>identify the</b>	display, <b>identify the</b>
	how alteration of units	in graphs and data	scale and the origin.	scale and the origin.	scale or the origin.
	would affect solutions.	displays.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
			Choose a level of	Identify the indicated	
		Choose a level of	accuracy appropriate to	level of accuracy and	
		accuracy appropriate to	context when reporting	round to this indicated	
		context and identify	quantities.	level of accuracy.	
		limitations on	•		
		measurement when			
		reporting quantities.			
		Select or define			
		appropriate quantities for			
		the purpose of modeling.			

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
Seeing Structure in Expressions (A-SSE)	<b>Explain different</b> <b>interpretations</b> of expressions.	<b>Interpret parts of an</b> <b>expression</b> in terms of its context and rewrite it to reveal information about the context.	<b>Identify the</b> <b>relationship among</b> terms, variables, and factors; <b>describe and</b> <b>classify polynomials</b> ; find appropriate equivalent representations.	<b>Identify</b> terms, variables, and factors of an expression. Identify linear or quadratic equivalent expressions.	<b>Provide evidence that</b> <b>two expressions are</b> <b>equivalent</b> by substituting numerical values for variables.
	Find the most appropriate form of a quadratic function to solve real-world or mathematical problems.	Identify algebraic factors of an expression and factor a quadratic expression with a leading integer coefficient greater than one to solve real-world or mathematical problems.	Distinguish between linear, quadratic, and exponential expressions.	Distinguish between <b>linear and quadratic</b> expressions.	
	Determine the maximum/minimum of a quadratic function with a leading coefficient greater than one by completing the square.	Determine the maximum or minimum of a quadratic function with a leading coefficient of one by completing the square.	Factor a quadratic expression with a leading coefficient of one to solve real-world or mathematical problems.	Factor an expression using the <b>greatest</b> <b>common factor</b> .	
			Given a quadratic expression, identify an equivalent expression in completed-square form.	Find the zeros of a factored quadratic function.	

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
Arithmetic with Polynomials and Rational Expressions (A-APR)	Explain and/or show generally that polynomials are closed under addition, subtraction, and multiplication.	Perform addition, subtraction, and multiplication with polynomials <b>and</b> <b>demonstrate that</b> <b>polynomials are closed</b> <b>under the three</b> <b>operations.</b>	Perform addition, subtraction, and multiplication on polynomials.	Perform <b>addition and</b> <b>subtraction</b> with linear expressions.	Perform <b>addition</b> with linear expressions.
	Determine and use the zeros of any polynomial function to sketch its graph, generate graphs and expressions for multiple functions, given particular zeros, and explain the significance of the zeros.	Identify zeros of quadratic and cubic polynomials and use the zeros to graph the function. Explain the relationship between a function and its zeros.	<b>Identify zeros of</b> <b>quadratic polynomials</b> and use the zeros to graph the function.	Given a <b>linear</b> <b>polynomial</b> , construct a graph of the function and identify its zero.	
Creating Equations (A-CED)	Create equations and inequalities in one or two variables and use them to solve problems (i.e., linear, quadratic, or exponential equations).	Create equations and inequalities in one or two variables and use them to solve problems (i.e., linear, quadratic, or exponential equations with integer exponents).	Create linear equations and linear inequalities in one variable to solve problems.	Create linear equations in one variable and use them to solve problems.	Identify an unknown quantity from a context.
	Explain how a created equation or inequality models a context.				

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(A-CED continued)	Compare different models of the same context and describe limitations of models.	Graph linear, quadratic, and exponential equations and linear inequalities in two variables.	Graph linear equations and inequalities in two variables to solve problems.	<b>Graph linear equations</b> on coordinate axes with labels and scales.	<b>Graph integer ordered</b> <b>pairs</b> from a given table of <i>x</i> - and <i>y</i> -values.
			<b>Graph quadratic and</b> <b>exponential equations</b> on coordinate axes with labels and scales.		
		Distinguish between a linear, quadratic, and exponential function, given multiple representations.		Distinguish between a linear, quadratic, and exponential function given the same representation (i.e., algebraic, verbal, graph, table).	Distinguish between a linear and nonlinear function.
		Represent constraints (i.e., real world or mathematical) by equations or inequalities.			
		Rearrange <b>complex</b> formulas to highlight a quantity of interest.	Rearrange <b>simple</b> formulas to highlight a quantity of interest.		

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
Reasoning with Equations and Inequalities (A- REI)	<b>Predict, without</b> solving, when a quadratic equation will have no real solutions and explain reasoning with algebraic or graphical evidence.	Solve quadratic equations in one variable and recognize cases in which a quadratic equation has no real solutions.	Solve quadratic equations in one variable with real roots using an appropriate method.	Verify that a number is a solution to a quadratic equation.	Select solution strategies.
	Solve linear equations and inequalities and construct a viable argument to justify the advantages of one particular method over another.	Solve linear equations and inequalities in one variable, <b>including</b> <b>equations with</b> <b>coefficients represented</b> <b>by letters.</b>	Solve linear equations and inequalities in one variable.	Solve one- and two-step linear equations in one variable.	Verify a solution to one- and two-step linear equations in one variable.
		Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.		Given a system of linear equations in two variables and the solution, verify the solution algebraically.	Identify the solution to a system of linear equations <b>from a graph.</b>

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(A-REI	Explain why the graph of	Explain why the x-	Given a system of linear	Approximate the	Given a graph of $y = g(x)$
continued)	an equation in two variables is the set of all its solutions. Represent coincidental linear equations as multiples of each other.	coordinates of the points where the graphs of the equations $y = f(x)$ and $y =$ g(x) intersect are the solutions of the equation f(x) = g(x). (Functions are limited to <b>linear, polynomial,</b> <b>rational, or absolute</b> <b>value</b> .)	equations with integer coefficients in two variables, solve the system exactly or approximately. Approximate the solution(s) to $f(x) = g(x)$ , where $f(x)$ and $g(x)$ are first- and second- degree polynomial functions.	solution(s) to $f(x) = g(x)$ , where $f(x)$ and $g(x)$ are <b>linear functions.</b>	and $y = f(x)$ (not limited to linear functions), use integer-valued coordinates to name a point of intersection.
	Explain why there are multiple solutions to a system of inequalities.	Graph the solutions to a linear inequality in two variables as a half-plane and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half- planes.	Graph the solutions to a linear inequality in two variables as a half-plane using a graphing calculator.	Given the graph of an inequality (or system of inequalities), generate a point(s) in the solution set.	Given the graph of an inequality (or system of inequalities), <b>identify</b> whether a point is in the solution set.
Interpreting	Identify the domain	<b>Describe a function</b> as a	Determine from a table	Determine from a graph	Generate a graph of a
Functions	and range of a function	rule that assigns to each	of inputs and outputs	whether a relation is a	linear function given a
(F-IF)	given its context.	element of the domain a unique element of the range and use proper function notation.	whether a relation is a function.	function.	table for the input and output.
			Evaluate linear, exponential, and quadratic functions.	<b>Use function notation</b> for inputs and outputs.	

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(F-IF continued)		Evaluate functions. Identify the domain and range from a graph and interpret statements that use function notation in terms of a context.	Identify the domain from <b>a graph or table of</b> <b>values</b> .	<b>Identify the domain of</b> <b>a linear function</b> given a table of values.	
			<b>Interpret statements</b> <b>that</b> use function notation.		
	Explain how and why explicit and recursive formulas define the same sequence and relate these representations to a context.	Identify a recursively defined sequence as a function and determine its <i>n</i> <sup>th</sup> term.	<b>Identify an explicitly defined sequence</b> as a function and determine its <i>n</i> <sup>th</sup> term.	Identify and continue patterns of arithmetic sequences.	

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(F-IF	Accurately sketch	Accurately sketch and	Accurately sketch and	Graph linear and	Identify the properties
continued)	graphs, showing key features, given a verbal description of the relationship, <b>including</b> <b>piece-wise defined and</b> <b>step functions.</b>	create graphs using technology and interpret key features of graphs and tables given a verbal description of the relationship, including square root and cube root functions with domains in real numbers.	create graphs using technology and identify key features of graphs, given a verbal description of the relationship, including linear, quadratic, and exponential functions with domains in the integers.	<b>quadratic functions</b> and identify key features visible within the "standard zoom" (-10 to 10 calculator window) by hand or technology.	of linear functions represented algebraically, graphically, or numerically in tables.
	Estimate, calculate, and interpret the average rate of change <b>in terms of a</b> <b>context</b> over a specified interval, including linear, quadratic, square root, cube root, piece-wise defined, and exponential functions with domains in the real numbers.	Estimate, calculate, and interpret the average rate of change over a specified interval, including linear, quadratic, square root, cube root, piece-wise defined and exponential functions with domains in the integers.	Calculate the average rate of change over a specified interval from a graph, <b>including linear</b> , <b>quadratic</b> , and <b>exponential functions</b> <b>with domains in the</b> <b>integers</b> .	Calculate the rate of change of a linear function from a graph or table.	Identify the rate of change given the symbolic representation of a linear function. Distinguish between graphs of increasing and decreasing linear functions.
		Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph and interpret these in terms of a context.	Use the process of factoring <b>to show zeros</b> <b>and symmetry of a</b> <b>graph.</b>	Graph quadratic functions using <b>technology and identify</b> <b>their roots.</b>	Identify <i>x</i> -intercepts of a quadratic function, <b>given</b> its graph.

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(F-IF continued)	Compare properties of two functions with each represented in a different way (i.e., algebraically, graphically, numerically in tables, or by verbal descriptions), including linear, quadratic, square root, cube root, piecewise-quadratic, and exponential functions with domains in the real numbers.	Compare properties of two functions with each represented in a different way (i.e., algebraically, graphically, numerically in tables, or by verbal descriptions), <b>including</b> <b>linear</b> , <b>quadratic</b> , <b>square root</b> , <b>cube root</b> , <b>piecewise-quadratic</b> , <b>and exponential</b> <b>functions with domains</b> <b>in the integers</b> .	Compare <b>properties</b> of two functions with each <b>represented in a</b> <b>different way</b> (i.e., algebraically, graphically, or numerically in tables), <b>including linear</b> , <b>quadratic, and</b> <b>exponential functions</b> <b>with domains in the</b> <b>integers.</b>	Compare <b>qualitative</b> <b>descriptions</b> of two <b>linear functions</b> <b>represented in the same</b> <b>way</b> (i.e., algebraically, graphically, or numerically in tables).	
Building Functions (F-BF)	Determine a recursive representation for a linear, quadratic, or exponential function.	Determine and write the appropriate linear, quadratic, or exponential function that describes a relationship between two quantities.	Write a linear or quadratic function that describes a relationship between two quantities.	Write a qualitative or narrative description of a linear function that describes the behavior and/or relationship between two quantities. Determine a representation, intermediate steps, or calculations for a linear function.	Identify the descriptive characteristics of inputs and outputs of a linear function.

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(F-BF continued)	Given the equation of a transformed linear or quadratic function, <b>create an appropriate</b> <b>graph and interpret the</b> <b>transformations.</b>	Identify the effect on a graph of <b>replacing</b> $f(x)$ with $f(x) + k$ , $k f(x)$ , f(kx), and $f(x + k)$ . Find the value of k given the graphs.	Identify the effect on a graph of <b>replacing</b> $f(x)$ with $k f(x), f(kx)$ , and $f(x + k)$ for specific values of $k$ (both positive and negative integers).	Identify the effect on a graph of <b>replacing</b> $f(x)$ with $f(x) + k$ where k is a positive or negative integer and replacing f(x) with $kf(x)$ where k is a positive integer.	Identify the effect on a graph of <b>replacing</b> $f(x)$ with $f(x) + k$ where k is a positive integer.
Linear, Quadratic, and Exponential Models (F-LE)	Explain, using graphs and tables, that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	<b>Demonstrate that</b> a given linear function grows by equal differences over equal intervals and an exponential function grows by equal factors over equal intervals (where differences and factors are integers).	Show, <b>using graphs and</b> <b>tables</b> , that a quantity increasing exponentially eventually exceeds a quantity increasing linearly or quadratically.	Identify <b>a situation that</b> <b>can be modeled</b> with a linear function.	Identify <b>the graph of a</b> linear function. Distinguish between <b>graphs of different</b> <b>linear functions.</b>
		Construct <b>linear and</b> <b>exponential functions,</b> <b>including arithmetic</b> <b>and geometric</b> <b>sequences</b> given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).	Construct <b>linear and</b> <b>exponential functions</b> given a graph or two input-output pairs with or without a graphing calculator (including reading these from a table).	Construct <b>linear</b> <b>functions</b> given a graph or two input-output pairs (including reading these from a table).	

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(F-LE		Identify situations in	Identify situations in	Using a graph, show	
continued)		which a quantity grows	which one quantity	that a quantity increasing	
		or decays at <b>a constant</b>	changes at a constant	exponentially grows	
		percent rate per unit	rate per unit interval	faster than a quantity	
		interval relative to another.	relative to another.	increasing linearly.	
			Identify and <b>distinguish</b> <b>between situations that</b> <b>can be modeled with</b> <b>linear functions and</b> <b>exponential functions.</b>		
	Interpret <b>changes in</b> <b>parameters</b> based on the comparison of two functions in terms of a real-world context.	Interpret the parameters (i.e., slope or growth factor) in a linear, quadratic, or exponential function in terms of a real-world context.	<b>Identify the slope and</b> <i>y</i> <b>-intercept in a linear</b> <b>function</b> in terms of a real-world context.		
Summarize, Represent, and Interpret Data (S-ID)	Choose and justify the most appropriate plot on a number line.	<b>Interpret data</b> with plots on a number line.	Represent data with plots on a number line (i.e., dot plots, histogram, and box plots).	Represent data with plots on a number line with a <b>dot plot or histogram.</b>	Represent data with a <b>dot plot.</b>
	Choose and justify the	Choose and interpret	Choose the most	Calculate a given	
	most appropriate	the most appropriate	appropriate measure of	measure of center.	
	measures of center and	measures of center and	center of data sets,		
	spread of the data	spread of the data	considering the shape		
	distribution in two or	distribution <b>in two or</b>	and spread of the data.		
	more data sets.	more data sets.			

NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
<b>Identify and explain</b> errors in inferences made based on assumptions about the data.	Interpret the differences in shape, center, <b>and</b> spread in the context of the data, including the effects of outliers.	Interpret the differences in shape, center, <b>or</b> spread in the context of the data, including the effects of outliers.	Identify outliers.	
<b>Provide evidence to</b> <b>show</b> possible associations and trends in the data.	List and interpret possible associations and trends in the data in a two-way frequency table.	Summarize categorical data for two categories in two-way frequency tables.	Given two-way table, identify quantitative differences of categorical data.	From a two-way table, state relative frequencies.
Summarize, represent, and interpret data on two categorical and quantitative variables.	Interpret marginal, joint, and conditional relative frequencies in the context of the data.	Interpret marginal relative frequencies in the context of the data.		
Fit a linear, quadratic, or exponential function to real-world data and use residuals to assess the fit.	Use residuals to assess the fit of a linear, quadratic, or exponential function.	Fit a linear function to real world data.		
	Identify and explain errors in inferences made based on assumptions about the data.Provide evidence to show possible associations and trends in the data.Summarize, represent, and interpret data on two categorical and quantitative variables.Fit a linear, quadratic, or exponential function to real-world data and use residuals to assess	Identify and explain errors in inferences made based on assumptions about the data.Interpret the differences in shape, center, and spread in the context of the data, including the effects of outliers.Provide evidence to show possible associations and trends in the data.List and interpret possible associations and trends in the data in a two-way frequency table.Summarize, represent, and interpret data on two categorical and quantitative variables.Interpret marginal, joint, and conditional relative frequencies in the context of the data.Fit a linear, quadratic, or exponential function to real-world data and use residuals to assessUse residuals to assess	Identify and explain errors in inferences made based on assumptions about the data.Interpret the differences in shape, center, and spread in the context of the data, including the effects of outliers.Interpret the differences in shape, center, or spread in the context of the data, including the effects of outliers.Interpret the differences in shape, center, or spread in the context of the data, including the effects of outliers.Provide evidence to show possible associations and trends in the data.List and interpret 	Identify and explain errors in inferences made based on assumptions about the data.Interpret the differences in shape, center, and spread in the context of the data, including the effects of outliers.Interpret the differences in shape, center, and spread in the context of the data, including the effects of outliers.Interpret the differences in shape, center, and spread in the context of the data, including the effects of outliers.Identify outliers.Provide evidence to show possible associations and trends in the data.List and interpret possible associations and trends in the data in a two-way frequency table.Summarize categorical data for two categories in two-way frequency tables.Given two-way table, identify quantitative differences of categorical data.Summarize, represent, and interpret data on two categorical and quantitative variables.Interpret marginal, joint, and conditional relative frequencies in the context of the data.Interpret marginal relative frequencies in the context of the data.Interpret marginal relative frequencies in the context of the data.Fit a linear, quadratic, or exponential function use residuals to assessUse residuals to assess the fit of a linear, quadratic, or exponential function.Fit a linear function to real world data.Fit a linear function to real world data.

Domain	NYS Level 5	NYS Level 4	NYS Level 3	NYS Level 2	NYS Level 1
(S-ID	Compare and contrast	Use the graphing	Use the graphing	Identify a strong or weak	Distinguish between
continued)	the strength of the fit for	calculator to determine	calculator to <b>determine</b>	correlation given a	scatterplots that show a
	a variety of functions.	the correlation coefficient of <b>a linear</b>	the correlation coefficient and direction	correlation coefficient.	negative correlation and scatterplots that show a
		model and assess the strength and direction of the fit.	of a linear model.		positive correlation.
			Interpret the meaning of slope <b>and</b> the <i>y</i> -intercept of a linear model in real-world context.	<b>Interpret the meaning</b> <b>of the y-intercept or</b> <b>slope</b> of a linear model in real-world context.	<b>Identify the slope or </b> <i>y</i> <b>-intercept</b> given a linear model.
	Generate and explain examples of relationships that are correlated and causal or correlated but not causal.	<b>Distinguish between</b> correlation and causation.			