

# **New York State Regents Examination in Chemistry**

## **2014 Field Test Analysis, Equating Procedure, and Scaling of Operational Test Forms**

### **Technical Report**



Prepared for the New York State Education Department  
by Pearson

**January 2015**

# Copyright

---

Developed and published under contract with the New York State Education Department by Pearson.

Copyright © 2014 by the New York State Education Department.

# Table of Contents

---

Table of Contents.....	i
List of Tables.....	iii
List of Figures.....	iii
Section I: Introduction.....	1
PURPOSE .....	1
Section II: Field Test Analysis .....	1
FILE PROCESSING AND DATA CLEANUP .....	2
CLASSICAL ANALYSIS .....	2
<i>Item Difficulty</i> .....	3
<i>Item Discrimination</i> .....	3
<i>Test Reliability</i> .....	4
<i>Scoring Reliability</i> .....	4
<i>Inter-rater Agreement</i> .....	5
<i>Constructed-Response Item Means and Standard Deviations</i> .....	5
<i>Intraclass Correlation</i> .....	6
<i>Weighted Kappa</i> .....	7
ITEM RESPONSE THEORY (IRT) AND THE CALIBRATION AND EQUATING OF THE FIELD TEST	
ITEMS .....	7
<i>Item Calibration</i> .....	9
<i>Item Fit Evaluation</i> .....	10
DIFFERENTIAL ITEM FUNCTIONING.....	11
<i>The Mantel Chi-Square and Standardized Mean Difference</i> .....	11
<i>Multiple-Choice Items</i> .....	13
<i>The Odds Ratio</i> .....	13
<i>The Delta Scale</i> .....	13
<i>DIF Classification for MC Items</i> .....	13
<i>DIF Classification for CR Items</i> .....	14
Section III: Equating Procedure.....	14
RANDOMLY EQUIVALENT GROUP EQUATING DESIGN .....	15
Section IV: Scaling of Operational Test Forms.....	17
References.....	20
Appendix A: Classical Item Analysis .....	22
Appendix B: Inter-rater Consistency – Point Differences Between First and Second Reads.....	31
Appendix C: Additional Measures of Inter-rater Reliability and Agreement.....	34

Appendix D: Partial-Credit Model Item Analysis .....	38
Appendix E: DIF Statistics .....	44
Appendix F: Operational Test Maps .....	50
Appendix G: Scoring Tables .....	56

## List of Tables

---

Table 1. Need/Resource Capacity Category Definitions .....	1
Table 2. Classical Item Analysis Summary .....	4
Table 3. Test and Scoring Reliability .....	5
Table 4. Criteria to Evaluate Mean-Square Fit Statistics .....	10
Table 5. Partial Credit Model Item Analysis Summary .....	11
Table 6. DIF Classification for MC Items .....	14
Table 7. DIF Classification for CR Items .....	14
Table 8. Initial Mean Abilities and Equating Constants.....	17

## List of Figures

---

Figure 1. $2 \times t$ Contingency Table at the $k^{\text{th}}$ of K Levels.....	11
----------------------------------------------------------------------------------	----

## Section I: Introduction

---

### PURPOSE

The purpose of this report is to document the psychometric properties of the New York State Regents Examination in Chemistry. In addition, this report documents the procedures used to analyze the results of the field test and to equate and scale the operational test forms.

## Section II: Field Test Analysis

---

In May 2014, prospective items for the New York State Regents Examination in Chemistry were field tested. The results of this testing were used to evaluate item quality. Only items with acceptable statistical characteristics can be selected for use on operational tests.

Representative student samples for participation in this testing were selected to mirror the demographics of the student population that is expected to take the operational test. The Need/Resource Capacity Categories in Table 1 were used as variables in the sampling plan.

**Table 1. Need/Resource Capacity Category Definitions**

<b>Need/Resource Capacity (N/RC) Category</b>	<b>Definition</b>
High N/RC Districts: New York City	New York City
Large Cities	Buffalo, Rochester, Syracuse, Yonkers
Urban/Suburban	All districts at or above the 70 <sup>th</sup> percentile on the index with at least 100 students per square mile or enrollment greater than 2500
Rural	All districts at or above the 70 <sup>th</sup> percentile on the index with fewer than 50 students per square mile or enrollment of fewer than 2500
Average N/RC Districts	All districts between the 20 <sup>th</sup> and 70 <sup>th</sup> percentiles on the index
Low N/RC Districts	All districts below the 20 <sup>th</sup> percentile on the index
Charter Schools	Each charter school is a district

## FILE PROCESSING AND DATA CLEANUP

The Regents examinations utilize both multiple-choice (MC) and constructed-response (CR) item types in order to more fully assess student ability. Multiple field test (FT) forms were given during this administration to allow for a large number of items to be field tested without placing an undue burden on the students participating in the field test; each student only took a small subset of the items being field tested. The New York State Education Department (NYSED) handled all scanning of the MC responses and scoring of the CR responses along with the composition of the student data file in-house and with other external vendors. After all scoring and scanning activities had been completed and the student data file built, it was supplied to Pearson and contained student MC responses and CR scores. In addition, the NYSED also created and supplied a test map file that documented the items on each of the FT forms and a student data file layout that contained the position of every field within the student data file. Upon receipt of these files, Pearson staff checked the data, test map, and layout for consistency. Any anomalies were referred back to the NYSED for resolution. After these had been resolved and corrected as necessary, final processing of the data file then took place. This processing included the identification and deletion of invalid student test records through the application of a set of predefined exclusion rules<sup>1</sup>. The original student data file received from the NYSED contained 7,929 records; the final field test data file contained 7,891 records.

Within the final data file used in the field test analyses, MC responses were scored according to the item keys contained in the test map; correct responses received a score of 1 while incorrect responses received a score of 0. CR item scores were taken directly from the student data file, with the exception that out-of-range scores were assigned scores of 0. For Item Response Theory (IRT) calibrations, blanks (i.e., missing data; not omits) were also scored as 0.

In addition to the scored data, the final data file also contained the unscored student responses and scores. Unscored data was used to calculate the percentage of students who selected the various answer choices for the MC items or the percentage of students who received each achievable score point for the CR items. The frequency of students leaving items blank was also calculated. The scored data were used for all other analyses.

## CLASSICAL ANALYSIS

Classical Test Theory assumes that any observed test score  $x$  is composed of both true score  $t$  and error score  $e$ . This assumption is expressed as follows:

$$x = t + e$$

---

<sup>1</sup> These exclusion rules flagged records without both an MC and a CR component, records with invalid or out-of-range form numbers, records without any responses, and duplicate records. These records were dropped prior to analysis.

All test scores are composed of both a true and an error component. For example, the choice of test items or administration conditions might influence student responses, making a student's observed score higher or lower than the student's true ability would warrant. This error component is random and uncorrelated with (i.e., unrelated to) the student's true score. Across an infinitely large number of administrations, the mean of the error scores would be zero. Thus, the best estimate of a student's true score for any test administration (or their expected score given their [unobservable] true level of ability or true score) is that student's observed score. This expectation is expressed as follows:

$$E(x) = t$$

Item difficulties, point-biserial correlations, reliability estimates, and various statistics related to rater agreement have been calculated and are summarized in the following section.

#### *Item Difficulty*

Item difficulty is typically defined as the average of scores for a given item. For MC items, this value (commonly referred to as a p-value) ranges from 0 to 1. For CR items, this value ranges from 0 to the maximum possible score. In order to place all item means on a common metric (ranging from 0 to 1), CR item means were divided by the maximum points possible for the item.

#### *Item Discrimination*

Item discrimination is defined as the correlation between a score on a given test question and the overall raw test score. These correlations are Pearson correlation coefficients. For MC items, it is also known as the point-biserial correlation.

Table 2 presents a summary of the classical item analysis for each of the field test forms. The first three columns from the left identify the form number, the number of students who took each form, and the number of items on each field test form, respectively. The remaining columns are divided into two sections (i.e., item difficulty and discrimination). Recall that for CR items, item means were divided by the maximum number of points possible in order to place them in the same metric as the MC items. One item had difficulties that were greater than 0.90 and one item had correlations that were less than 0.25. In addition to the summary information provided in Table 2, further classical item statistics are provided in Appendix A.

**Table 2. Classical Item Analysis Summary**

Form	N-Count	No. of Items	Item Difficulty			Item Discrimination		
			<0.50	0.50 to 0.90	>0.90	<0.25	0.25 to 0.50	>0.50
811	891	25	14	10	1	0	20	5
812	869	25	11	14	0	0	17	8
813	869	25	9	16	0	1	21	3
814	874	25	9	16	0	0	19	6
815	890	24	9	15	0	0	21	3
816	889	25	11	14	0	0	20	5
817	846	25	14	11	0	0	20	5
818	890	25	11	14	0	0	18	7
819	879	19	5	14	0	0	12	7

For some forms, the item counts in the “Item Difficulty” and “Item Discrimination” columns may not sum to the value in the “No. of Items” column due to DNS (Do Not Score) items.

*Test Reliability*

Reliability is the consistency of the results obtained from a measurement with respect to time or between items or subjects that constitute a test. As such, test reliability can be estimated in a variety of ways. Internal consistency indices are a measure of how consistently examinees respond to items within a test. Two factors influence estimates of internal consistency: (1) test length and (2) homogeneity of the items. In general, the more items on the examination, the higher the reliability and the more similar the items, the higher the reliability.

Table 3 contains the internal consistency statistics for each of the field test forms under the heading “Test Reliability.” These statistics ranged from 0.77 to 0.84. It should be noted that operational tests generally are composed of more items and would be expected to have higher reliabilities than do these field test forms.

*Scoring Reliability*

One concern with CR items is the reliability of the scoring process (i.e., consistency of the score assignment). CR items must be read by scorers who assign scores based on a comparison between the rubric and student responses. Consistency between scorers is a critical part of the reliability of the assessment. To track scorer consistency, approximately 10% of the test booklets are scored a second time (these are termed “second read scores”) and compared to the original set of scores (also known as “first read scores”).

As an overall measure of scoring reliability, the Pearson correlation coefficient between the first and second scores for all CR items with second read scores was computed for each form. This statistic is often used as an overall indicator of scoring reliability, and it generally ranges from 0 to 1. Table 3 contains these values in the

column headed “Scoring Reliability.” They ranged from 0.88 to 0.97, indicating a high degree of reliability.

**Table 3. Test and Scoring Reliability**

Form Number	Test Reliability	Scoring Reliability
811	0.80	0.88
812	0.83	0.90
813	0.80	0.92
814	0.80	0.92
815	0.79	0.92
816	0.84	0.93
817	0.83	0.93
818	0.81	0.93
819	0.77	0.97

*Inter-rater Agreement*

For each CR item, the difference between the first and second reads was tracked and the number of times each possible difference between the scores occurred was tabulated. These values were then used to calculate the percentage of times each possible difference occurred. When examining inter-rater agreement statistics, it should be kept in mind that the maximum number of points per item varies, as shown in the “Score Points” column. Blank cells in the table indicate out-of-range differences (e.g., it is impossible for two raters to differ by more than one point in their scores on an item with a maximum possible score of one; cells in the table other than -1, 0, and 1 would therefore be blanked out).

Appendix B contains the proportion of occurrence of these differences for each CR item. Although most items had a maximum point value of one, one item had a maximum point value of two, and one item had a maximum point value of three. Only the three-point item had any ratings that differed by more than one point and this only occurred for 1.5% of the sample that received dual reads. Appendix C contains additional summary information regarding the first and second reads, including the percentage of the first and second scores that were exact or adjacent matches. These were 100% for the two-point item and 99.1% for the three-point item. Nonadjacent scores were not possible for the remaining one-point items.

*Constructed-Response Item Means and Standard Deviations*

Appendix C also contains the mean and standard deviation of the first and second scores for each CR item. While there were minimal differences between the standard deviation statistics, the largest difference between the item means for the first and second read scores was 0.1.

### *Intraclass Correlation*

In addition, Appendix C contains the intraclass correlations for the items. These correlations are calculated using a formulation given by Shrout and Fleiss (1979). Specifically, they described six different models based on various configurations of judges and targets (in this case, papers that are being scored). For this assessment, the purpose of the statistic is to describe the reliability of single ratings, and each paper is scored by two judges, who are randomly assigned from the larger pool of judges, and who score multiple papers. This description fits their “Case 1.” Further, they distinguish between situations where the score assigned to the paper is that of a single rater versus when the score is the mean of  $k$  raters. Since the students’ operational scores are those from single (i.e., the first) raters, the proper intraclass correlation in this instance is termed by Shrout and Fleiss as “ICC(1,1).” It will be referred to herein simply as the “intraclass correlation” (ICC).

While the ICC is a bona fide correlation coefficient, it differs from a regular correlation coefficient in that its value remains the same regardless of how the raters are ordered. A regular Pearson correlation coefficient would change values if, for example, half of the second raters were switched to the first position, while the ICC would maintain a consistent value. Because the papers were randomly assigned to the judges, ordering was arbitrary, and thus the ICC is a more appropriate measure of reliability than the Pearson correlation coefficient in this situation. The ICC ranges from zero (the scores given by the two judges are unrelated) to one (the scores from the two judges match perfectly); negative values are possible, but rare, and have essentially the same meaning as values of zero. It should also be noted that the ICC can be affected by low degrees of variance in the scores being related, which is similar to the way that regular Pearson correlation coefficients are affected. ICCs for items where almost every examinee achieved the same score point (e.g., an extremely easy dichotomous item where almost every examinee was able to answer it correctly) may have a low or negative ICC, even though almost all ratings by the judges matched exactly.

McGraw and Wong (1996, Table 4, p. 35) state that the ICC can be interpreted as “the degree of absolute agreement among measurements made on randomly selected objects. It estimates the correlation of any two measurements.” Since it is a correlation coefficient, its square indicates the percent of variance in the scores that is accounted for by the relationship between the two sets of scores (i.e., the two measurements). In this case, these scores are those of the pair of judges. ICC values greater than 0.60 indicate that at least 36% ( $0.60^2$ ) of the variation in the scores given by the raters is accounted for by variations in the responses to the items that are being scored (e.g., variations in the ability being measured) rather than by variations caused by a combination of differences in the severity of the judges, interactions between judge severity and the items, and random error (e.g., variations exterior to the ability being measured). It is generally preferred that items have ICCs at this level or higher. Only one item had ICCs at 0.60. Consistent with other information provided in the table, these values indicate a high to very high level of scoring reliability for almost all of the items in the field test.

### *Weighted Kappa*

Weighted Kappa (Cohen, 1968) was also calculated for each item based on the first and second reads and is included in Appendix C as well. This statistic is an estimate of the agreement of the score classifications over and above that which would be expected to occur by chance. Similar to the ICC, its value can range between zero (the scores given by the judges agree as often as would be expected by chance) and one (scores given by the judges agree perfectly). In addition, negative values are possible, but rare, and have the same interpretation as zero values. One set of guidelines for the evaluation of this statistic is (Fleiss, 1981):

- $k > 0.75$  denotes excellent reproducibility
- $0.4 < k \leq 0.75$  denotes good reproducibility
- $0 < k \leq 0.4$  denotes marginal reproducibility

The results show excellent reproducibility between the first and second reads for all items. With the lowest kappa being equal to 0.60, there were no items displaying marginal reproducibility. The reliability analyses offer strong evidence that the scoring of the CR items was performed in a highly reliable manner.

## **ITEM RESPONSE THEORY (IRT) AND THE CALIBRATION AND EQUATING OF THE FIELD TEST ITEMS**

While classical test theory-based statistical measures are useful for assessing the suitability of items for operational use (i.e., use as part of an assessment used to measure student ability and thus having real-world consequences for students, teachers, schools, and administrators), their values are dependent on both the psychometric properties of the items and the ability distributions of the samples upon which they are based. In other words, classical test theory-based statistics are *sample-dependent statistics*.

In contrast, Item Response Theory (IRT) based statistics are not dependent on the sample over which they are estimated—they are invariant across different samples (Hambleton, Swaminathan, & Rogers, 1991; Lord, 1980). This invariance allows student ability to be estimated on a common metric even if different sets of items are used (as with different test forms over different test administrations).

The process of estimating IRT-based item parameters is referred to as “item calibration,” and the placing of these parameters on a common metric or scale is termed “equating.” While one reason for the field testing of items is to allow their suitability for use in the operational measurement of student ability to be assessed, the data resulting from field testing is also used to place items on the scale of the operational test (i.e., they are equated to the operational metric). Once items are on this common metric, any form composed of items from this pool can be scaled (the process through which scale score equivalents for each achievable raw score are derived) and the resulting scale scores will be directly comparable to those from other administrations, even though the underlying test forms are composed of different sets of items.

There are several variations of IRT that differ mainly in the way item behavior is modeled. The New York State Regents Examinations use the Rasch family of IRT statistics to calibrate, scale, and equate all subjects (Rasch, 1980; Masters, 1982).

The most basic expression of the Rasch model is in the item characteristic curve. It conceptualizes the probability of a correct response to an item as a function of the ability level and the item's difficulty. The probability of a correct response is bounded by "1" (certainty of a correct response) and "0" (certainty of an incorrect response). The ability scale is theoretically unbounded. In practice, the ability scale ranges from approximately -4 to +4 logits. The relationship between examinee ability  $\theta$ , item difficulty  $D_i$ , and probability of answering the item correctly  $P_i$  is shown in the equation below:

$$P_i(\theta) = \frac{\exp(\theta - D_i)}{1 + \exp(\theta - D_i)}$$

Examinee ability ( $\theta$ ) and item difficulty ( $D_i$ ) are on the same scale. This is useful for certain purposes. An examinee with an ability level equal to the item difficulty will have a 50% chance of answering the item correctly; if his or her ability level is higher than the item difficulty, then the probability of answering the item correctly is commensurately higher, and the converse is also true.

The Rasch Partial Credit Model (PCM) (Masters, 1982) is a direct extension of the dichotomous one-parameter IRT model above. For an item involving  $m$  score categories, the general expression for the probability of achieving a score of  $x$  on the item is given by

$$P_x(\theta) = \frac{\exp[\sum_{k=0}^x(\theta - D_k)]}{\sum_{h=0}^m \exp[\sum_{k=0}^h(\theta - D_k)]}$$

where

$$D_0 \equiv 0.0$$

In the above equation,  $P_x$  is the probability of achieving a score of  $x$  given an ability of  $\theta$ ;  $m$  is the number of achievable score points minus one (note that the subscript  $k$  runs from 0 to  $m$ ); and  $D_k$  is the step parameter for step  $k$ . The steps are numbered from 0 to the number of achievable score points minus one, and step 0 ( $D_0$ ) is defined as being equal to zero. Note that a four-point item, for example, usually has five achievable score points (0, 1, 2, 3, and 4), thus the step numbers usually mirror the achievable point values.

According to this model, the probability of an examinee scoring in a particular category (step) is the sum of the logit (log-odds) differences between  $\theta$  and  $D_k$  of all the completed steps, divided by the sum of the differences of all the steps of an item. Thissen and Steinberg (1986) refer to this model as a divide-by-total model. The

parameters estimated by this model are  $m_i - 1$  threshold (difficulty) estimates, and they represent the points on the ability continuum where the probability of the examinee achieving score  $m_i$  exceeds that of  $m_{i-1}$ . The mean of these threshold estimates is used as an overall summary of the polytomous item's difficulty.

If the number of achievable score points is one (i.e., the item is dichotomous), then the PCM reduces to the basic Rasch IRT model for dichotomous items. This means that dichotomous and polytomous items are being scaled using a common model and therefore can be calibrated, equated, and scaled together. It should be noted that the Rasch model assumes that all items have equal levels of discrimination and that there is no guessing on MC items. However, it is robust to violations of these assumptions, and items that violate these assumptions to a large degree are usually flagged for item-model misfit.

### *Item Calibration*

When interpreting IRT item parameters, it is important to remember that they do not have an absolute scale—rather, their scale (in terms of mean and standard deviation) is purely arbitrary. It is conventional to set the mean of the item difficulties to zero when an assessment is scaled for the first time. Rasch IRT scales the theta measures in terms of *logits*, or “log-odds units.” The length of a logit varies from test to test, but generally the standard deviation of the item difficulties of a test scaled for the first time will be somewhere in the area of 0.6–0.8. While the item difficulties are invariant with respect to one another, the absolute level of difficulty represented by their mean is dependent on the overall difficulty of the group of items with which it was tested. In addition, there is no basis for assuming that the difficulty values are normally distributed around their mean—their distribution depends solely upon the intrinsic difficulties of the items themselves. Thus, if a particularly difficult set of items (relative to the set of items originally calibrated) was field tested, their overall mean would most probably be greater than zero, and their standard deviation would be considerably less than one. In addition, they would most probably not be normally distributed.

Rasch item difficulties generally range from  $-3.0$  to  $3.0$ , although very easy or difficult items can fall outside of this range. Items should not be discounted solely on the basis of their difficulty. A particular topic may require either a difficult or an easy item. Items are usually most useful if their difficulty is close to a cut score, as items provide the highest level of information at the ability level equal to their difficulty. Items with difficulties farther away from the cuts provide less information about students with abilities close to the cut scores (and, hence, are more susceptible to misclassification), but are still useful. In general, items should be selected for use based on their content, with their Rasch difficulty being only a secondary consideration.

### *Item Fit Evaluation*

The INFIT statistic is used to assess how well items fit the Rasch model. Rasch theory models the probability of a student being able to answer an item correctly as a function of the student's level of ability and the item's difficulty, as stated previously. The Rasch model also assumes that items' discriminations do not differ, and that the items are not susceptible to guessing. If these assumptions do not hold (if, for example, an item has an extremely high or low level of discrimination), then the item's behavior will not be well modeled by Rasch IRT. Guidelines for interpretation of the INFIT statistic are taken from Linacre (2005) and can be found in Table 4 below.

**Table 4. Criteria to Evaluate Mean-Square Fit Statistics**

<b>INFIT</b>	<b>Interpretation</b>
>2.0	Distorts or degrades the measurement system
1.5–2.0	Unproductive for construction of measurement, but not degrading
0.5–1.5	Productive for measurement
<0.5	Unproductive for measurement, but not degrading. May produce misleadingly good reliabilities and separations

INFIT is an information-weighted fit statistic, which is more sensitive to unexpected behavior affecting responses to items near the person's measure (or ability) level. In general, values near 1.0 indicate little distortion of the measurement system, while values less than 1.0 indicate observations are too predictable (redundancy, model overfit). Values greater than 1.0 indicate unpredictability (unmodeled noise, model underfit).

Table 5 contains a summary of the analysis for each of the field test forms. The first column from the left lists the form numbers. The next two columns list the number of students who participated and the number of items on each field test form, respectively. The following columns show the frequency of items at three levels of difficulty (easier items with a Rasch difficulty  $<-2.0$ , moderate items with a Rasch difficulty between  $-2.0$  and  $2.0$ , and more difficult items with a Rasch difficulty  $>2.0$ ) and frequencies of item misfits as classified in the preceding table. Most of the items fell within the moderate  $-2.0$  to  $+2.00$  difficulty range, and there were no items with an INFIT statistic outside the range most productive for measurement. Item level results of the analysis can be found in Appendix D.

**Table 5. Partial Credit Model Item Analysis Summary**

Form	N-Count	No. of Items	Rasch			INFIT			
			<-2.0	-2.0 to 2.0	>2.0	<0.5	0.5 to 1.5	1.5 to 2.0	>2.0
811	891	25	3	21	1	0	25	0	0
812	869	25	0	24	1	0	25	0	0
813	869	25	0	22	3	0	25	0	0
814	874	25	0	24	1	0	25	0	0
815	890	24	0	23	1	0	24	0	0
816	889	25	1	23	1	0	25	0	0
817	846	25	0	23	2	0	25	0	0
818	890	25	1	23	1	0	25	0	0
819	879	19	1	18	0	0	19	0	0

For some forms, the item counts in the “Rasch” and “INFIT” columns may not sum to the value in the “No. of Items” column due to DNS (Do Not Score) items.

**DIFFERENTIAL ITEM FUNCTIONING**

Differential Item Functioning (DIF) occurs when members of a particular group have a different probability of success than members of another group who have the same level of ability for reasons unrelated to the academic skill or construct being measured. For example, items testing English grammar skills may be more difficult for LEP students as opposed to non-LEP students, but such differences are likely due to the fact that the item measures an academic skill related to English language proficiency. Such items would not be considered to be functioning differentially.

*The Mantel Chi-Square and Standardized Mean Difference*

The Mantel  $\chi^2$  is a conditional mean comparison of the ordered-response categories for reference and focal groups combined over values of the matching variable score. “Ordered” means that a response earning a score of “1” on an item is better than a response earning a score of “0,” or “2” is better than “1,” and so on. “Conditional,” on the other hand, refers to the comparison of members from the two groups who received the same score on the matching variable, that is, the total test score in our analysis.

Group	Item Score				Total
	$y_1$	$y_2$	...	$y_T$	
Reference	$n_{R1k}$	$n_{R2k}$	...	$n_{Rtk}$	$n_{R+k}$
Focal	$n_{F1k}$	$n_{F2k}$	...	$n_{Ftk}$	$n_{F+k}$
Total	$n_{+1k}$	$n_{+2k}$	...	$n_{+tk}$	$n_{++k}$

**Figure 1. 2 × t Contingency Table at the k<sup>th</sup> of K Levels.**

Figure 1 (from Zwick, Donoghue, & Grima, 1993) shows a 2 × t contingency table at the k<sup>th</sup> of K levels, where t represents the number of response categories and k represents the number of levels of the matching variable. The values  $y_1, y_2, \dots, y_T$

represent the  $t$  scores that can be gained on the item. The values  $n_{Ftk}$  and  $n_{Rtk}$  represent the numbers of focal and reference groups who are at the  $k^{\text{th}}$  level of the matching variable and gain an item score of  $y_t$ . The “+” indicates the total number over a particular index (Zwick et al., 1993). The Mantel statistic is defined as the following formula:

$$\text{Mantel}\chi^2 = \frac{\left( \sum_k F_k - \sum_k E(F_k) \right)^2}{\sum_k \text{Var}(F_k)}$$

in which  $F_k$  represents the sum of scores for the focal group at the  $k^{\text{th}}$  level of the matching variable and is defined as follows:

$$F_k = \sum_t y_t n_{Ftk}$$

The expectation of  $F_k$  under the null hypothesis is

$$E(F_k) = \frac{n_{F+k}}{n_{++k}} \sum_t y_t n_{Ftk}$$

The variance of  $F_k$  under the null hypothesis is as follows:

$$\text{Var}(F_k) = \frac{n_{R+k} n_{F+k}}{n_{++k}^2 (n_{++k} - 1)} \left[ (n_{++k} \sum_t y_t^2 n_{+tk}) - (\sum_t y_t n_{+tk})^2 \right]$$

Under  $H_0$ , the Mantel statistic has a chi-square distribution with one degree of freedom. In DIF applications, rejecting  $H_0$  suggests that the students of the reference and focal groups who are similar in overall test performance tend to differ in their mean performance on the item. For dichotomous items, the statistic is identical to the Mantel-Haenszel (MH) (1959) statistic without the continuity correction (Zwick et al., 1993).

A summary statistic to accompany the Mantel approach is the standardized mean difference (SMD) between the reference and focal groups proposed by Dorans and Schmitt (1991). This statistic compares the means of the reference and focal groups, adjusting for differences in the distribution of the reference and focal group members across the values of the matching variable. The SMD has the following form:

$$\text{SMD} = \sum_k p_{Fk} m_{Fk} - \sum_k p_{Rk} m_{Rk}$$

in which

$$p_{Fk} = \frac{n_{F+k}}{n_{F++}}$$

is the proportion of the focal group members who are at the  $k^{\text{th}}$  level of the matching variable;

$$m_{Fk} = \frac{1}{n_{F+k} \sum_t y_t n_{Ftk}}$$

is the mean item score of the focal group members at the  $k^{\text{th}}$  level; and  $m_{Rk}$  is the analogous value for the reference group. As can be seen from the equation above, the SMD is the difference between the unweighted item mean of the focal group and the weighted item mean of the reference group. The weights for the reference group are applied to make the weighted number of the reference-group students the same as in the focal group within the same level of ability. A negative SMD value implies that the focal group has a lower mean item score than the reference group, conditional on the matching variable.

### *Multiple-Choice Items*

For the MC items, the MH odds ratio (converted to the ETS delta scale [D]) is used to classify items into one of three categories of DIF.

### *The Odds Ratio*

The odds of a correct response (proportion passing divided by proportion failing) are  $P/Q$  or  $P/(1-P)$ . The *odds ratio* is the odds of a correct response of the reference group divided by the odds of a correct response of the focal group. For a given item, the odds ratio is defined as follows:

$$\alpha_{MH} = \frac{P_r/Q_r}{P_f/Q_f}$$

and the corresponding null hypothesis is that the odds of getting the item correct are equal for the two groups. Thus, the odds ratio is equal to 1:

$$\alpha_{MH} = \frac{P_r/Q_r}{P_f/Q_f} = 1$$

### *The Delta Scale*

To make the odds ratio symmetrical around zero with its range being in the interval  $-\infty$  to  $+\infty$ , the odds ratio is transformed into a log odds ratio according to this equation:

$$\beta_{MH} = \ln(\alpha_{MH})$$

This simple natural logarithm transformation of the odds ratio is symmetrical around zero. This DIF measure is a signed index. A positive value signifies DIF in favor of the reference group, a negative value indicates DIF in favor of the focal group, and zero has the interpretation of equal odds of success on the item.  $\beta_{MH}$  also has the advantage of a linear relationship to other interval scale metrics (Camilli & Shepard, 1994).  $\beta_{MH}$  is placed on the ETS delta scale (D) using the following equation:

$$D = -2.35\beta_{MH}$$

### *DIF Classification for MC Items*

Table 6 depicts DIF classifications for MC items. Classification depends on the delta (D) value and the significance of its difference from zero ( $p < 0.05$ ). The criteria are derived from those used by the National Assessment of Educational Progress (Allen, Carlson, & Zelenak, 1999) in the development of their assessments.

**Table 6. DIF Classification for MC Items**

Category	Description	Criterion
A	No DIF	D not significantly different from zero or $ D  < 1.0$
B	Moderate DIF	$1.0 \leq  D  < 1.5$ or not otherwise A or C
C	High DIF	D is significantly different from zero and $ D  \geq 1.5$

*DIF Classification for CR Items*

The SMD is divided by the total group item standard deviation to obtain an effect-size value for the SMD ( $ES_{SMD}$ ). The value of  $ES_{SMD}$  and the significance of the Mantel  $\chi^2$  statistic ( $p < 0.05$ ) are used to determine the DIF category of the item as depicted in Table 7 below.

**Table 7. DIF Classification for CR Items**

Category	Description	Criterion
AA	No DIF	Non-significant Mantel $\chi^2$ or $ ES_{SMD}  \leq 0.17$
BB	Moderate DIF	Significant Mantel $\chi^2$ and $0.17 <  ES_{SMD}  \leq 0.25$
CC	High DIF	Significant Mantel $\chi^2$ and $0.25 <  ES_{SMD} $

Reliable DIF results are dependent on the number of examinees in both the focal and reference groups. Clauser and Mazor (1998) state that a minimum of 200 to 250 examinees per group are sufficient to provide reliable results. Some testing organizations require as many as 300 to 400 examinees per group (Zwick, 2012) in some applications. For the field testing of the Regents examinations, the sample sizes were such that only comparisons based on gender (e.g., males vs. females) were possible. Even for gender, sample sizes were only moderately large, and so the results should be interpreted with caution.

The DIF statistics for gender are shown in Appendix E. MC items in DIF categories “B” and “C” and CR items in categories “BB” and “CC” were flagged. These flags are shown in the “DIF Category” column (“A” and “AA” category items will have blank cells here). The “Favored Group” column indicates which gender is favored for items that are flagged.

### **Section III: Equating Procedure**

---

Students participating in the 2014 field test administration for the New York State Regents Examination in Chemistry received one of nine test forms (numbered 811–819). Form 819 was the anchor form for the equating and was an intact form that had been administered in the prior year. Because the form had been previously administered, its items had known parameters on the operational scale. The remaining test forms contained items that had not been administered to New York State students. Test forms were spiraled within classrooms, so that students had an equal chance of receiving any of the nine forms, depending solely on their ordinal position within the classroom. In essence, students were randomly assigned to test forms, forming

randomly equivalent groups taking each of the forms. Appendices A and D (with the classical and Rasch IRT item level statistics) may be consulted to determine the characteristics of the items (e.g., item type and maximum number of points possible) that made up each form.

## **RANDOMLY EQUIVALENT GROUP EQUATING DESIGN**

The equating analyses were based on the assumption that the groups taking the different forms had equivalent ability distributions and means. Given the random assignment of forms to examinees, this was a reasonable assumption. The initial step in the analyses was to calibrate all forms, both the anchor form and the remaining field test forms. All forms were calibrated using Winsteps, version 3.60 (Linacre, 2005).

The anchor form calibration began with all anchor item difficulty parameters fixed to their known values from the previous year. Because it is possible for item parameters to “drift” (shift their difficulties relative to one another), a stability check was integrated into the analysis.

Winsteps provides an item level statistic, termed “displacement.” Linacre (2011, p. 545) describes this statistic as:

...the size of the change in the parameter estimate that would be observed in the next estimation iteration if this parameter was free (unanchored) and all other parameter estimates were anchored at their current values. For a parameter (item or person) that is anchored in the main estimation, (the displacement value) indicates the size of disagreement between an estimate based on the current data and the anchor value.

This statistic was used to identify items with difficulties that had shifted, relative to the difficulties of the other items on the form. After the initial calibration run, the Winsteps displacement values for all anchor form items were examined for absolute values greater than 0.30. If present, the item with the largest absolute displacement value was removed from anchored status but remained on the test form. Its difficulty value was subsequently reestimated, relative to the difficulties of the remaining anchored items. The Winsteps calibration was then rerun with the reduced anchor set, after which the displacement values were again checked for absolute values in excess of 0.30. If another was found, it was also removed from anchored status and the calibration rerun. This iterative procedure continued until all anchored items had displacements of 0.30 or less. Three items were identified as having drifted for the 2014 analyses.

After a stable anchor item set had been identified, the mean of the ability estimates of the students who took the anchor form was computed<sup>2</sup>. This mean ability was then

---

<sup>2</sup> Because under Rasch IRT the ability of students with extreme scores (either zero or perfect scores) cannot be exactly computed (they are equal to  $-\infty$  and  $+\infty$ , respectively), they were excluded from this and all other analyses for both the anchor and other field test forms.

used as the target ability for the forms with the field test items. Because the groups taking the different forms were randomly equivalent and thus had the same mean ability, adjustment of the parameters of the field test items on any form, with values that produced an ability distribution for students who had taken the form with a mean equal to the target ability from the anchor form, would result in the parameters for the field test items on that form being equated to the scale of the anchor form, which was also the operational scale.

The equated mean ability estimate for Form 819 was 0.19. This value became the target mean ability estimate for the field test forms.

At this point in the analyses, the calibration of the anchor form was complete. The next step was the initial calibration of the field test forms. This was a “free” calibration, meaning that the item parameters were not constrained in any way. This initial calibration produced a set of Rasch difficulty parameters for the items on each form. Also produced as a part of the Winsteps calibration was a set of person ability estimates for each form.

The next step was the computation of an equating constant for each form. Under Rasch IRT, if all of the difficulty parameters on a form have a constant added to them, the ability estimates for examinees will also be changed from their previous values by the amount represented by that constant. Therefore, to adjust the item difficulty parameters such that the mean of the ability distribution is set equal to the target mean ability from the anchor form, an equating constant was calculated for each field test form by subtracting the field test form mean ability from the target mean ability. This value was then added to the Rasch difficulty parameter of all items on the field test form. These adjusted values were then used as anchors for a second Winsteps calibration of the field test form. The mean of the person ability values from this second calibration was computed and compared to the target mean. If the anchored field test mean ability differed from the target mean ability by 0.005 or more, then an additional equating constant was computed using the difference between the mean ability from the field test form anchored run and the target mean ability, and another anchored run was completed. This process continued until all adjusted field test form mean abilities were within the 0.005 tolerance limit around the targeted mean ability. The final equating constant for any field test form was the sum of the constants from each anchored round for that form. At this point, with the adjusted mean abilities for the field test forms all equal (within the specified limits) to the target abilities, all of the adjusted field test item parameters and the anchor item parameters were on the common operational scale, and thus could be used in any subsequent operational administration. The initial mean abilities and final equating constants for the field test forms can be found in Table 8.

**Table 8. Initial Mean Abilities and Equating Constants**

Form Number	Mean Ability	Constant
811	0.17	0.02
812	-0.14	0.32
813	-0.04	0.22
814	0.26	-0.07
815	0.12	0.07
816	0.13	0.05
817	0.01	0.18
818	0.01	0.18

## **Section IV: Scaling of Operational Test Forms**

---

Operational test items were selected based on content coverage, content accuracy, and statistical quality. The sets of items on each operational test conformed to the coverage determined by content experts working from the learning standards established by the New York State Education Department and explicated in the test blueprint. Each item's classical and Rasch statistics were used to assess item quality. Items were selected to vary in difficulty to accurately measure students' abilities across the ability continuum. Appendix F contains the 2014 operational test maps for the January and June administrations.

All Regents examinations have two cut scores, which are set at the scale scores of 65 and 85. One of the primary considerations during test construction was to select items to minimize changes in the raw scores corresponding to these two scale scores. Maintaining a consistent mean Rasch difficulty level from administration to administration facilitates this. For this assessment, the target value for the mean Rasch difficulty was set at -0.088. It should be noted that the raw scores corresponding to the scale score cut scores may still fluctuate even if the mean Rasch difficulty level is maintained at the target value due to differences in the distributions of the Rasch difficulty values amongst the items from administration to administration.

The relationship between raw and scale scores is explicated in the scoring tables for each administration. These tables can be found in Appendix G and cover the January and June administrations. These tables are the end product of the following scaling procedure.

All Regents examinations are equated back to a base scale that is held constant from year to year. Specifically, the examinations are equated to the base scale through the use of a calibrated item pool. The Rasch difficulties from the items' initial administration in a previous year's field test are used to equate the scale for the current administration to the base administration. For this examination, the base administration

was the June 2004 administration. Scale scores from the 2014 administrations are on the same scale and can be directly compared to scale scores on all previous administrations back to and including the June 2004 administration.

When the base administration was concluded, the initial raw score-to-scale score relationship was established. Four raw scores were fixed at specific scale scores. Scale scores of 0 and 100 were fixed to correspond to the minimum and maximum possible raw scores. In addition, a standard setting had been held to determine the passing and passing with distinction cut scores in the raw score metric. The scale score points of 65 and 85 were set to correspond to those raw score cuts. A third-degree polynomial is required in order to fit a line exactly to four arbitrary points (e.g., the raw scores corresponding to the four critical scale scores of 0, 65, 85, and 100). The general form of this best-fitting line is:

$$SS = m_3 * RS^3 + m_2 * RS^2 + m_1 * RS + m_0$$

where  $SS$  is the scaled score,  $RS$  is the raw score, and  $m_0$  through  $m_3$  are the transformation constants that convert the raw score into the scale score (please note that  $m_0$  will always be equal to zero in this application, because a raw score of zero corresponds to a scale score of zero). The above relationship and the values of  $m_1$  to  $m_3$  specific to this subject were then used to determine the scale scores corresponding to the remainder of the raw scores on the examination. This initial relationship between the raw and scale scores became the base scale.

The Rasch difficulty parameters for the items on the base form were used to derive a raw score to Rasch student ability (theta score) relationship. This allowed the relationship between the Rasch theta score and the scale score to be known, mediated through their common relationship with the raw scores.

In succeeding years, each test form was selected from the pool of items that had been tested in previous years' field tests, each of which had known Rasch item difficulty parameter(s). These known parameters were used to construct the relationship between the raw and Rasch theta scores for that particular form. Because the Rasch difficulty parameters are all on a common scale, the Rasch theta scores were also on a common scale with previously administered forms. The remaining step in the scaling process was to find the scale score equivalent for the Rasch theta score corresponding to each raw score point on the new form using the theta-to-scale score relationship established in the base year. This was done via linear interpolation.

This process results in a relationship between the raw scores on the form and the overall scale scores. The scale scores corresponding to each raw score are then rounded to the nearest integer for reporting on the conversion chart (posted at the close of each administration). The only exceptions are for the minimum and maximum raw scores and the raw scores that correspond to the scaled cut scores of 65 and 85.

The minimum (zero) and maximum possible raw scores are assigned scale scores of 0 and 100, respectively. In the event that there are raw scores less than the maximum with scale scores that round to 100, their scale scores are set equal to 99. A similar process is followed with the minimum score; if any raw scores other than zero have scale scores that round to zero, their scale scores are instead set equal to one.

With regard to the cuts, if two or more scale scores round to either 65 or 85, the lowest raw score's scale score is set equal to a 65 or 85, and the scale scores corresponding to the higher raw scores are set to 66 or 86 as appropriate. If no scale score rounds to either of these two critical cuts, then the raw score with the largest scale score that is less than the cut is set equal to the cut. The overarching principle when two raw scores both round to either scale score cut is that the lower of the raw scores is always assigned to be equal to the cut so that students are never penalized for this ambiguity.

## References

---

- Allen, N. L., Carlson, J. E., & Zelenak, C. A. (1999). *The NAEP 1996 technical report*. Washington, DC: National Center for Education Statistics.
- Clauser, B. E., & Mazor, K. M. (1998). Using statistical procedures to identify differentially functioning test items. *Educational Measurement: Issues and Practice*, 17(1), 31–44.
- Cohen, J. (1968). Weighted kappa: Nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin*, 70, 213–220.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, 16(3), 297–334.
- Dorans, N. J., & Schmitt, A. P. (1991). *Constructed-response and differential item functioning: A pragmatic approach* (ETS Research Report No. 91-49). Princeton, NJ: Educational Testing Service.
- Fleiss, J. L. (1981). *Statistical methods for rates and proportions*. 2nd ed. New York: John Wiley.
- Hambleton, R. K, Swaminathan, H., & Rogers, H. J. (1991). *Fundamentals of item response theory*. Newbury Park, CA: Sage Publications, Inc.
- Linacre, J. M. (2005). WINSTEPS Rasch measurement computer program and manual (PDF file) v 3.60. Chicago: Winsteps.com
- Linacre, J. M. (2011). *A user's guide to WINSTEPS MINISTEP Rasch-model computer programs: Program manual 3.73.0* (PDF file). Chicago: Winsteps.com
- Lord, F. M. (1980). *Applications of item response theory to practical testing problems*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Masters, G. N. (1982). A Rasch model for partial credit scoring. *Psychometrika*, 47, 149–174.
- McGraw, K. O., & Wong, S. P. (1996). Forming inferences about some intraclass correlation coefficients. *Psychological Methods*, 1(1), 30–46.
- Rasch, G. (1980). *Probabilistic models for some intelligence and attainment tests*. Chicago, IL: University of Chicago Press.
- Shrout, P. E., & Fleiss, J. L. (1979). Intraclass correlations: Uses in assessing rater reliability. *Psychological Bulletin*, 86, 420–428.

Thissen, D., & Steinberg, L. (1986). A taxonomy of item response models. *Psychometrika*, 51, 567–577.

Zwick, R. (2012). *A review of ETS differential item functioning assessment procedures: Flagging rules, minimum sample size requirements, and criterion refinement* (ETS Research Report No. 12-08). Princeton, NJ: Educational Testing Service.

Zwick, R., Donoghue, J. R., & Grima, A. (1993). Assessment of differential item functioning for performance tasks. *Journal of Educational Measurement*, 30, 233–251.

## Appendix A: Classical Item Analysis

In the following table, “Max” is the maximum number of possible points. “N-Count” refers to the number of student records in the analysis. “Alpha” contains Cronbach’s Coefficient  $\alpha$  (since this is a test [form] level statistic, it has the same value for all items within each form). For MC items, “B” represents the proportion of students who left the item blank, and “M1” through “M4” are the proportions of students who selected each of the four answer choices. For CR items, “B” represents the proportion of students who left the item blank, and “M0” through “M4” are the proportions of students who received scores of 0 through 4. “Mean” is the average of the scores received by the students. The final (right) column contains the Point-Biserial correlation for each item. There may be some instances of items with missing statistics; this occurs when an item was not scored.

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	811	MC	01	1	891	0.80	0.00		0.04	0.01	0.05	0.90	0.90	0.39
2014_CHEM	811	MC	02	1	891	0.80	0.00		0.90	0.04	0.03	0.02	0.90	0.29
2014_CHEM	811	MC	03	1	891	0.80	0.01		0.33	0.45	0.11	0.10	0.45	0.43
2014_CHEM	811	MC	04	1	891	0.80	0.01		0.12	0.64	0.11	0.12	0.64	0.50
2014_CHEM	811	MC	05	1	891	0.80	0.01		0.22	0.36	0.13	0.28	0.36	0.35
2014_CHEM	811	MC	06	1	891	0.80	0.01		0.08	0.47	0.12	0.31	0.47	0.41
2014_CHEM	811	MC	07	1	891	0.80	0.01		0.39	0.19	0.24	0.16	0.39	0.27
2014_CHEM	811	MC	08	1	891	0.80	0.01		0.83	0.07	0.06	0.04	0.83	0.39
2014_CHEM	811	MC	09	1	891	0.80	0.02		0.17	0.16	0.06	0.59	0.59	0.38
2014_CHEM	811	MC	10	1	891	0.80	0.01		0.08	0.05	0.57	0.29	0.57	0.49
2014_CHEM	811	MC	11	1	891	0.80	0.01		0.39	0.08	0.42	0.10	0.39	0.40
2014_CHEM	811	MC	12	1	891	0.80	0.00		0.06	0.65	0.05	0.23	0.65	0.42
2014_CHEM	811	MC	13	1	891	0.80	0.01		0.03	0.02	0.93	0.01	0.93	0.34
2014_CHEM	811	MC	14	1	891	0.80	0.01		0.22	0.12	0.59	0.06	0.59	0.43
2014_CHEM	811	MC	15	1	891	0.80	0.03		0.07	0.33	0.14	0.43	0.43	0.51
2014_CHEM	811	CR	41	1	891	0.80	0.01	0.17	0.82				0.82	0.28
2014_CHEM	811	CR	42	1	891	0.80	0.03	0.17	0.80				0.80	0.42

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	811	CR	43	1	891	0.80	0.15	0.52	0.33				0.33	0.49
2014_CHEM	811	CR	44	1	891	0.80	0.08	0.43	0.49				0.49	0.52
2014_CHEM	811	CR	45	1	891	0.80	0.13	0.54	0.33				0.33	0.54
2014_CHEM	811	CR	46	1	891	0.80	0.19	0.60	0.21				0.21	0.41
2014_CHEM	811	CR	47	1	891	0.80	0.24	0.31	0.45				0.45	0.53
2014_CHEM	811	CR	48	1	891	0.80	0.33	0.62	0.05				0.05	0.29
2014_CHEM	811	CR	49	1	891	0.80	0.27	0.46	0.28				0.28	0.52
2014_CHEM	811	CR	50	1	891	0.80	0.25	0.56	0.19				0.19	0.35
2014_CHEM	812	MC	01	1	869	0.83	0.00		0.16	0.01	0.77	0.05	0.77	0.53
2014_CHEM	812	MC	02	1	869	0.83	0.00		0.12	0.49	0.31	0.08	0.49	0.34
2014_CHEM	812	MC	03	1	869	0.83	0.00		0.07	0.06	0.71	0.15	0.71	0.46
2014_CHEM	812	MC	04	1	869	0.83	0.01		0.33	0.33	0.15	0.17	0.33	0.31
2014_CHEM	812	MC	05	1	869	0.83	0.00		0.08	0.52	0.26	0.13	0.52	0.29
2014_CHEM	812	MC	06	1	869	0.83	0.00		0.13	0.06	0.25	0.56	0.56	0.56
2014_CHEM	812	MC	07	1	869	0.83	0.01		0.31	0.10	0.47	0.12	0.47	0.35
2014_CHEM	812	MC	08	1	869	0.83	0.01		0.09	0.13	0.24	0.53	0.53	0.47
2014_CHEM	812	MC	09	1	869	0.83	0.00		0.60	0.16	0.17	0.06	0.60	0.44
2014_CHEM	812	MC	10	1	869	0.83	0.00		0.49	0.19	0.10	0.22	0.49	0.52
2014_CHEM	812	MC	11	1	869	0.83	0.01		0.29	0.57	0.09	0.04	0.57	0.36
2014_CHEM	812	MC	12	1	869	0.83	0.02		0.56	0.19	0.17	0.06	0.56	0.46
2014_CHEM	812	MC	13	1	869	0.83	0.01		0.17	0.14	0.17	0.51	0.51	0.42
2014_CHEM	812	MC	14	1	869	0.83	0.02		0.09	0.57	0.11	0.20	0.57	0.41
2014_CHEM	812	CR	41	1	869	0.83	0.03	0.74	0.22				0.22	0.43
2014_CHEM	812	CR	42	1	869	0.83	0.10	0.28	0.62				0.62	0.48
2014_CHEM	812	CR	43	1	869	0.83	0.18	0.44	0.38				0.38	0.51
2014_CHEM	812	CR	44	1	869	0.83	0.14	0.36	0.50				0.50	0.48
2014_CHEM	812	CR	45	1	869	0.83	0.11	0.30	0.58				0.58	0.56
2014_CHEM	812	CR	46	1	869	0.83	0.18	0.35	0.47				0.47	0.47

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	812	CR	47	1	869	0.83	0.16	0.36	0.48				0.48	0.51
2014_CHEM	812	CR	48	1	869	0.83	0.15	0.28	0.57				0.57	0.52
2014_CHEM	812	CR	49	1	869	0.83	0.23	0.52	0.25				0.25	0.31
2014_CHEM	812	CR	50	1	869	0.83	0.20	0.51	0.29				0.29	0.53
2014_CHEM	812	CR	51	1	869	0.83	0.37	0.60	0.04				0.04	0.26
2014_CHEM	813	MC	01	1	869	0.80	0.00		0.06	0.84	0.06	0.03	0.84	0.19
2014_CHEM	813	MC	02	1	869	0.80	0.01		0.51	0.18	0.14	0.15	0.51	0.34
2014_CHEM	813	MC	03	1	869	0.80	0.00		0.54	0.01	0.13	0.31	0.54	0.47
2014_CHEM	813	MC	04	1	869	0.80	0.00		0.07	0.56	0.27	0.10	0.56	0.39
2014_CHEM	813	MC	05	1	869	0.80	0.00		0.04	0.10	0.10	0.76	0.76	0.45
2014_CHEM	813	MC	06	1	869	0.80	0.00		0.04	0.67	0.16	0.13	0.67	0.47
2014_CHEM	813	MC	07	1	869	0.80	0.00		0.21	0.19	0.48	0.12	0.48	0.39
2014_CHEM	813	MC	08	1	869	0.80	0.01		0.30	0.05	0.57	0.06	0.57	0.42
2014_CHEM	813	MC	09	1	869	0.80	0.01		0.16	0.25	0.53	0.05	0.53	0.44
2014_CHEM	813	MC	10	1	869	0.80	0.01		0.24	0.05	0.58	0.12	0.58	0.39
2014_CHEM	813	MC	11	1	869	0.80	0.00		0.06	0.02	0.78	0.14	0.78	0.40
2014_CHEM	813	MC	12	1	869	0.80	0.00		0.10	0.13	0.21	0.56	0.56	0.37
2014_CHEM	813	MC	13	1	869	0.80	0.02		0.65	0.10	0.12	0.11	0.65	0.35
2014_CHEM	813	MC	14	1	869	0.80	0.02		0.10	0.11	0.17	0.59	0.59	0.40
2014_CHEM	813	CR	41	1	869	0.80	0.06	0.62	0.32				0.32	0.39
2014_CHEM	813	CR	42	1	869	0.80	0.12	0.34	0.54				0.54	0.38
2014_CHEM	813	CR	43	1	869	0.80	0.12	0.38	0.50				0.50	0.52
2014_CHEM	813	CR	44	1	869	0.80	0.23	0.26	0.51				0.51	0.58
2014_CHEM	813	CR	45	1	869	0.80	0.17	0.50	0.33				0.33	0.46
2014_CHEM	813	CR	46	1	869	0.80	0.15	0.39	0.46				0.46	0.40
2014_CHEM	813	CR	47	1	869	0.80	0.23	0.68	0.09				0.09	0.40
2014_CHEM	813	CR	48	1	869	0.80	0.25	0.60	0.15				0.15	0.34
2014_CHEM	813	CR	49	1	869	0.80	0.26	0.37	0.37				0.37	0.44

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	813	CR	50	1	869	0.80	0.23	0.43	0.33				0.33	0.53
2014_CHEM	813	CR	51	1	869	0.80	0.34	0.49	0.17				0.17	0.42
2014_CHEM	814	MC	01	1	874	0.80	0.00		0.04	0.25	0.31	0.39	0.39	0.41
2014_CHEM	814	MC	02	1	874	0.80	0.01		0.26	0.51	0.13	0.09	0.51	0.33
2014_CHEM	814	MC	03	1	874	0.80	0.01		0.13	0.30	0.38	0.17	0.38	0.28
2014_CHEM	814	MC	04	1	874	0.80	0.00		0.59	0.04	0.24	0.12	0.59	0.43
2014_CHEM	814	MC	05	1	874	0.80	0.02		0.22	0.14	0.44	0.19	0.44	0.33
2014_CHEM	814	MC	06	1	874	0.80	0.00		0.13	0.08	0.74	0.06	0.74	0.38
2014_CHEM	814	MC	07	1	874	0.80	0.00		0.06	0.65	0.20	0.08	0.65	0.41
2014_CHEM	814	MC	08	1	874	0.80	0.00		0.12	0.06	0.20	0.61	0.61	0.44
2014_CHEM	814	MC	09	1	874	0.80	0.00		0.04	0.04	0.06	0.85	0.85	0.36
2014_CHEM	814	MC	10	1	874	0.80	0.00		0.04	0.16	0.18	0.62	0.62	0.52
2014_CHEM	814	MC	11	1	874	0.80	0.00		0.12	0.42	0.19	0.27	0.42	0.29
2014_CHEM	814	MC	12	1	874	0.80	0.01		0.58	0.22	0.09	0.11	0.58	0.52
2014_CHEM	814	MC	13	1	874	0.80	0.00		0.08	0.72	0.13	0.06	0.72	0.37
2014_CHEM	814	MC	14	1	874	0.80	0.02		0.62	0.12	0.14	0.10	0.62	0.38
2014_CHEM	814	CR	41	1	874	0.80	0.04	0.16	0.80				0.80	0.47
2014_CHEM	814	CR	42	1	874	0.80	0.13	0.41	0.46				0.46	0.56
2014_CHEM	814	CR	43	1	874	0.80	0.08	0.39	0.54				0.54	0.30
2014_CHEM	814	CR	44	1	874	0.80	0.04	0.22	0.74				0.74	0.48
2014_CHEM	814	CR	45	1	874	0.80	0.11	0.24	0.65				0.65	0.39
2014_CHEM	814	CR	46	1	874	0.80	0.13	0.75	0.12				0.12	0.39
2014_CHEM	814	CR	47	1	874	0.80	0.07	0.24	0.69				0.69	0.49
2014_CHEM	814	CR	48	1	874	0.80	0.17	0.17	0.66				0.66	0.53
2014_CHEM	814	CR	49	1	874	0.80	0.24	0.45	0.31				0.31	0.38
2014_CHEM	814	CR	50	1	874	0.80	0.28	0.48	0.24				0.24	0.52
2014_CHEM	814	CR	51	1	874	0.80	0.20	0.40	0.39				0.39	0.53
2014_CHEM	815	MC	01	1	890	0.79	0.00		0.09	0.09	0.15	0.67	0.67	0.55

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	815	MC	02	1	890	0.79	0.01		0.12	0.08	0.73	0.06	0.73	0.42
2014_CHEM	815	MC	03	1	890	0.79	0.00		0.05	0.07	0.73	0.15	0.73	0.30
2014_CHEM	815	MC	04	1	890	0.79	0.00		0.05	0.06	0.84	0.05	0.84	0.42
2014_CHEM	815	MC	05	1	890	0.79	0.00		0.09	0.83	0.04	0.04	0.83	0.41
2014_CHEM	815	MC	06	1	890	0.79	0.00		0.29	0.22	0.33	0.15	0.33	0.40
2014_CHEM	815	MC	07	1	890	0.79	0.01		0.09	0.51	0.24	0.15	0.51	0.30
2014_CHEM	815	MC	08	1	890	0.79	0.00		0.21	0.63	0.09	0.07	0.63	0.29
2014_CHEM	815	MC	09	1	890	0.79	0.00		0.25	0.05	0.08	0.62	0.62	0.43
2014_CHEM	815	MC	10	1	890	0.79	0.00		0.36	0.09	0.36	0.18	0.36	0.37
2014_CHEM	815	MC	11	1	890	0.79	0.01		0.25	0.10	0.55	0.09	0.55	0.47
2014_CHEM	815	MC	12	1	890	0.79	0.01		0.11	0.24	0.14	0.50	0.50	0.38
2014_CHEM	815	MC	13	1	890	0.79	0.00		0.76	0.08	0.06	0.10	0.76	0.35
2014_CHEM	815	MC	14	1	890	0.79	0.01		0.35	0.21	0.24	0.18	0.35	0.30
2014_CHEM	815	CR	41	1	890	0.79	0.01	0.29	0.70				0.70	0.37
2014_CHEM	815	CR	42	1	890	0.79	0.11	0.36	0.53				0.53	0.49
2014_CHEM	815	CR	43	1	890	0.79	0.11	0.28	0.61				0.61	0.49
2014_CHEM	815	CR	44	1	890	0.79	0.15	0.50	0.35				0.35	0.49
2014_CHEM	815	CR	45	1	890	0.79	0.17	0.17	0.66				0.66	0.55
2014_CHEM	815	CR	46	1	890	0.79	0.20	0.45	0.35				0.35	0.47
2014_CHEM	815	CR	47	1	890	0.79	0.24	0.49	0.27				0.27	0.53
2014_CHEM	815	CR	48	1	890	0.79	0.28	0.41	0.30				0.30	0.44
2014_CHEM	815	CR	49	1	890	0.79	0.26	0.65	0.09				0.09	0.32
2014_CHEM	815	CR	50	1	890	0.79	0.27	0.42	0.31				0.31	0.41
2014_CHEM	816	MC	01	1	889	0.84	0.00		0.05	0.12	0.28	0.55	0.55	0.40
2014_CHEM	816	MC	02	1	889	0.84	0.00		0.08	0.88	0.01	0.02	0.88	0.27
2014_CHEM	816	MC	03	1	889	0.84	0.00		0.08	0.67	0.19	0.05	0.67	0.45
2014_CHEM	816	MC	04	1	889	0.84	0.00		0.75	0.07	0.11	0.06	0.75	0.45
2014_CHEM	816	MC	05	1	889	0.84	0.01		0.04	0.14	0.09	0.71	0.71	0.51

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	816	MC	06	1	889	0.84	0.00		0.05	0.14	0.04	0.77	0.77	0.39
2014_CHEM	816	MC	07	1	889	0.84	0.01		0.19	0.34	0.35	0.11	0.35	0.37
2014_CHEM	816	MC	08	1	889	0.84	0.00		0.64	0.13	0.16	0.05	0.64	0.47
2014_CHEM	816	MC	09	1	889	0.84	0.00		0.15	0.08	0.33	0.44	0.44	0.36
2014_CHEM	816	MC	10	1	889	0.84	0.01		0.24	0.16	0.10	0.49	0.49	0.33
2014_CHEM	816	MC	11	1	889	0.84	0.00		0.65	0.16	0.09	0.09	0.65	0.57
2014_CHEM	816	MC	12	1	889	0.84	0.00		0.06	0.03	0.74	0.16	0.74	0.43
2014_CHEM	816	MC	13	1	889	0.84	0.00		0.08	0.60	0.11	0.21	0.60	0.43
2014_CHEM	816	MC	14	1	889	0.84	0.01		0.09	0.54	0.20	0.16	0.54	0.47
2014_CHEM	816	CR	41	1	889	0.84	0.08	0.56	0.36				0.36	0.49
2014_CHEM	816	CR	42	1	889	0.84	0.04	0.64	0.33				0.33	0.49
2014_CHEM	816	CR	43	1	889	0.84	0.10	0.72	0.18				0.18	0.33
2014_CHEM	816	CR	44	1	889	0.84	0.04	0.45	0.51				0.51	0.49
2014_CHEM	816	CR	45	1	889	0.84	0.11	0.54	0.36				0.36	0.45
2014_CHEM	816	CR	46	1	889	0.84	0.11	0.66	0.23				0.23	0.47
2014_CHEM	816	CR	47	1	889	0.84	0.11	0.33	0.56				0.56	0.52
2014_CHEM	816	CR	48	1	889	0.84	0.15	0.31	0.54				0.54	0.50
2014_CHEM	816	CR	49	1	889	0.84	0.19	0.33	0.47				0.47	0.51
2014_CHEM	816	CR	50	1	889	0.84	0.17	0.39	0.43				0.43	0.58
2014_CHEM	816	CR	51	1	889	0.84	0.23	0.49	0.28				0.28	0.50
2014_CHEM	817	MC	01	1	846	0.83	0.01		0.06	0.76	0.03	0.15	0.76	0.31
2014_CHEM	817	MC	02	1	846	0.83	0.01		0.15	0.63	0.11	0.09	0.63	0.36
2014_CHEM	817	MC	03	1	846	0.83	0.01		0.85	0.05	0.05	0.05	0.85	0.45
2014_CHEM	817	MC	04	1	846	0.83	0.01		0.06	0.25	0.25	0.43	0.43	0.46
2014_CHEM	817	MC	05	1	846	0.83	0.00		0.26	0.06	0.59	0.09	0.59	0.30
2014_CHEM	817	MC	06	1	846	0.83	0.01		0.66	0.17	0.10	0.06	0.66	0.44
2014_CHEM	817	MC	07	1	846	0.83	0.00		0.84	0.04	0.02	0.09	0.84	0.40
2014_CHEM	817	MC	08	1	846	0.83	0.00		0.04	0.03	0.21	0.72	0.72	0.47

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	817	MC	09	1	846	0.83	0.00		0.06	0.68	0.12	0.14	0.68	0.42
2014_CHEM	817	MC	10	1	846	0.83	0.00		0.03	0.01	0.14	0.82	0.82	0.36
2014_CHEM	817	MC	11	1	846	0.83	0.00		0.13	0.12	0.64	0.11	0.64	0.50
2014_CHEM	817	MC	12	1	846	0.83	0.03		0.13	0.19	0.28	0.37	0.37	0.40
2014_CHEM	817	MC	13	1	846	0.83	0.00		0.13	0.21	0.23	0.42	0.42	0.38
2014_CHEM	817	MC	14	1	846	0.83	0.01		0.16	0.20	0.46	0.17	0.46	0.30
2014_CHEM	817	CR	41	1	846	0.83	0.12	0.53	0.35				0.35	0.56
2014_CHEM	817	CR	42	1	846	0.83	0.18	0.50	0.32				0.32	0.50
2014_CHEM	817	CR	43	1	846	0.83	0.22	0.52	0.26				0.26	0.50
2014_CHEM	817	CR	44	1	846	0.83	0.11	0.17	0.72				0.72	0.45
2014_CHEM	817	CR	45	1	846	0.83	0.24	0.43	0.32				0.32	0.55
2014_CHEM	817	CR	46	1	846	0.83	0.25	0.60	0.15				0.15	0.38
2014_CHEM	817	CR	47	1	846	0.83	0.21	0.44	0.35				0.35	0.56
2014_CHEM	817	CR	48	1	846	0.83	0.45	0.39	0.16				0.16	0.44
2014_CHEM	817	CR	49	1	846	0.83	0.39	0.28	0.33				0.33	0.57
2014_CHEM	817	CR	50	1	846	0.83	0.34	0.39	0.26				0.26	0.44
2014_CHEM	817	CR	51	1	846	0.83	0.32	0.31	0.38				0.38	0.59
2014_CHEM	818	MC	01	1	890	0.81	0.00		0.69	0.22	0.04	0.05	0.69	0.39
2014_CHEM	818	MC	02	1	890	0.81	0.00		0.05	0.40	0.41	0.14	0.14	0.25
2014_CHEM	818	MC	03	1	890	0.81	0.00		0.55	0.17	0.14	0.13	0.55	0.52
2014_CHEM	818	MC	04	1	890	0.81	0.00		0.04	0.35	0.05	0.55	0.35	0.36
2014_CHEM	818	MC	05	1	890	0.81	0.00		0.59	0.18	0.11	0.12	0.59	0.30
2014_CHEM	818	MC	06	1	890	0.81	0.01		0.16	0.52	0.19	0.12	0.52	0.44
2014_CHEM	818	MC	07	1	890	0.81	0.00		0.04	0.21	0.74	0.01	0.74	0.44
2014_CHEM	818	MC	08	1	890	0.81	0.01		0.46	0.19	0.24	0.11	0.46	0.26
2014_CHEM	818	MC	09	1	890	0.81	0.00		0.27	0.15	0.51	0.07	0.51	0.47
2014_CHEM	818	MC	10	1	890	0.81	0.00		0.11	0.56	0.17	0.17	0.56	0.52
2014_CHEM	818	MC	11	1	890	0.81	0.01		0.49	0.23	0.17	0.11	0.49	0.37

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	818	MC	12	1	890	0.81	0.00		0.09	0.03	0.05	0.82	0.82	0.53
2014_CHEM	818	MC	13	1	890	0.81	0.01		0.64	0.15	0.10	0.10	0.64	0.40
2014_CHEM	818	MC	14	1	890	0.81	0.01		0.13	0.59	0.19	0.08	0.59	0.32
2014_CHEM	818	CR	41	1	890	0.81	0.03	0.09	0.87				0.87	0.37
2014_CHEM	818	CR	42	1	890	0.81	0.12	0.22	0.66				0.66	0.54
2014_CHEM	818	CR	43	1	890	0.81	0.16	0.45	0.39				0.39	0.56
2014_CHEM	818	CR	44	1	890	0.81	0.11	0.39	0.50				0.50	0.47
2014_CHEM	818	CR	45	1	890	0.81	0.12	0.58	0.30				0.30	0.41
2014_CHEM	818	CR	46	1	890	0.81	0.15	0.46	0.40				0.40	0.44
2014_CHEM	818	CR	47	1	890	0.81	0.11	0.37	0.51				0.51	0.53
2014_CHEM	818	CR	48	1	890	0.81	0.19	0.40	0.41				0.41	0.52
2014_CHEM	818	CR	49	1	890	0.81	0.25	0.44	0.31				0.31	0.50
2014_CHEM	818	CR	50	1	890	0.81	0.28	0.52	0.20				0.20	0.40
2014_CHEM	818	CR	51	1	890	0.81	0.26	0.42	0.32				0.32	0.32
2014_CHEM	819	MC	01	1	879	0.77	0.01		0.53	0.20	0.15	0.11	0.53	0.36
2014_CHEM	819	MC	02	1	879	0.77	0.00		0.04	0.16	0.05	0.75	0.75	0.49
2014_CHEM	819	MC	03	1	879	0.77	0.00		0.04	0.06	0.26	0.64	0.64	0.46
2014_CHEM	819	MC	04	1	879	0.77	0.00		0.74	0.16	0.04	0.06	0.74	0.43
2014_CHEM	819	MC	05	1	879	0.77	0.00		0.65	0.15	0.15	0.05	0.65	0.39
2014_CHEM	819	MC	06	1	879	0.77	0.01		0.08	0.73	0.10	0.08	0.73	0.30
2014_CHEM	819	MC	07	1	879	0.77	0.00		0.06	0.88	0.05	0.01	0.88	0.34
2014_CHEM	819	MC	08	1	879	0.77	0.01		0.18	0.53	0.26	0.02	0.53	0.29
2014_CHEM	819	MC	09	1	879	0.77	0.02		0.49	0.16	0.17	0.16	0.49	0.41
2014_CHEM	819	MC	10	1	879	0.77	0.01		0.08	0.06	0.81	0.05	0.81	0.46
2014_CHEM	819	MC	11	1	879	0.77	0.01		0.66	0.19	0.05	0.09	0.66	0.44
2014_CHEM	819	MC	12	1	879	0.77	0.01		0.16	0.06	0.75	0.02	0.75	0.51
2014_CHEM	819	CR	41	2	879	0.77	0.06	0.13	0.28	0.53			0.35	0.59
2014_CHEM	819	CR	42	1	879	0.77	0.10	0.27	0.64				0.64	0.55

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2014_CHEM	819	CR	43	1	879	0.77	0.18	0.20	0.62				0.62	0.53
2014_CHEM	819	CR	44	3	879	0.77	0.13	0.27	0.18	0.18	0.24		0.27	0.61
2014_CHEM	819	CR	45	1	879	0.77	0.15	0.54	0.31				0.31	0.51
2014_CHEM	819	CR	46	1	879	0.77	0.05	0.25	0.69				0.69	0.32
2014_CHEM	819	CR	47	1	879	0.77	0.21	0.33	0.46				0.46	0.51

## Appendix B: Inter-rater Consistency – Point Differences Between First and Second Reads

The first three columns from the left contain the form ID, item sequence number, and number of score points for each item. The remaining columns contain the percentage of times each possible difference between the first and second raters' scores occurred. Blank cells indicate out-of-range differences (e.g., differences greater than the maximum possible given the point value of that particular item).

Form	Item	Score Points	Difference (First Read Minus Second Read)						
			-3	-2	-1	0	1	2	3
811	41	1			0%	99%	1%		
811	42	1			1%	99%	0%		
811	43	1			3%	92%	5%		
811	44	1			11%	87%	2%		
811	45	1			6%	90%	4%		
811	46	1			10%	83%	7%		
811	47	1			2%	97%	1%		
811	48	1			0%	99%	1%		
811	49	1			2%	97%	2%		
811	50	1			1%	99%	0%		
812	41	1			0%	97%	3%		
812	42	1			0%	95%	5%		
812	43	1			0%	99%	1%		
812	44	1			2%	97%	1%		
812	45	1			1%	99%	0%		
812	46	1			5%	94%	1%		
812	47	1			2%	97%	1%		
812	48	1			4%	88%	8%		
812	49	1			3%	85%	12%		
812	50	1			3%	96%	1%		
812	51	1			0%	99%	1%		
813	41	1			3%	93%	4%		
813	42	1			0%	100%	0%		
813	43	1			2%	98%	1%		
813	44	1			4%	94%	2%		
813	45	1			2%	98%	0%		
813	46	1			2%	94%	4%		
813	47	1			1%	96%	3%		
813	48	1			1%	98%	1%		
813	49	1			6%	91%	2%		

Form	Item	Score Points	Difference (First Read Minus Second Read)						
			-3	-2	-1	0	1	2	3
813	50	1			0%	100%	0%		
813	51	1			6%	93%	1%		
814	41	1			1%	99%	1%		
814	42	1			1%	94%	4%		
814	43	1			1%	99%	0%		
814	44	1			1%	99%	0%		
814	45	1			0%	100%	0%		
814	46	1			0%	96%	4%		
814	47	1			5%	90%	6%		
814	48	1			2%	95%	3%		
814	49	1			3%	97%	1%		
814	50	1			0%	97%	3%		
814	51	1			6%	93%	1%		
815	41	1			1%	98%	1%		
815	42	1			3%	95%	2%		
815	43	1			2%	96%	2%		
815	44	1			2%	93%	5%		
815	45	1			2%	94%	3%		
815	46	1			0%	99%	1%		
815	47	1			0%	98%	2%		
815	48	1			2%	93%	5%		
815	49	1			1%	96%	4%		
815	50	1			2%	98%	0%		
816	41	1			3%	92%	5%		
816	42	1			1%	99%	1%		
816	43	1			3%	93%	4%		
816	44	1			1%	99%	1%		
816	45	1			0%	100%	0%		
816	46	1			0%	99%	1%		
816	47	1			1%	99%	0%		
816	48	1			0%	99%	1%		
816	49	1			6%	92%	2%		
816	50	1			1%	99%	1%		
816	51	1			4%	94%	2%		
817	41	1			3%	96%	1%		
817	42	1			0%	100%	0%		
817	43	1			1%	97%	3%		
817	44	1			1%	99%	0%		
817	45	1			3%	94%	3%		

Form	Item	Score Points	Difference (First Read Minus Second Read)						
			-3	-2	-1	0	1	2	3
817	46	1			4%	95%	1%		
817	47	1			2%	93%	4%		
817	48	1			1%	99%	0%		
817	49	1			2%	97%	1%		
817	50	1			1%	97%	2%		
817	51	1			1%	98%	1%		
818	41	1			1%	98%	1%		
818	42	1			5%	93%	2%		
818	43	1			2%	94%	3%		
818	44	1			2%	96%	2%		
818	45	1			2%	98%	0%		
818	46	1			1%	98%	1%		
818	47	1			2%	96%	2%		
818	48	1			1%	98%	1%		
818	49	1			1%	99%	0%		
818	50	1			2%	94%	5%		
818	51	1			1%	98%	1%		
819	41	2		0%	2%	97%	1%	0%	
819	42	1			0%	98%	2%		
819	43	1			1%	98%	1%		
819	44	3	0%	1%	2%	94%	3%	0%	0%
819	45	1			2%	93%	5%		
819	46	1			3%	97%	0%		
819	47	1			2%	94%	4%		

## Appendix C: Additional Measures of Inter-rater Reliability and Agreement

The first four columns from the left contain the form ID, item sequence number, number of score points, and the total count of items receiving a first and second read. In the fifth column, the percent of exact matches between the first and second scores is provided. The following column (“Adj.”) is the percentage of the first and second scores with a difference of –1 or 1. “Total” is the sum of Exact and Adjacent matches (e.g., the two prior columns).

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intra-class Corr.	Weighted Kappa
				Exact	Adj.	Total	First Read	Second Read	First Read	Second Read		
811	41	1	146	98.6%	1.4%	100.0%	0.8	0.8	0.37	0.38	0.95	0.95
811	42	1	146	99.3%	0.7%	100.0%	0.8	0.8	0.37	0.37	0.97	0.97
811	43	1	133	92.5%	7.5%	100.0%	0.5	0.4	0.50	0.50	0.85	0.85
811	44	1	143	86.7%	13.3%	100.0%	0.5	0.6	0.50	0.49	0.73	0.73
811	45	1	137	89.8%	10.2%	100.0%	0.4	0.4	0.48	0.49	0.78	0.78
811	46	1	126	83.3%	16.7%	100.0%	0.3	0.3	0.45	0.46	0.60	0.60
811	47	1	119	97.5%	2.5%	100.0%	0.6	0.6	0.49	0.49	0.95	0.95
811	48	1	107	99.1%	0.9%	100.0%	0.1	0.1	0.26	0.25	0.93	0.93
811	49	1	119	96.6%	3.4%	100.0%	0.4	0.4	0.49	0.49	0.93	0.93
811	50	1	120	99.2%	0.8%	100.0%	0.2	0.2	0.41	0.42	0.98	0.98
812	41	1	121	96.7%	3.3%	100.0%	0.2	0.2	0.43	0.41	0.91	0.91
812	42	1	110	94.5%	5.5%	100.0%	0.7	0.7	0.44	0.47	0.87	0.87
812	43	1	108	99.1%	0.9%	100.0%	0.4	0.4	0.50	0.50	0.98	0.98
812	44	1	108	97.2%	2.8%	100.0%	0.6	0.6	0.50	0.50	0.94	0.94
812	45	1	116	99.1%	0.9%	100.0%	0.6	0.6	0.49	0.49	0.98	0.98
812	46	1	107	94.4%	5.6%	100.0%	0.4	0.5	0.50	0.50	0.89	0.89
812	47	1	108	97.2%	2.8%	100.0%	0.6	0.6	0.50	0.50	0.94	0.94
812	48	1	103	88.3%	11.7%	100.0%	0.7	0.6	0.47	0.48	0.75	0.74
812	49	1	93	84.9%	15.1%	100.0%	0.3	0.2	0.47	0.43	0.63	0.63
812	50	1	100	96.0%	4.0%	100.0%	0.4	0.4	0.49	0.49	0.92	0.92

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intra-class Corr.	Weighted Kappa
				Exact	Adj.	Total	First Read	Second Read	First Read	Second Read		
812	51	1	82	98.8%	1.2%	100.0%	0.1	0.1	0.28	0.26	0.92	0.92
813	41	1	128	93.0%	7.0%	100.0%	0.3	0.3	0.47	0.47	0.84	0.84
813	42	1	123	100.0%	0.0%	100.0%	0.6	0.6	0.49	0.49	1.00	1.00
813	43	1	121	97.5%	2.5%	100.0%	0.6	0.6	0.50	0.50	0.95	0.95
813	44	1	106	94.3%	5.7%	100.0%	0.7	0.7	0.48	0.47	0.87	0.87
813	45	1	106	98.1%	1.9%	100.0%	0.4	0.4	0.49	0.49	0.96	0.96
813	46	1	112	93.8%	6.3%	100.0%	0.5	0.5	0.50	0.50	0.88	0.88
813	47	1	102	96.1%	3.9%	100.0%	0.1	0.1	0.30	0.27	0.76	0.76
813	48	1	92	97.8%	2.2%	100.0%	0.2	0.2	0.43	0.43	0.94	0.94
813	49	1	94	91.5%	8.5%	100.0%	0.5	0.6	0.50	0.50	0.83	0.83
813	50	1	96	100.0%	0.0%	100.0%	0.4	0.4	0.50	0.50	1.00	1.00
813	51	1	83	92.8%	7.2%	100.0%	0.3	0.3	0.44	0.46	0.82	0.82
814	41	1	147	98.6%	1.4%	100.0%	0.8	0.8	0.36	0.36	0.95	0.95
814	42	1	136	94.1%	5.9%	100.0%	0.5	0.5	0.50	0.50	0.88	0.88
814	43	1	146	99.3%	0.7%	100.0%	0.6	0.6	0.49	0.49	0.99	0.99
814	44	1	150	99.3%	0.7%	100.0%	0.8	0.8	0.40	0.39	0.98	0.98
814	45	1	136	100.0%	0.0%	100.0%	0.7	0.7	0.44	0.44	1.00	1.00
814	46	1	138	95.7%	4.3%	100.0%	0.1	0.0	0.28	0.20	0.65	0.65
814	47	1	144	89.6%	10.4%	100.0%	0.7	0.7	0.45	0.46	0.75	0.75
814	48	1	133	95.5%	4.5%	100.0%	0.8	0.8	0.39	0.40	0.86	0.86
814	49	1	120	96.7%	3.3%	100.0%	0.4	0.4	0.49	0.49	0.93	0.93
814	50	1	112	97.3%	2.7%	100.0%	0.3	0.2	0.44	0.43	0.93	0.93
814	51	1	125	92.8%	7.2%	100.0%	0.5	0.5	0.50	0.50	0.86	0.86
815	41	1	143	97.9%	2.1%	100.0%	0.7	0.7	0.46	0.47	0.95	0.95
815	42	1	132	94.7%	5.3%	100.0%	0.5	0.5	0.50	0.50	0.89	0.89
815	43	1	133	96.2%	3.8%	100.0%	0.7	0.7	0.46	0.45	0.91	0.91

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intra-class Corr.	Weighted Kappa
				Exact	Adj.	Total	First Read	Second Read	First Read	Second Read		
815	44	1	129	93.0%	7.0%	100.0%	0.4	0.4	0.50	0.49	0.86	0.86
815	45	1	123	94.3%	5.7%	100.0%	0.8	0.8	0.38	0.38	0.80	0.80
815	46	1	117	99.1%	0.9%	100.0%	0.4	0.4	0.49	0.49	0.98	0.98
815	47	1	116	98.3%	1.7%	100.0%	0.4	0.4	0.50	0.49	0.96	0.96
815	48	1	105	93.3%	6.7%	100.0%	0.5	0.4	0.50	0.50	0.87	0.87
815	49	1	114	95.6%	4.4%	100.0%	0.1	0.1	0.34	0.31	0.79	0.79
815	50	1	110	98.2%	1.8%	100.0%	0.4	0.4	0.49	0.50	0.96	0.96
816	41	1	151	92.1%	7.9%	100.0%	0.3	0.3	0.47	0.46	0.81	0.81
816	42	1	158	98.7%	1.3%	100.0%	0.4	0.4	0.49	0.49	0.97	0.97
816	43	1	150	92.7%	7.3%	100.0%	0.2	0.2	0.42	0.42	0.79	0.79
816	44	1	153	98.7%	1.3%	100.0%	0.6	0.6	0.49	0.49	0.97	0.97
816	45	1	141	100.0%	0.0%	100.0%	0.4	0.4	0.49	0.49	1.00	1.00
816	46	1	148	99.3%	0.7%	100.0%	0.2	0.2	0.43	0.42	0.98	0.98
816	47	1	141	98.6%	1.4%	100.0%	0.6	0.6	0.49	0.48	0.97	0.97
816	48	1	138	98.6%	1.4%	100.0%	0.7	0.7	0.47	0.47	0.97	0.97
816	49	1	132	91.7%	8.3%	100.0%	0.6	0.6	0.50	0.49	0.83	0.83
816	50	1	136	98.5%	1.5%	100.0%	0.5	0.5	0.50	0.50	0.97	0.97
816	51	1	128	93.8%	6.3%	100.0%	0.4	0.4	0.49	0.49	0.87	0.87
817	41	1	137	95.6%	4.4%	100.0%	0.4	0.4	0.49	0.49	0.91	0.91
817	42	1	115	100.0%	0.0%	100.0%	0.3	0.3	0.46	0.46	1.00	1.00
817	43	1	120	96.7%	3.3%	100.0%	0.3	0.3	0.47	0.46	0.92	0.92
817	44	1	139	99.3%	0.7%	100.0%	0.8	0.8	0.39	0.39	0.98	0.98
817	45	1	120	94.2%	5.8%	100.0%	0.5	0.5	0.50	0.50	0.88	0.88
817	46	1	123	95.1%	4.9%	100.0%	0.2	0.2	0.40	0.42	0.85	0.85
817	47	1	122	93.4%	6.6%	100.0%	0.5	0.4	0.50	0.50	0.87	0.87
817	48	1	81	98.8%	1.2%	100.0%	0.2	0.2	0.41	0.42	0.96	0.96

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intra-class Corr.	Weighted Kappa
				Exact	Adj.	Total	First Read	Second Read	First Read	Second Read		
817	49	1	97	96.9%	3.1%	100.0%	0.5	0.5	0.50	0.50	0.94	0.94
817	50	1	101	97.0%	3.0%	100.0%	0.4	0.4	0.49	0.48	0.94	0.94
817	51	1	106	98.1%	1.9%	100.0%	0.5	0.5	0.50	0.50	0.96	0.96
818	41	1	141	97.9%	2.1%	100.0%	0.9	0.9	0.26	0.27	0.85	0.85
818	42	1	130	93.1%	6.9%	100.0%	0.7	0.7	0.46	0.45	0.83	0.83
818	43	1	122	94.3%	5.7%	100.0%	0.5	0.5	0.50	0.50	0.89	0.88
818	44	1	135	95.6%	4.4%	100.0%	0.5	0.5	0.50	0.50	0.91	0.91
818	45	1	132	98.5%	1.5%	100.0%	0.3	0.4	0.48	0.48	0.97	0.97
818	46	1	123	98.4%	1.6%	100.0%	0.4	0.4	0.50	0.50	0.97	0.97
818	47	1	131	96.2%	3.8%	100.0%	0.6	0.6	0.49	0.49	0.92	0.92
818	48	1	116	98.3%	1.7%	100.0%	0.5	0.5	0.50	0.50	0.97	0.97
818	49	1	113	99.1%	0.9%	100.0%	0.4	0.4	0.50	0.50	0.98	0.98
818	50	1	111	93.7%	6.3%	100.0%	0.3	0.3	0.46	0.45	0.85	0.85
818	51	1	105	98.1%	1.9%	100.0%	0.4	0.4	0.49	0.49	0.96	0.96
819	41	2	113	97.3%	2.7%	100.0%	1.4	1.4	0.74	0.73	0.98	0.96
819	42	1	111	98.2%	1.8%	100.0%	0.6	0.6	0.49	0.49	0.96	0.96
819	43	1	102	98.0%	2.0%	100.0%	0.8	0.8	0.43	0.43	0.95	0.95
819	44	3	107	94.4%	4.7%	99.1%	1.6	1.6	1.24	1.24	0.97	0.95
819	45	1	106	93.4%	6.6%	100.0%	0.4	0.4	0.49	0.48	0.86	0.86
819	46	1	118	97.5%	2.5%	100.0%	0.8	0.8	0.40	0.38	0.92	0.91
819	47	1	96	93.8%	6.3%	100.0%	0.6	0.5	0.50	0.50	0.88	0.87

## Appendix D: Partial-Credit Model Item Analysis

The first five columns from the left contain the test name, form name, item type, item number on the form, and maximum points possible for the item. The sixth column contains the number of students that the item was administered to. The remaining five columns contain the Rasch Item Difficulty, step difficulties (for multi-point items only), and the INFIT Rasch model fit statistic.

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	S3	INFIT
2014_CHEM	811	MC	01	1	891	-2.3966				0.88
2014_CHEM	811	MC	02	1	891	-2.4381				0.98
2014_CHEM	811	MC	03	1	891	0.3884				1.03
2014_CHEM	811	MC	04	1	891	-0.5363				0.93
2014_CHEM	811	MC	05	1	891	0.8739				1.12
2014_CHEM	811	MC	06	1	891	0.3001				1.06
2014_CHEM	811	MC	07	1	891	0.6984				1.23
2014_CHEM	811	MC	08	1	891	-1.6936				0.95
2014_CHEM	811	MC	09	1	891	-0.2622				1.09
2014_CHEM	811	MC	10	1	891	-0.1841				0.96
2014_CHEM	811	MC	11	1	891	0.7215				1.07
2014_CHEM	811	MC	12	1	891	-0.5951				1.02
2014_CHEM	811	MC	13	1	891	-2.8049				0.89
2014_CHEM	811	MC	14	1	891	-0.3015				1.02
2014_CHEM	811	MC	15	1	891	0.4886				0.94
2014_CHEM	811	CR	41	1	891	-1.5982				1.09
2014_CHEM	811	CR	42	1	891	-1.5071				0.92
2014_CHEM	811	CR	43	1	891	1.0254				0.95
2014_CHEM	811	CR	44	1	891	0.2066				0.93
2014_CHEM	811	CR	45	1	891	1.0254				0.89
2014_CHEM	811	CR	46	1	891	1.7919				0.99
2014_CHEM	811	CR	47	1	891	0.4217				0.92
2014_CHEM	811	CR	48	1	891	3.5942				0.97
2014_CHEM	811	CR	49	1	891	1.3349				0.89
2014_CHEM	811	CR	50	1	891	1.8915				1.07
2014_CHEM	812	MC	01	1	869	-1.2944				0.85
2014_CHEM	812	MC	02	1	869	0.2453				1.14
2014_CHEM	812	MC	03	1	869	-0.9108				0.97
2014_CHEM	812	MC	04	1	869	1.0128				1.14
2014_CHEM	812	MC	05	1	869	0.0718				1.21
2014_CHEM	812	MC	06	1	869	-0.1310				0.88
2014_CHEM	812	MC	07	1	869	0.3407				1.12

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	S3	INFIT
2014_CHEM	812	MC	08	1	869	0.0325				0.99
2014_CHEM	812	MC	09	1	869	-0.3375				1.00
2014_CHEM	812	MC	10	1	869	0.2453				0.93
2014_CHEM	812	MC	11	1	869	-0.1764				1.11
2014_CHEM	812	MC	12	1	869	-0.1310				1.00
2014_CHEM	812	MC	13	1	869	0.1334				1.04
2014_CHEM	812	MC	14	1	869	-0.1764				1.05
2014_CHEM	812	CR	41	1	869	1.6649				0.96
2014_CHEM	812	CR	42	1	869	-0.4313				0.95
2014_CHEM	812	CR	43	1	869	0.7707				0.93
2014_CHEM	812	CR	44	1	869	0.1949				0.98
2014_CHEM	812	CR	45	1	869	-0.2279				0.88
2014_CHEM	812	CR	46	1	869	0.3238				0.99
2014_CHEM	812	CR	47	1	869	0.2677				0.95
2014_CHEM	812	CR	48	1	869	-0.1878				0.93
2014_CHEM	812	CR	49	1	869	1.5146				1.13
2014_CHEM	812	CR	50	1	869	1.2437				0.90
2014_CHEM	812	CR	51	1	869	3.9219				0.93
2014_CHEM	813	MC	01	1	869	-1.7778				1.12
2014_CHEM	813	MC	02	1	869	0.0982				1.10
2014_CHEM	813	MC	03	1	869	-0.0112				0.97
2014_CHEM	813	MC	04	1	869	-0.1433				1.05
2014_CHEM	813	MC	05	1	869	-1.1875				0.92
2014_CHEM	813	MC	06	1	869	-0.6471				0.94
2014_CHEM	813	MC	07	1	869	0.2622				1.05
2014_CHEM	813	MC	08	1	869	-0.1931				1.01
2014_CHEM	813	MC	09	1	869	0.0326				1.00
2014_CHEM	813	MC	10	1	869	-0.2265				1.04
2014_CHEM	813	MC	11	1	869	-1.3204				0.94
2014_CHEM	813	MC	12	1	869	-0.1157				1.06
2014_CHEM	813	MC	13	1	869	-0.5696				1.07
2014_CHEM	813	MC	14	1	869	-0.2488				1.04
2014_CHEM	813	CR	41	1	869	1.0312				1.03
2014_CHEM	813	CR	42	1	869	-0.0332				1.05
2014_CHEM	813	CR	43	1	869	0.1692				0.91
2014_CHEM	813	CR	44	1	869	0.1255				0.85
2014_CHEM	813	CR	45	1	869	0.9880				0.96
2014_CHEM	813	CR	46	1	869	0.3555				1.04
2014_CHEM	813	CR	47	1	869	2.8181				0.87
2014_CHEM	813	CR	48	1	869	2.1787				1.00

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	S3	INFIT
2014_CHEM	813	CR	49	1	869	0.7730				0.99
2014_CHEM	813	CR	50	1	869	1.0003				0.88
2014_CHEM	813	CR	51	1	869	2.0511				0.94
2014_CHEM	814	MC	01	1	874	0.6904				1.02
2014_CHEM	814	MC	02	1	874	0.1138				1.12
2014_CHEM	814	MC	03	1	874	0.7363				1.17
2014_CHEM	814	MC	04	1	874	-0.2723				1.01
2014_CHEM	814	MC	05	1	874	0.4596				1.11
2014_CHEM	814	MC	06	1	874	-1.0444				1.02
2014_CHEM	814	MC	07	1	874	-0.5892				1.01
2014_CHEM	814	MC	08	1	874	-0.3628				1.00
2014_CHEM	814	MC	09	1	874	-1.8815				0.97
2014_CHEM	814	MC	10	1	874	-0.3970				0.90
2014_CHEM	814	MC	11	1	874	0.5376				1.14
2014_CHEM	814	MC	12	1	874	-0.2220				0.90
2014_CHEM	814	MC	13	1	874	-0.9441				1.04
2014_CHEM	814	MC	14	1	874	-0.3970				1.05
2014_CHEM	814	CR	41	1	874	-1.4337				0.89
2014_CHEM	814	CR	42	1	874	0.3547				0.87
2014_CHEM	814	CR	43	1	874	-0.0120				1.16
2014_CHEM	814	CR	44	1	874	-1.0512				0.89
2014_CHEM	814	CR	45	1	874	-0.5773				1.03
2014_CHEM	814	CR	46	1	874	2.5398				0.90
2014_CHEM	814	CR	47	1	874	-0.7778				0.92
2014_CHEM	814	CR	48	1	874	-0.6310				0.88
2014_CHEM	814	CR	49	1	874	1.1091				1.06
2014_CHEM	814	CR	50	1	874	1.5431				0.86
2014_CHEM	814	CR	51	1	874	0.6789				0.89
2014_CHEM	815	MC	01	1	890	-0.6253				0.87
2014_CHEM	815	MC	02	1	890	-0.9911				1.01
2014_CHEM	815	MC	03	1	890	-0.9911				1.12
2014_CHEM	815	MC	04	1	890	-1.7996				0.93
2014_CHEM	815	MC	05	1	890	-1.6590				0.93
2014_CHEM	815	MC	06	1	890	1.0195				0.99
2014_CHEM	815	MC	07	1	890	0.1542				1.16
2014_CHEM	815	MC	08	1	890	-0.4268				1.16
2014_CHEM	815	MC	09	1	890	-0.3756				1.02
2014_CHEM	815	MC	10	1	890	0.8799				1.06
2014_CHEM	815	MC	11	1	890	-0.0447				0.97
2014_CHEM	815	MC	12	1	890	0.2076				1.07

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	S3	INFIT
2014_CHEM	815	MC	13	1	890	-1.1929				1.06
2014_CHEM	815	MC	14	1	890	0.9086				1.13
2014_CHEM	815	CR	41	1	890	-0.8346				1.05
2014_CHEM	815	CR	42	1	890	0.0362				0.95
2014_CHEM	815	CR	43	1	890	-0.3418				0.93
2014_CHEM	815	CR	44	1	890	0.9144				0.91
2014_CHEM	815	CR	45	1	890	-0.6134				0.86
2014_CHEM	815	CR	46	1	890	0.9202				0.95
2014_CHEM	815	CR	47	1	890	1.3606				0.84
2014_CHEM	815	CR	48	1	890	1.1641				0.95
2014_CHEM	815	CR	49	1	890	2.7618				0.93
2014_CHEM	815	CR	50	1	890	1.1579				0.99
2014_CHEM	816	MC	01	1	889	-0.0640				1.09
2014_CHEM	816	MC	02	1	889	-2.2254				1.09
2014_CHEM	816	MC	03	1	889	-0.6921				1.01
2014_CHEM	816	MC	04	1	889	-1.1797				0.98
2014_CHEM	816	MC	05	1	889	-0.9501				0.91
2014_CHEM	816	MC	06	1	889	-1.3212				1.04
2014_CHEM	816	MC	07	1	889	0.9281				1.11
2014_CHEM	816	MC	08	1	889	-0.5330				0.99
2014_CHEM	816	MC	09	1	889	0.4629				1.15
2014_CHEM	816	MC	10	1	889	0.2440				1.19
2014_CHEM	816	MC	11	1	889	-0.5936				0.86
2014_CHEM	816	MC	12	1	889	-1.1082				0.99
2014_CHEM	816	MC	13	1	889	-0.3034				1.05
2014_CHEM	816	MC	14	1	889	-0.0246				1.01
2014_CHEM	816	CR	41	1	889	0.9100				0.96
2014_CHEM	816	CR	42	1	889	1.0695				0.96
2014_CHEM	816	CR	43	1	889	2.0641				1.07
2014_CHEM	816	CR	44	1	889	0.1323				0.98
2014_CHEM	816	CR	45	1	889	0.9100				1.01
2014_CHEM	816	CR	46	1	889	1.6723				0.91
2014_CHEM	816	CR	47	1	889	-0.1318				0.95
2014_CHEM	816	CR	48	1	889	-0.0358				0.97
2014_CHEM	816	CR	49	1	889	0.3056				0.95
2014_CHEM	816	CR	50	1	889	0.5082				0.87
2014_CHEM	816	CR	51	1	889	1.3287				0.93
2014_CHEM	817	MC	01	1	846	-1.2507				1.12
2014_CHEM	817	MC	02	1	846	-0.4847				1.12
2014_CHEM	817	MC	03	1	846	-1.8797				0.89

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	S3	INFIT
2014_CHEM	817	MC	04	1	846	0.5180				1.02
2014_CHEM	817	MC	05	1	846	-0.2704				1.21
2014_CHEM	817	MC	06	1	846	-0.6300				1.01
2014_CHEM	817	MC	07	1	846	-1.7886				0.92
2014_CHEM	817	MC	08	1	846	-0.9710				0.94
2014_CHEM	817	MC	09	1	846	-0.7535				1.02
2014_CHEM	817	MC	10	1	846	-1.6548				1.02
2014_CHEM	817	MC	11	1	846	-0.5410				0.94
2014_CHEM	817	MC	12	1	846	0.8177				1.08
2014_CHEM	817	MC	13	1	846	0.5601				1.13
2014_CHEM	817	MC	14	1	846	0.3868				1.22
2014_CHEM	817	CR	41	1	846	0.9190				0.88
2014_CHEM	817	CR	42	1	846	1.1018				0.95
2014_CHEM	817	CR	43	1	846	1.4908				0.92
2014_CHEM	817	CR	44	1	846	-0.9992				0.97
2014_CHEM	817	CR	45	1	846	1.1018				0.89
2014_CHEM	817	CR	46	1	846	2.2802				1.00
2014_CHEM	817	CR	47	1	846	0.9190				0.88
2014_CHEM	817	CR	48	1	846	2.2165				0.93
2014_CHEM	817	CR	49	1	846	1.0752				0.86
2014_CHEM	817	CR	50	1	846	1.4533				1.02
2014_CHEM	817	CR	51	1	846	0.7927				0.85
2014_CHEM	818	MC	01	1	890	-0.7764				1.07
2014_CHEM	818	MC	02	1	890	2.3201				1.06
2014_CHEM	818	MC	03	1	890	-0.0593				0.92
2014_CHEM	818	MC	04	1	890	0.9327				1.07
2014_CHEM	818	MC	05	1	890	-0.2641				1.17
2014_CHEM	818	MC	06	1	890	0.0877				1.01
2014_CHEM	818	MC	07	1	890	-1.0581				0.98
2014_CHEM	818	MC	08	1	890	0.3801				1.21
2014_CHEM	818	MC	09	1	890	0.1419				0.98
2014_CHEM	818	MC	10	1	890	-0.0922				0.92
2014_CHEM	818	MC	11	1	890	0.2285				1.09
2014_CHEM	818	MC	12	1	890	-1.6295				0.82
2014_CHEM	818	MC	13	1	890	-0.4926				1.05
2014_CHEM	818	MC	14	1	890	-0.2417				1.15
2014_CHEM	818	CR	41	1	890	-2.0776				0.95
2014_CHEM	818	CR	42	1	890	-0.6050				0.87
2014_CHEM	818	CR	43	1	890	0.7437				0.86
2014_CHEM	818	CR	44	1	890	0.1852				0.98

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	S3	INFIT
2014_CHEM	818	CR	45	1	890	1.1852				1.01
2014_CHEM	818	CR	46	1	890	0.6988				1.01
2014_CHEM	818	CR	47	1	890	0.1203				0.91
2014_CHEM	818	CR	48	1	890	0.6431				0.91
2014_CHEM	818	CR	49	1	890	1.1296				0.89
2014_CHEM	818	CR	50	1	890	1.8004				0.97
2014_CHEM	818	CR	51	1	890	1.0992				1.11
2014_CHEM	819	MC	01	1	879	0.0000				1.11
2014_CHEM	819	MC	02	1	879	-0.9300				0.89
2014_CHEM	819	MC	03	1	879	-0.4900				0.99
2014_CHEM	819	MC	04	1	879	-0.9300				0.97
2014_CHEM	819	MC	05	1	879	-0.7000				1.14
2014_CHEM	819	MC	06	1	879	-1.2900				1.26
2014_CHEM	819	MC	07	1	879	-2.0100				0.96
2014_CHEM	819	MC	08	1	879	-0.0100				1.19
2014_CHEM	819	MC	09	1	879	0.1000				1.05
2014_CHEM	819	MC	10	1	879	-1.4800				0.94
2014_CHEM	819	MC	11	1	879	-0.5497				1.00
2014_CHEM	819	MC	12	1	879	-1.0600				0.88
2014_CHEM	819	CR	41	2	879	-0.5574	-0.2721	0.2721		0.98
2014_CHEM	819	CR	42	1	879	-0.5800				0.91
2014_CHEM	819	CR	43	1	879	-0.5000				0.94
2014_CHEM	819	CR	44	3	879	0.7600	0.1400	-0.4900	0.3600	1.26
2014_CHEM	819	CR	45	1	879	1.1400				0.88
2014_CHEM	819	CR	46	1	879	-0.7384				1.12
2014_CHEM	819	CR	47	1	879	0.4200				0.93

## Appendix E: DIF Statistics

The first four columns from the left contain the test name, form ID, item type, and item sequence number within the form. The next three columns contain the Mantel-Haenszel DIF statistical values (note that the MH Delta statistic cannot be calculated for CR items). The final two columns will only have values if the item displays possible moderate or severe DIF; if so, the degree of DIF (B/BB = moderate; C/CC = severe) and the favored group will be shown.

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2014_CHEM	811	MC	01	-0.91	1.75	-0.08		
2014_CHEM	811	MC	02	0.44	0.50	0.04		
2014_CHEM	811	MC	03	-0.80	4.22	-0.14		
2014_CHEM	811	MC	04	-1.00	5.49	-0.15		
2014_CHEM	811	MC	05	0.09	0.05	0.04		
2014_CHEM	811	MC	06	-0.89	5.32	-0.17		
2014_CHEM	811	MC	07	0.50	1.91	0.09		
2014_CHEM	811	MC	08	-0.60	1.35	-0.07		
2014_CHEM	811	MC	09	0.01	0.00	0.01		
2014_CHEM	811	MC	10	-0.30	0.56	-0.06		
2014_CHEM	811	MC	11	0.48	1.53	0.09		
2014_CHEM	811	MC	12	0.91	5.29	0.16		
2014_CHEM	811	MC	13	0.33	0.17	0.02		
2014_CHEM	811	MC	14	1.31	10.66	0.22	B	F
2014_CHEM	811	MC	15	-1.52	14.06	-0.24	C	M
2014_CHEM	811	CR	41		2.25	0.11		
2014_CHEM	811	CR	42		1.64	0.09		
2014_CHEM	811	CR	43		0.40	0.04		
2014_CHEM	811	CR	44		0.64	-0.06		
2014_CHEM	811	CR	45		0.00	-0.01		
2014_CHEM	811	CR	46		0.53	-0.04		
2014_CHEM	811	CR	47		0.01	0.01		
2014_CHEM	811	CR	48		0.01	0.02		
2014_CHEM	811	CR	49		3.16	0.12		
2014_CHEM	811	CR	50		0.29	0.02		
2014_CHEM	812	MC	01	-0.82	2.41	-0.11		
2014_CHEM	812	MC	02	0.19	0.25	0.03		
2014_CHEM	812	MC	03	0.26	0.32	0.06		
2014_CHEM	812	MC	04	-0.27	0.43	-0.02		
2014_CHEM	812	MC	05	0.11	0.09	0.02		
2014_CHEM	812	MC	06	-0.95	4.85	-0.15		
2014_CHEM	812	MC	07	0.05	0.02	0.00		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2014_CHEM	812	MC	08	0.23	0.32	0.05		
2014_CHEM	812	MC	09	0.68	2.63	0.09		
2014_CHEM	812	MC	10	-0.32	0.58	-0.04		
2014_CHEM	812	MC	11	0.31	0.63	0.06		
2014_CHEM	812	MC	12	-0.78	3.56	-0.13		
2014_CHEM	812	MC	13	-0.10	0.06	-0.04		
2014_CHEM	812	MC	14	0.01	0.00	0.01		
2014_CHEM	812	CR	41		0.28	0.03		
2014_CHEM	812	CR	42		1.96	0.11		
2014_CHEM	812	CR	43		0.56	-0.04		
2014_CHEM	812	CR	44		3.54	-0.12		
2014_CHEM	812	CR	45		0.93	0.06		
2014_CHEM	812	CR	46		0.04	-0.01		
2014_CHEM	812	CR	47		1.23	0.06		
2014_CHEM	812	CR	48		0.13	0.05		
2014_CHEM	812	CR	49		0.45	-0.05		
2014_CHEM	812	CR	50		3.43	0.14		
2014_CHEM	812	CR	51		1.40	-0.07		
2014_CHEM	813	MC	01	1.04	4.29	0.15	B	F
2014_CHEM	813	MC	02	0.47	1.47	0.07		
2014_CHEM	813	MC	03	-1.24	9.31	-0.20	B	M
2014_CHEM	813	MC	04	-0.72	3.64	-0.13		
2014_CHEM	813	MC	05	-0.05	0.01	0.02		
2014_CHEM	813	MC	06	0.46	1.14	0.06		
2014_CHEM	813	MC	07	-0.31	0.65	-0.07		
2014_CHEM	813	MC	08	0.13	0.11	0.03		
2014_CHEM	813	MC	09	-0.02	0.00	-0.01		
2014_CHEM	813	MC	10	0.94	5.80	0.17		
2014_CHEM	813	MC	11	0.17	0.12	0.02		
2014_CHEM	813	MC	12	0.21	0.31	0.01		
2014_CHEM	813	MC	13	1.22	9.37	0.20	B	F
2014_CHEM	813	MC	14	-0.85	4.70	-0.16		
2014_CHEM	813	CR	41		2.77	-0.11		
2014_CHEM	813	CR	42		1.49	-0.09		
2014_CHEM	813	CR	43		0.72	-0.04		
2014_CHEM	813	CR	44		1.05	0.06		
2014_CHEM	813	CR	45		3.88	-0.13		
2014_CHEM	813	CR	46		2.94	0.12		
2014_CHEM	813	CR	47		0.80	-0.05		
2014_CHEM	813	CR	48		2.09	-0.10		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2014_CHEM	813	CR	49		2.84	0.12		
2014_CHEM	813	CR	50		0.15	0.00		
2014_CHEM	813	CR	51		0.74	0.07		
2014_CHEM	814	MC	01	-0.11	0.07	-0.02		
2014_CHEM	814	MC	02	0.03	0.01	0.01		
2014_CHEM	814	MC	03	-1.31	11.88	-0.26	B	M
2014_CHEM	814	MC	04	-0.48	1.39	-0.07		
2014_CHEM	814	MC	05	0.43	1.26	0.09		
2014_CHEM	814	MC	06	0.20	0.21	0.00		
2014_CHEM	814	MC	07	-0.25	0.36	-0.05		
2014_CHEM	814	MC	08	-0.95	5.32	-0.16		
2014_CHEM	814	MC	09	1.27	5.13	0.15	B	F
2014_CHEM	814	MC	10	0.28	0.42	0.04		
2014_CHEM	814	MC	11	0.09	0.05	-0.01		
2014_CHEM	814	MC	12	-0.40	0.85	-0.08		
2014_CHEM	814	MC	13	1.05	6.06	0.18	B	F
2014_CHEM	814	MC	14	-1.18	8.25	-0.20	B	M
2014_CHEM	814	CR	41		0.40	-0.02		
2014_CHEM	814	CR	42		0.09	0.03		
2014_CHEM	814	CR	43		1.92	0.09		
2014_CHEM	814	CR	44		4.58	0.16		
2014_CHEM	814	CR	45		0.73	0.07		
2014_CHEM	814	CR	46		1.49	0.08		
2014_CHEM	814	CR	47		0.01	0.01		
2014_CHEM	814	CR	48		0.05	0.02		
2014_CHEM	814	CR	49		0.29	-0.04		
2014_CHEM	814	CR	50		0.20	0.03		
2014_CHEM	814	CR	51		0.17	0.04		
2014_CHEM	815	MC	01	-1.38	9.61	-0.21	B	M
2014_CHEM	815	MC	02	0.47	1.13	0.05		
2014_CHEM	815	MC	03	-0.91	4.80	-0.15		
2014_CHEM	815	MC	04	1.40	6.41	0.16	B	F
2014_CHEM	815	MC	05	-0.08	0.02	-0.02		
2014_CHEM	815	MC	06	-1.08	7.19	-0.18	B	M
2014_CHEM	815	MC	07	-0.14	0.14	-0.01		
2014_CHEM	815	MC	08	1.02	7.28	0.18	B	F
2014_CHEM	815	MC	09	-2.13	26.06	-0.34	C	M
2014_CHEM	815	MC	10	-0.42	1.17	-0.07		
2014_CHEM	815	MC	11	-0.11	0.07	-0.03		
2014_CHEM	815	MC	12	0.09	0.06	0.01		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2014_CHEM	815	MC	13	0.88	4.22	0.14		
2014_CHEM	815	MC	14	0.33	0.78	0.05		
2014_CHEM	815	CR	41		0.16	0.02		
2014_CHEM	815	CR	42		13.58	0.23	BB	F
2014_CHEM	815	CR	43		3.86	0.13		
2014_CHEM	815	CR	44		2.12	-0.09		
2014_CHEM	815	CR	45		6.86	0.16		
2014_CHEM	815	CR	46		8.51	0.20	BB	F
2014_CHEM	815	CR	47		2.05	-0.08		
2014_CHEM	815	CR	48		1.52	-0.08		
2014_CHEM	815	CR	49		1.46	-0.09		
2014_CHEM	815	CR	50		0.45	-0.02		
2014_CHEM	816	MC	01	-0.17	0.19	-0.03		
2014_CHEM	816	MC	02	-0.46	0.65	-0.07		
2014_CHEM	816	MC	03	-0.03	0.01	-0.01		
2014_CHEM	816	MC	04	-0.54	1.28	-0.08		
2014_CHEM	816	MC	05	0.95	4.21	0.14		
2014_CHEM	816	MC	06	0.62	1.73	0.09		
2014_CHEM	816	MC	07	0.76	3.90	0.13		
2014_CHEM	816	MC	08	0.08	0.04	0.02		
2014_CHEM	816	MC	09	-0.18	0.22	-0.01		
2014_CHEM	816	MC	10	-0.11	0.09	-0.02		
2014_CHEM	816	MC	11	-0.03	0.00	-0.02		
2014_CHEM	816	MC	12	-0.28	0.36	-0.04		
2014_CHEM	816	MC	13	0.47	1.44	0.05		
2014_CHEM	816	MC	14	-0.99	6.19	-0.16		
2014_CHEM	816	CR	41		2.28	-0.10		
2014_CHEM	816	CR	42		0.06	0.02		
2014_CHEM	816	CR	43		0.08	0.02		
2014_CHEM	816	CR	44		0.37	-0.04		
2014_CHEM	816	CR	45		0.31	0.05		
2014_CHEM	816	CR	46		6.14	-0.15		
2014_CHEM	816	CR	47		0.81	0.06		
2014_CHEM	816	CR	48		0.18	-0.02		
2014_CHEM	816	CR	49		3.95	0.11		
2014_CHEM	816	CR	50		0.50	0.03		
2014_CHEM	816	CR	51		0.04	0.01		
2014_CHEM	817	MC	01	-0.19	0.19	-0.06		
2014_CHEM	817	MC	02	0.04	0.01	0.00		
2014_CHEM	817	MC	03	-0.85	2.19	-0.10		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2014_CHEM	817	MC	04	-0.28	0.49	-0.06		
2014_CHEM	817	MC	05	-0.41	1.19	-0.07		
2014_CHEM	817	MC	06	-0.40	0.92	-0.06		
2014_CHEM	817	MC	07	0.69	1.67	0.09		
2014_CHEM	817	MC	08	-0.72	2.53	-0.10		
2014_CHEM	817	MC	09	0.25	0.36	0.05		
2014_CHEM	817	MC	10	1.00	4.18	0.15		
2014_CHEM	817	MC	11	-0.17	0.15	-0.03		
2014_CHEM	817	MC	12	-0.36	0.84	-0.07		
2014_CHEM	817	MC	13	-0.31	0.71	-0.05		
2014_CHEM	817	MC	14	0.21	0.31	0.05		
2014_CHEM	817	CR	41		0.28	-0.04		
2014_CHEM	817	CR	42		1.38	0.09		
2014_CHEM	817	CR	43		0.91	0.07		
2014_CHEM	817	CR	44		1.76	0.09		
2014_CHEM	817	CR	45		0.36	-0.04		
2014_CHEM	817	CR	46		4.95	-0.16		
2014_CHEM	817	CR	47		0.20	0.04		
2014_CHEM	817	CR	48		3.57	0.11		
2014_CHEM	817	CR	49		0.00	0.01		
2014_CHEM	817	CR	50		2.12	0.10		
2014_CHEM	817	CR	51		0.25	0.02		
2014_CHEM	818	MC	01	-0.43	1.08	-0.07		
2014_CHEM	818	MC	02	1.21	4.95	0.16	B	F
2014_CHEM	818	MC	03	-1.02	5.98	-0.15	B	M
2014_CHEM	818	MC	04	1.68	18.17	0.32	C	F
2014_CHEM	818	MC	05	-0.08	0.05	-0.03		
2014_CHEM	818	MC	06	-0.88	5.08	-0.13		
2014_CHEM	818	MC	07	0.08	0.03	0.00		
2014_CHEM	818	MC	08	-0.54	2.19	-0.11		
2014_CHEM	818	MC	09	-0.18	0.23	-0.02		
2014_CHEM	818	MC	10	0.38	0.83	0.05		
2014_CHEM	818	MC	11	0.48	1.55	0.08		
2014_CHEM	818	MC	12	1.13	4.01	0.11	B	F
2014_CHEM	818	MC	13	-0.25	0.40	-0.05		
2014_CHEM	818	MC	14	-0.20	0.27	-0.04		
2014_CHEM	818	CR	41		0.24	0.01		
2014_CHEM	818	CR	42		0.01	0.01		
2014_CHEM	818	CR	43		0.62	0.06		
2014_CHEM	818	CR	44		0.42	-0.03		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2014_CHEM	818	CR	45		0.66	0.07		
2014_CHEM	818	CR	46		0.99	-0.07		
2014_CHEM	818	CR	47		0.37	0.03		
2014_CHEM	818	CR	48		0.02	0.00		
2014_CHEM	818	CR	49		0.03	0.00		
2014_CHEM	818	CR	50		1.37	-0.12		
2014_CHEM	818	CR	51		0.01	0.00		
2014_CHEM	819	MC	01	0.54	2.11	0.10		
2014_CHEM	819	MC	02	0.19	0.18	0.04		
2014_CHEM	819	MC	03	-0.33	0.68	-0.05		
2014_CHEM	819	MC	04	0.20	0.22	0.02		
2014_CHEM	819	MC	05	-1.19	9.36	-0.20	B	M
2014_CHEM	819	MC	06	1.02	6.13	0.16	B	F
2014_CHEM	819	MC	07	-0.42	0.56	-0.04		
2014_CHEM	819	MC	08	0.26	0.55	0.06		
2014_CHEM	819	MC	09	0.87	5.56	0.16		
2014_CHEM	819	MC	10	-0.26	0.25	-0.02		
2014_CHEM	819	MC	11	0.10	0.06	0.00		
2014_CHEM	819	MC	12	0.58	1.58	0.08		
2014_CHEM	819	CR	41		0.08	0.01		
2014_CHEM	819	CR	42		1.19	0.07		
2014_CHEM	819	CR	43		0.40	-0.03		
2014_CHEM	819	CR	44		1.24	-0.07		
2014_CHEM	819	CR	45		10.50	-0.19	BB	M
2014_CHEM	819	CR	46		0.00	0.01		
2014_CHEM	819	CR	47		0.00	0.00		

DIF category meanings: A/AA = negligible, B/BB = moderate, C/CC = severe.

Favored group meanings: F=Female, M = Male.

## Appendix F: Operational Test Maps

January 2014

Position	Item Type	Max Points	Weight	Standard	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
1	MC	1	1	4	3	3.1	0.56	0.42	-0.2156	1.03
2	MC	1	1	4	3	3.1	0.79	0.38	-1.5204	1.01
3	MC	1	1	4	3	3.1	0.88	0.42	-2.1100	0.89
4	MC	1	1	4	3	3.1	0.85	0.39	-1.9447	0.93
5	MC	1	1	4	3	3.1	0.87	0.36	-2.1723	0.97
6	MC	1	1	4	3	3.1	0.89	0.39	-2.4258	0.90
7	MC	1	1	4	5	5.2	0.77	0.40	-1.3789	0.99
8	MC	1	1	4	5	5.2	0.78	0.46	-1.4621	0.91
9	MC	1	1	4	5	5.2	0.84	0.27	-1.8907	1.06
10	MC	1	1	4	3	3.1	0.64	0.37	-0.6112	1.04
11	MC	1	1	4	3	3.1	0.62	0.49	-0.5367	0.93
12	MC	1	1	4	3	3.1	0.64	0.41	-0.6361	1.03
13	MC	1	1	4	3	3.1	0.54	0.38	-0.1067	1.09
14	MC	1	1	4	4	4.2	0.70	0.51	-0.9436	0.92
15	MC	1	1	4	4	4.4	0.63	0.31	-0.5853	1.10
16	MC	1	1	4	3	3.1	0.72	0.46	-1.0836	0.95
17	MC	1	1	4	3	3.4	0.58	0.34	-0.3487	1.11
18	MC	1	1	4	3	3.3	0.62	0.48	-0.5385	0.95
19	MC	1	1	4	3	3.3	0.55	0.45	-0.1811	0.98
20	MC	1	1	4	3	3.1	0.46	0.27	0.2311	1.19
21	MC	1	1	4	3	3.1	0.70	0.47	-0.9258	0.96
22	MC	1	1	4	3	3.1	0.75	0.39	-1.2133	1.03
23	MC	1	1	4	3	3.2	0.56	0.40	-0.2342	1.04
24	MC	1	1	4	3	3.1	0.61	0.37	-0.4763	1.07
25	MC	1	1	4	3	3.3	0.69	0.44	-0.8780	0.99
26	MC	1	1	4	3	3.1	0.46	0.33	0.2493	1.13
27	MC	1	1	4	3	3.2	0.41	0.31	0.4985	1.14
28	MC	1	1	4	3	3.1	0.45	0.39	0.2768	1.05
29	MC	1	1	4	3	3.1	0.52	0.45	-0.0484	1.00
30	MC	1	1	4	4	4.4	0.66	0.45	-0.7405	0.98
31	MC	1	1	4	3	3.1	0.80	0.33	-1.4300	1.02
32	MC	1	1	4	3	3.1	0.62	0.39	-0.5500	1.06
33	MC	1	1	4	5	5.2	0.50	0.42	0.0679	1.04
34	MC	1	1	4	5	5.2	0.56	0.48	-0.2408	0.97
35	MC	1	1	4	5	5.2	0.65	0.40	-0.6767	1.04

Position	Item Type	Max Points	Weight	Standard	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
36	MC	1	1	4	4	4.2	0.85	0.38	-1.9310	0.97
37	MC	1	1	4	3	3.4	0.37	0.42	0.6715	1.02
38	MC	1	1	4	3	3.4	0.48	0.37	0.1609	1.08
39	MC	1	1	4	3	3.1	0.74	0.34	-1.1934	1.05
40	MC	1	1	4	4	4.2	0.68	0.37	-0.8122	1.07
41	MC	1	1	4	5	5.2	0.40	0.34	0.5453	1.10
42	MC	1	1	4	3	3.1	0.51	0.38	-0.0065	1.07
43	MC	1	1	4	3	3.2	0.67	0.40	-0.7628	1.03
44	MC	1	1	4	3	3.2	0.30	0.27	1.0463	1.16
45	MC	1	1	4	4	4.2	0.47	0.43	0.2700	1.06
46	MC	1	1	4	3	3.2	0.48	0.36	0.1885	1.11
47	MC	1	1	4	3	3.1	0.66	0.39	-0.7402	1.03
48	MC	1	1	4	4	4.4	0.32	0.24	0.9804	1.18
49	MC	1	1	4	4	4.4	0.43	0.34	0.3724	1.10
50	MC	1	1	4	5	5.3	0.41	0.36	0.5212	1.11
51	CR	1	1	4	3	3.1	0.62	0.54	-0.5367	0.88
52	CR	1	1	4	3	3.1	0.74	0.47	-1.1573	0.91
53	CR	1	1	4	5	5.2	0.47	0.43	0.1980	1.01
54	CR	1	1	4	3	3.1	0.61	0.51	-0.4720	0.91
55	CR	1	1	4	3	3.1	0.34	0.52	0.8428	0.89
56	CR	1	1	4	4	4.2	0.38	0.39	0.6485	1.05
57	CR	1	1	4	3	3.1	0.16	0.37	2.0220	0.95
58	CR	1	1	4	3	3.3	0.49	0.54	0.0970	0.90
59	CR	1	1	4	5	5.2	0.43	0.45	0.4063	1.00
60	CR	1	1	4	3	3.4	0.43	0.59	0.3979	0.83
61	CR	1	1	4	3	3.2	0.18	0.33	1.9014	1.06
62	CR	1	1	4	3	3.1	0.27	0.40	1.2630	1.01
63	CR	1	1	4	3	3.1	0.71	0.54	-1.0174	0.85
64	CR	1	1	4	3	3.1	0.46	0.40	0.2411	1.04
65	CR	1	1	4	3	3.1	0.26	0.43	1.2886	0.98
66	CR	1	1	4	3	3.1	0.42	0.46	0.7740	1.01
67	CR	1	1	4	3	3.3	0.59	0.59	-0.0660	0.84
68	CR	1	1	4	3	3.1	0.48	0.47	0.5062	0.99
69	CR	1	1	4	3	3.1	0.47	0.62	0.5336	0.81
70	CR	1	1	4	3	3.3	0.50	0.62	0.3785	0.82
71	CR	1	1	4	5	5.2	0.32	0.53	0.9520	0.89
72	CR	1	1	4	5	5.2	0.18	0.45	1.8421	0.92
73	CR	1	1	4	5	5.2	0.19	0.42	1.7382	0.94
74	CR	1	1	4	5	5.2	0.15	0.45	2.0613	0.85

Position	Item Type	Max Points	Weight	Standard	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
75	CR	1	1	4	3	3.1	0.28	0.42	1.2046	1.00
76	CR	1	1	4	5	5.2	0.16	0.43	2.0900	0.86
77	CR	1	1	4	5	5.2	0.29	0.48	1.1800	0.87
78	CR	1	1	4	3	3.4	0.37	0.53	0.7349	0.89
79	CR	1	1	4	3	3.2	0.32	0.54	0.9489	0.87
80	CR	1	1	4	3	3.4	0.42	0.34	0.4529	1.13
81	CR	1	1	4	3	3.4	0.44	0.49	0.3557	0.95
82	CR	1	1	4	3	3.1	0.44	0.56	0.3641	0.86
83	CR	1	1	4	3	3.1	0.33	0.60	0.8839	0.81
84	CR	1	1	4	4	4.4	0.33	0.51	0.9021	0.91
85	CR	1	1	4	4	4.4	0.24	0.57	1.4209	0.82

Items number 31 through number 85 are also linked to Standard 4 process skills and/or other skills specified in Standards 1, 2, 6, and/or 7.

**June 2014**

Position	Item Type	Max Points	Weight	Standard	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
1	MC	1	1	4	3	3.1	0.69	0.39	-0.5927	1.05
2	MC	1	1	4	3	3.1	0.86	0.26	-1.7648	1.06
3	MC	1	1	4	3	3.1	0.41	0.43	0.7879	0.99
4	MC	1	1	4	3	3.1	0.70	0.44	-0.6569	1.00
5	MC	1	1	4	5	5.2	0.88	0.23	-2.2700	1.03
6	MC	1	1	4	3	3.1	0.74	0.44	-0.9042	0.97
7	MC	1	1	4	3	3.1	0.67	0.37	-0.4232	1.04
8	MC	1	1	4	5	5.2	0.70	0.36	-0.6622	1.09
9	MC	1	1	4	3	3.3	0.70	0.44	-0.6294	0.99
10	MC	1	1	4	3	3.2	0.76	0.40	-0.9956	1.01
11	MC	1	1	4	5	5.3	0.60	0.41	-0.1102	1.01
12	MC	1	1	4	5	5.2	0.68	0.48	-0.5526	0.96
13	MC	1	1	4	3	3.1	0.68	0.45	-0.5101	0.99
14	MC	1	1	4	5	5.2	0.57	0.44	0.0544	1.02
15	MC	1	1	4	4	4.2	0.78	0.41	-1.1643	1.00
16	MC	1	1	4	3	3.2	0.65	0.47	-0.3323	0.94
17	MC	1	1	4	3	3.1	0.71	0.49	-0.6713	0.93
18	MC	1	1	4	4	4.1	0.47	0.42	0.4912	1.08
19	MC	1	1	4	3	3.1	0.63	0.39	-0.2715	1.08
20	MC	1	1	4	3	3.4	0.60	0.40	-0.0893	1.06
21	MC	1	1	4	5	5.2	0.32	0.40	1.2850	1.00
22	MC	1	1	4	3	3.1	0.45	0.29	0.6270	1.20
23	MC	1	1	4	4	4.1	0.50	0.41	0.3967	1.06
24	MC	1	1	4	3	3.1	0.58	0.44	0.0068	0.98
25	MC	1	1	4	3	3.1	0.37	0.43	0.9918	1.06
26	MC	1	1	4	3	3.3	0.56	0.43	0.0600	1.04
27	MC	1	1	4	3	3.1	0.70	0.26	-0.6554	1.18
28	MC	1	1	4	3	3.1	0.62	0.42	-0.2108	1.00
29	MC	1	1	4	3	3.1	0.52	0.51	0.2687	0.96
30	MC	1	1	4	3	3.1	0.45	0.33	0.6346	1.15
31	MC	1	1	4	3	3.1	0.75	0.45	-0.8846	0.93
32	MC	1	1	4	3	3.1	0.74	0.47	-0.9153	0.94
33	MC	1	1	4	3	3.1	0.71	0.31	-0.6932	1.13
34	MC	1	1	4	3	3.3	0.64	0.39	-0.2712	1.02
35	MC	1	1	4	3	3.3	0.78	0.41	-1.1488	0.99
36	MC	1	1	4	3	3.2	0.75	0.51	-0.9273	0.88
37	MC	1	1	4	3	3.3	0.69	0.38	-0.5979	1.05
38	MC	1	1	4	5	5.2	0.50	0.34	0.3591	1.08

Position	Item Type	Max Points	Weight	Standard	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
39	MC	1	1	4	5	5.2	0.53	0.33	0.1945	1.18
40	MC	1	1	4	4	4.2	0.71	0.36	-0.6825	1.09
41	MC	1	1	4	3	3.1	0.59	0.45	-0.0520	1.01
42	MC	1	1	4	4	4.2	0.32	0.45	1.2879	1.01
43	MC	1	1	4	3	3.4	0.85	0.44	-1.8400	0.89
44	MC	1	1	4	3	3.4	0.60	0.46	-0.0987	0.99
45	MC	1	1	4	3	3.1	0.53	0.33	0.2233	1.10
46	MC	1	1	4	3	3.2	0.70	0.47	-0.6554	0.95
47	MC	1	1	4	3	3.1	0.45	0.47	0.5961	0.95
48	MC	1	1	4	3	3.1	0.83	0.39	-1.8336	0.94
49	MC	1	1	4	3	3.1	0.41	0.32	0.8310	1.20
50	MC	1	1	4	4	4.4	0.59	0.39	-0.2509	1.06
51	CR	1	1	4	5	5.2	0.31	0.36	1.0900	0.97
52	CR	1	1	4	5	5.2	0.61	0.58	-0.3900	0.83
53	CR	1	1	4	3	5.2	0.52	0.47	0.2999	1.00
54	CR	1	1	4	5	5.2	0.20	0.47	2.0725	0.91
55	CR	1	1	4	3	3.1	0.72	0.40	-0.7104	0.99
56	CR	1	1	4	3	3.1	0.29	0.40	1.3978	1.01
57	CR	1	1	4	3	3.3	0.51	0.52	0.2918	0.94
58	CR	1	1	4	4	4.1	0.50	0.47	0.3706	1.01
59	CR	1	1	4	3	3.1	0.60	0.41	-0.0695	1.00
60	CR	1	1	4	5	5.2	0.51	0.34	0.3460	1.09
61	CR	1	1	4	5	5.2	0.41	0.53	0.7969	0.88
62	CR	1	1	4	3	3.2	0.57	0.54	0.0360	0.90
63	CR	1	1	4	3	3.3	0.35	0.53	1.1310	0.90
64	CR	1	1	4	3	3.2	0.82	0.30	-1.4324	1.05
65	CR	1	1	4	3	3.2	0.18	0.42	2.2040	0.96
66	CR	1	1	4	3	3.1	0.64	0.46	-0.6459	0.95
67	CR	1	1	4	3	3.1	0.82	0.44	-1.6817	0.89
68	CR	1	1	4	3	3.1	0.64	0.54	-0.6242	0.85
69	CR	1	1	4	3	3.1	0.48	0.54	0.1313	0.89
70	CR	1	1	4	3	3.3	0.45	0.57	0.5845	0.88
71	CR	1	1	4	3	3.1	0.53	0.48	0.2270	0.99
72	CR	1	1	4	3	3.4	0.53	0.52	0.2131	0.94
73	CR	1	1	4	3	3.1	0.35	0.53	0.8400	0.82
74	CR	1	1	4	3	3.4	0.27	0.42	1.2900	0.92
75	CR	1	1	4	3	3.3	0.27	0.39	1.2700	0.97
76	CR	1	1	4	3	3.1	0.57	0.44	0.0424	0.97
77	CR	1	1	4	3	3.1	0.74	0.51	-0.8070	0.87

Position	Item Type	Max Points	Weight	Standard	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
78	CR	1	1	4	3	3.1	0.39	0.51	0.9063	0.91
79	CR	1	1	4	3	3.1	0.85	0.31	-1.5829	1.00
80	CR	1	1	4	4	4.2	0.51	0.54	0.3413	0.91
81	CR	1	1	4	4	4.2	0.48	0.54	0.4975	0.91
82	CR	1	1	4	3	3.1	0.60	0.54	-0.1371	0.90
83	CR	1	1	4	3	3.1	0.57	0.52	-0.0013	0.93
84	CR	1	1	4	4	4.4	0.36	0.62	1.0917	0.81
85	CR	1	1	4	4	4.4	0.30	0.49	1.4173	0.97

Items number 31 through number 85 are also linked to Standard 4 process skills and/or other skills specified in Standards 1, 2, 6, and/or 7.

## Appendix G: Scoring Tables

January 2014

Raw Score	Ability	Scale Score
0	-6.197	0.000
1	-4.973	2.898
2	-4.252	5.527
3	-3.818	8.042
4	-3.503	10.459
5	-3.252	12.781
6	-3.042	15.007
7	-2.860	17.159
8	-2.699	19.222
9	-2.553	21.217
10	-2.421	23.138
11	-2.298	24.981
12	-2.183	26.758
13	-2.076	28.479
14	-1.974	30.126
15	-1.878	31.713
16	-1.786	33.246
17	-1.698	34.731
18	-1.613	36.147
19	-1.531	37.525
20	-1.452	38.853
21	-1.376	40.128
22	-1.301	41.363

Raw Score	Ability	Scale Score
23	-1.228	42.551
24	-1.158	43.703
25	-1.088	44.817
26	-1.021	45.891
27	-0.954	46.930
28	-0.889	47.948
29	-0.824	48.919
30	-0.761	49.868
31	-0.698	50.787
32	-0.637	51.682
33	-0.576	52.549
34	-0.515	53.397
35	-0.455	54.224
36	-0.396	55.026
37	-0.337	55.815
38	-0.278	56.591
39	-0.220	57.342
40	-0.162	58.080
41	-0.104	58.811
42	-0.046	59.526
43	0.012	60.232
44	0.070	60.933
45	0.128	61.623

Raw Score	Ability	Scale Score
46	0.186	62.310
47	0.244	62.994
48	0.302	63.671
49	0.361	64.350
50	0.420	65.034
51	0.479	65.714
52	0.539	66.392
53	0.600	67.072
54	0.661	67.764
55	0.723	68.462
56	0.786	69.159
57	0.849	69.869
58	0.914	70.589
59	0.979	71.319
60	1.046	72.065
61	1.115	72.826
62	1.185	73.598
63	1.256	74.387
64	1.330	75.194
65	1.405	76.023
66	1.483	76.877
67	1.563	77.752
68	1.647	78.642

Raw Score	Ability	Scale Score
69	1.734	79.571
70	1.824	80.520
71	1.919	81.501
72	2.019	82.517
73	2.125	83.560
74	2.238	84.644
75	2.359	85.766
76	2.490	86.929
77	2.633	88.136
78	2.792	89.394
79	2.972	90.701
80	3.180	92.063
81	3.429	93.484
82	3.742	94.973
83	4.174	96.536
84	4.893	98.181
85	6.115	100.000

June 2014

Raw Score	Ability	Scale Score
0	-6.084	0.000
1	-4.863	3.255
2	-4.146	6.080
3	-3.717	8.748
4	-3.405	11.287
5	-3.159	13.725
6	-2.953	16.035
7	-2.775	18.234
8	-2.618	20.323
9	-2.477	22.318
10	-2.348	24.218
11	-2.230	26.033
12	-2.119	27.785
13	-2.016	29.450
14	-1.918	31.054
15	-1.825	32.580
16	-1.737	34.072
17	-1.653	35.488
18	-1.571	36.841
19	-1.493	38.165
20	-1.418	39.425
21	-1.345	40.638
22	-1.274	41.813

Raw Score	Ability	Scale Score
23	-1.205	42.939
24	-1.137	44.035
25	-1.071	45.090
26	-1.007	46.108
27	-0.943	47.093
28	-0.881	48.062
29	-0.820	48.981
30	-0.760	49.883
31	-0.701	50.756
32	-0.642	51.606
33	-0.584	52.433
34	-0.526	53.241
35	-0.470	54.029
36	-0.413	54.797
37	-0.357	55.549
38	-0.301	56.292
39	-0.246	57.017
40	-0.190	57.719
41	-0.135	58.421
42	-0.080	59.112
43	-0.025	59.786
44	0.031	60.460
45	0.086	61.125

Raw Score	Ability	Scale Score
46	0.141	61.784
47	0.197	62.442
48	0.253	63.097
49	0.309	63.747
50	0.365	64.402
51	0.422	65.061
52	0.480	65.718
53	0.538	66.375
54	0.597	67.035
55	0.656	67.707
56	0.716	68.387
57	0.778	69.069
58	0.840	69.763
59	0.903	70.471
60	0.968	71.187
61	1.034	71.921
62	1.101	72.674
63	1.170	73.441
64	1.241	74.225
65	1.314	75.029
66	1.390	75.859
67	1.468	76.717
68	1.549	77.600

Raw Score	Ability	Scale Score
69	1.634	78.504
70	1.722	79.449
71	1.815	80.422
72	1.912	81.433
73	2.016	82.486
74	2.127	83.576
75	2.245	84.717
76	2.374	85.907
77	2.516	87.154
78	2.673	88.460
79	2.850	89.841
80	3.056	91.281
81	3.303	92.798
82	3.615	94.399
83	4.044	96.098
84	4.762	97.905
85	5.983	100.000