New York State Regents Examination in Physical Setting/Earth Science

2018 Technical Report



Prepared for the New York State Education Department by Pearson

March 2019

Developed and published under contract with the New York State Education Department by Pearson. Copyright © 2019 by the New York State Education Department.

Secure Materials.

All rights reserved. No part of this document may be reproduced or transmitted by any means. Use of these materials is expressly limited to the New York State Education Department.

Contents

COPYRIGHT	II
CHAPTER 1: INTRODUCTION	1
1.1 Introduction	
1.2 Purposes of the Exam	
1.3 TARGET POPULATION (STANDARD 7.2)	2
CHAPTER 2: CLASSICAL ITEM STATISTICS (STANDARD 4.10)	4
2.1 ITEM DIFFICULTY	4
2.2 ITEM DISCRIMINATION	
2.3 DISCRIMINATION ON DIFFICULTY SCATTER PLOT	7
2.4 Observations and Interpretations	8
CHAPTER 3: IRT CALIBRATIONS, EQUATING, AND SCALING (STANDARDS 2, AND 4.10)	9
3.1 DESCRIPTION OF THE RASCH MODEL	
3.2 SOFTWARE AND ESTIMATION ALGORITHM	
3.3 CHARACTERISTICS OF THE TESTING POPULATION	
3.4. ITEM DIFFICULTY-STUDENT PERFORMANCE MAPS	
3.5 CHECKING RASCH ASSUMPTIONS	
Unidimensionality	
Local Independence	
Item Fit	_
3.6 Scaling of Operational Test Forms	
CHAPTER 4: RELIABILITY (STANDARD 2)	
4.1 Reliability Indices (Standard 2.20)	
Coefficient Alpha	
4.2 STANDARD ERROR OF MEASUREMENT (STANDARDS 2.13, 2.14, 2.15)	
Traditional Standard Error of Measurement	
Traditional Standard Error of Measurement Confidence Intervals	
Conditional Standard Error of Measurement	
Conditional Standard Error of Measurement Confidence Intervals	
Conditional Standard Error of Measurement Characteristics	
Results and Observations	
4.3 DECISION CONSISTENCY AND ACCURACY (STANDARD 2.16)	
4.4 Group Means (Standard 2.17)	
CHAPTER 5: VALIDITY (STANDARD 1)	
5.1 EVIDENCE BASED ON TEST CONTENT	
Content Validity	
Item Development Process	
Item Review Process	
5.2 EVIDENCE BASED ON RESPONSE PROCESSES	
Administration and Scoring.	
Statistical Analysis	
5.3 EVIDENCE BASED ON INTERNAL STRUCTURE	
Item Difficulty	
Item Discrimination	
Differential Item Functioning	

IRT Model Fit	37
Test Reliability	37
Classification Consistency and Accuracy	37
Dimensionality	38
5.4 EVIDENCE BASED ON RELATIONS TO OTHER VARIABLES	38
5.5 EVIDENCE BASED ON TESTING CONSEQUENCES	39
REFERENCES	40
APPENDIX A: OPERATIONAL TEST MAPS	44
APPENDIX B: RAW-TO-THETA-TO-SCALE SCORE CONVERSION TABLES	53
APPENDIX C: ITEM WRITING GUIDELINES	56
APPENDIX D: TABLES AND FIGURES FOR AUGUST 2017 ADMINISTRATION	59
APPENDIX E: TABLES AND FIGURES FOR JANUARY 2018 ADMINISTRATION	68

List of Tables

TABLE 1 TOTAL EXAMINEE POPULATION: REGENTS EXAMINATION IN PHYSICAL SETTING/EARTH SCIENCE	5 7 IENCE 8 15 16 21
Table 9 Group Means: Regents Examination in Physical Setting/Earth Science	28
FIGURE 1 SCATTER PLOT: REGENTS EXAMINATION IN PHYSICAL SETTING/EARTH SCIENCE	11
FIGURE 3 SCREE PLOT: REGENTS EXAMINATION IN PHYSICAL SETTING/EARTH SCIENCE	24
FIGURE 6 PSEUDO-DECISION TABLE FOR FOUR HYPOTHETICAL CATEGORIES	25

Chapter 1: Introduction

1.1 INTRODUCTION

This technical report for the Regents Examination in Physical Setting/Earth Science will provide New York State with documentation of the purpose of the Regents Examination, scoring information, evidence of both reliability and validity of the exams, scaling information, and guidelines and reporting information for the August 2017, January 2018, and June 2018 administrations. Chapters 1–5 detail results for the June 2018 administration. Results for the August 2017 and January 2018 administrations are provided in Appendices D and E, respectively. As the *Standards for Education and Psychological Testing* discusses in Standard 7, "The objective of the documentation is to provide test users with the information needed to help them assess the nature and quality of the test, the resulting scores, and the interpretations based on the test scores" (American Educational Research Association [AERA], American Psychological Association [APA], & National Council on Measurement in Education [NCME], 2014, p.123). Please note that a technical report, by design, addresses technical documentation of a testing program; other aspects of a testing program (content standards, scoring guides, guide to test interpretation, equating, etc.) are thoroughly addressed and referenced in supporting documents.

The Regents Examination in Physical Setting/Earth Science is given in August, January, and June to students enrolled in New York State schools. The examination is based on the Earth Science Core Curriculum, which is based on the New York State Learning Standards for Earth Science.

1.2 PURPOSES OF THE EXAM

The Regents Examination in Physical Setting/Earth Science measures examinee achievement against the New York State (NYS) learning standards. The exam is prepared by teacher examination committees and New York State Education Department (NYSED) subject matter and testing specialists, and it provides teachers and students with important information about student learning and performance against the established curriculum standards. Results of this exam may be used to identify student strengths and needs, in order to guide classroom teaching and learning. The exams also provide students, parents, counselors, administrators, and college admissions officers with objective and easily understood achievement information that may be used to inform empirically based educational and vocational decisions about students. As a state-provided objective benchmark, the Regents Examination in Physical Setting/Earth Science is intended for use in satisfying state testing requirements for students who have finished a course in Physical Setting/Earth Science. A passing score on the exam counts toward requirements for a high school diploma, as described in the New York State diploma requirements: http://www.nysed.gov/common/nysed/files/programs/curriculuminstruction/currentdiplomarequirements2.pdf. Results of the Regents Examination in Physical Setting/Earth Science may also be used to satisfy various locally established requirements throughout the state.

¹ References to specific *Standards* will be placed in parentheses throughout the technical report, to provide further context for each section.

1.3 TARGET POPULATION (STANDARD 7.2)

The examinee population for the Regents Examination in Physical Setting/Earth Science is composed of students who have completed a course in Earth Science.

Table 1 provides a demographic breakdown of all students who took the August 2017, January 2018, and June 2018 Regents Examination in Physical Setting/Earth Science. All analyses in this report are based on the population described in Table 1. Annual Regents Examination results in the New York State Report Cards are those reported in the Student Information Repository System (SIRS) as of the reporting deadline. The results include those exams administered August 2017, January 2018, and June 2018 (see http://data.nysed.gov/). If a student takes the same exam multiple times in the year, only the highest score is included in these results. Item-level data used for the analyses in this report are reported by districts on a similar timeline, but through a different collection system. These data include all student results for each administration. Therefore, the n-sizes in this technical report will differ from publicly reported counts of student test-takers.

Table 1 Total Examinee Population: Regents Examination in Physical Setting/Earth Science

	August	Admin*	January A	Admin**	June Ad	min***
Demographics	Number	Percent	Number	Percent	Number	Percent
All Students	11,185	100.00	9,449	100.00	147,580	100.00
Race/Ethnicity						
American Indian/Alaska Native	99	0.89	89	0.94	866	0.59
Asian/Native Hawaiian/Other Pacific Islander	684	6.12	666	7.05	12,142	8.23
Black/African American	2,861	25.59	2,582	27.34	20,101	13.62
Hispanic/Latino	3,184	28.48	3,329	35.25	31,951	21.65
Multiracial	211	1.89	129	1.37	2,673	1.81
White	4,141	37.04	2,648	28.04	79,841	54.10
English Language Learner/Multilingual Learner						
No	10,403	93.01	8,201	86.79	140,661	95.31
Yes	782	6.99	1,248	13.21	6,919	4.69
Economically Disadvantaged						
No	4,467	39.94	2,699	28.56	81,304	55.09
Yes	6,718	60.06	6,750	71.44	66,276	44.91
Gender						
Female	6,088	54.45	5,022	53.18	75,053	50.86
Male	5,092	45.55	4,421	46.82	72,521	49.14
Student with a Disability						
No	8,947	79.99	7,622	80.66	129,916	88.03
Yes	2,238	20.01	1,827	19.34	17,664	11.97

^{*}Note: Five students were not reported in the Ethnicity and Gender group, but they are reflected in "All Students."

**Note: Six students were not reported in the Ethnicity and Gender group, but they are reflected in "All Students."

**Note: Six students were not reported in the Ethnicity and Gender group, but they are reflected in "All Student	ts.

Chapter 2: Classical Item Statistics (Standard 4.10)

This chapter provides an overview of the two most familiar item-level statistics obtained from classical item analysis: item difficulty and item discrimination. The following results pertain only to the operational Regents Examination in Physical Setting/Earth Science items.

2.1 ITEM DIFFICULTY

At the most general level, an item's difficulty is indicated by its mean score in some specified group (e.g., grade level).

$$\overline{x} = \frac{1}{n} \cdot \sum_{i=1}^{n} x_i$$

In the mean score formula above, the individual item scores (x_i) are summed and then divided by the total number of students (n). For multiple-choice (MC) items, student scores are represented by 0s and 1s (0 = wrong, 1 = right). With 0–1 scoring, the equation above also represents the number of students correctly answering the item divided by the total number of students. Therefore, this is also the proportion correct for the item, or the p-value. In theory, p-values can range from 0.00 to 1.00 on the proportion-correct scale.² For example, if an MC item has a p-value of 0.89, it means that 89 percent of the students answered the item correctly. Additionally, this value might also suggest that the item was relatively easy and/or the students who attempted the item were relatively high achievers. For constructed-response (CR) items, mean scores can range from the minimum possible score (usually zero) to the maximum possible score. To facilitate average score comparability across MC and CR items, mean item performance for CR items is divided by the maximum score possible, so that the p-values for all items are reported as a ratio from 0.0 to 1.0.

Although the *p*-value statistic does not consider individual student ability in its computation, it provides a useful view of overall item difficulty, and can provide an early and simple indication of items that are too difficult for the population of students taking the examination. Items with very high or very low *p*-values receive added scrutiny during all follow-up analyses, including item response theory analyses that factor student ability into estimates of item difficulty. Such items may be removed from the item pool during the test development process, as field testing typically reveals that they add very little measurement information. Items for the Regents Examination in Physical Setting/Earth Science show a range of *p*-values consistent with the targeted exam difficulty. Item *p*-values, presented in Table 2 and Table 3 for multiple-choice and constructed-response items, respectively, range from 0.31 to 0.87, with a mean of 0.64. Table 2 and Table 3 also show a standard deviation (SD) of item score and item mean (Table 3 only).

2.2 ITEM DISCRIMINATION

At the most general level, estimates of item discrimination indicate an item's ability to differentiate between high and low performance on an item. It is expected that students who perform well on the Regents Examination in Physical Setting/Earth Science would be more

² For MC items with four response options, pure random guessing would lead to an expected *p*-value of 0.25.

likely to answer any given item correctly, while low-performing students (i.e., those who perform poorly on the exam overall) would be more likely to answer the same item incorrectly. Pearson's product-moment correlation coefficient (also commonly referred to as a point-biserial correlation) between item scores and test scores is used to indicate discrimination (Pearson, 1896). The correlation coefficient can range from -1.0 to +1.0. If high-scoring students tend to get the item right while low-scoring students do not, the correlation between the item score and the total test score will be both positive and noticeably large in its magnitude (i.e., above zero), meaning that the item is likely discriminating well between high- and low-performing students. Point-biserials are computed for each answer option, including correct and incorrect options (commonly referred to as "distractors"). Finally, point-biserial values for each distractor are an important part of the analysis. The point-biserial values on the distractors are typically negative. Positive values can indicate that higher-performing students are selecting an incorrect answer or that the item key for the correct answer should be checked.

Table 2 and Table 3 provide the point-biserial values on the correct response and three distractors (Table 2, only) for the June 2018 administration of the Regents Examination Physical Setting/Earth Science. The point-biserial values for correct answers are 0.21 or higher for all, indicating that the items are discriminating reasonably well between high- and low-performing examinees. Point-biserial values for all distractors are negative or very close to zero, indicating that examinees are responding to the items as expected during item development.

Table 2 Multiple-Choice Item Analysis Summary: Regents Examination in Physical Setting/Earth Science

Item	Number of Students	<i>p</i> -Value	SD	Point- Biserial	Point- Biserial Distractor 1	Point- Biserial Distractor 2	Point- Biserial Distractor 3
1	147,580	0.81	0.39	0.29	-0.21	-0.14	-0.10
2	147,580	0.49	0.50	0.42	-0.19	-0.29	-0.07
3	147,580	0.80	0.40	0.27	-0.17	-0.16	-0.10
4	147,580	0.72	0.45	0.41	-0.19	-0.15	-0.28
5	147,580	0.63	0.48	0.46	-0.10	-0.25	-0.31
6	147,580	0.66	0.48	0.57	-0.29	-0.39	-0.17
7	147,580	0.80	0.40	0.21	-0.12	-0.12	-0.10
8	147,580	0.59	0.49	0.23	-0.09	-0.13	-0.15
9	147,580	0.60	0.49	0.45	-0.18	-0.28	-0.21
10	147,580	0.63	0.48	0.41	-0.23	-0.19	-0.18
11	147,580	0.55	0.50	0.40	-0.11	-0.27	-0.20
12	147,580	0.68	0.47	0.43	-0.17	-0.22	-0.27
13	147,580	0.61	0.49	0.42	-0.15	-0.26	-0.25
14	147,580	0.79	0.41	0.34	-0.16	-0.19	-0.20
15	147,580	0.61	0.49	0.44	-0.12	-0.32	-0.19
16	147,580	0.72	0.45	0.57	-0.26	-0.34	-0.31
17	147,580	0.63	0.48	0.49	-0.21	-0.35	-0.14

ltem	Number of Students	<i>p</i> -Value	SD	Point- Biserial	Point- Biserial Distractor 1	Point- Biserial Distractor 2	Point- Biserial Distractor 3
18	147,580	0.57	0.49	0.30	-0.17	-0.12	-0.15
19	147,580	0.40	0.49	0.31	-0.14	-0.16	-0.07
20	147,580	0.87	0.34	0.44	-0.24	-0.27	-0.23
21	147,580	0.48	0.50	0.40	-0.07	-0.27	-0.25
22	147,580	0.44	0.50	0.27	-0.07	-0.15	-0.13
23	147,580	0.66	0.47	0.41	-0.21	-0.18	-0.25
24	147,580	0.68	0.47	0.45	-0.24	-0.25	-0.19
25	147,580	0.65	0.48	0.43	-0.23	-0.24	-0.18
26	147,580	0.52	0.50	0.27	-0.14	-0.12	-0.15
27	147,580	0.67	0.47	0.48	-0.28	-0.27	-0.16
28	147,580	0.79	0.41	0.35	-0.17	-0.22	-0.17
29	147,580	0.45	0.50	0.34	-0.21	0.02	-0.34
30	147,580	0.66	0.47	0.28	-0.16	-0.17	-0.09
31	147,580	0.82	0.38	0.40	-0.24	-0.24	-0.20
32	147,580	0.70	0.46	0.22	-0.15	-0.17	-0.09
33	147,580	0.86	0.35	0.25	-0.18	-0.21	-0.07
34	147,580	0.70	0.46	0.41	-0.23	-0.23	-0.18
35	147,580	0.63	0.48	0.49	-0.18	-0.25	-0.30
36	147,580	0.78	0.42	0.31	-0.13	-0.21	-0.17
37	147,580	0.84	0.37	0.41	-0.25	-0.24	-0.16
38	147,580	0.79	0.40	0.51	-0.35	-0.22	-0.25
39	147,580	0.66	0.47	0.41	-0.20	-0.24	-0.16
40	147,580	0.79	0.41	0.36	-0.18	-0.24	-0.15
41	147,580	0.49	0.50	0.38	-0.20	-0.16	-0.16
42	147,580	0.48	0.50	0.34	-0.06	-0.23	-0.18
43	147,580	0.67	0.47	0.42	-0.22	-0.26	-0.17
44	147,580	0.74	0.44	0.33	-0.18	-0.16	-0.22
45	147,580	0.71	0.45	0.46	-0.25	-0.31	-0.19
46	147,580	0.56	0.50	0.37	-0.17	-0.25	-0.08
47	147,580	0.71	0.45	0.32	-0.18	-0.21	-0.11
48	147,580	0.85	0.36	0.47	-0.18	-0.25	-0.33
49	147,580	0.70	0.46	0.48	-0.14	-0.23	-0.34
50	147,580	0.85	0.36	0.27	-0.19	-0.16	-0.11

Table 3 Constructed-Response Item Analysis Summary: Regents Examination in Physical Setting/Earth Science

Item	Min. score	Max. score	Number of Students	Mean	SD	<i>p</i> -Value	Point- Biserial
51	0	1	147,580	0.74	0.44	0.74	0.54
52	0	1	147,580	0.82	0.39	0.82	0.42
53	0	1	147,580	0.80	0.40	0.80	0.43
54	0	1	147,580	0.45	0.50	0.45	0.57
55	0	1	147,580	0.67	0.47	0.67	0.49
56	0	1	147,580	0.55	0.50	0.55	0.42
57	0	1	147,580	0.39	0.49	0.39	0.43
58	0	1	147,580	0.73	0.44	0.73	0.40
59	0	1	147,580	0.86	0.35	0.86	0.46
60	0	1	147,580	0.41	0.49	0.41	0.64
61	0	1	147,580	0.62	0.49	0.62	0.49
62	0	1	147,580	0.46	0.50	0.46	0.61
63	0	1	147,580	0.45	0.50	0.45	0.40
64	0	1	147,580	0.57	0.49	0.57	0.43
65	0	1	147,580	0.61	0.49	0.61	0.56
66	0	1	147,580	0.45	0.50	0.45	0.45
67	0	1	147,580	0.49	0.50	0.49	0.52
68	0	1	147,580	0.53	0.50	0.53	0.40
69	0	1	147,580	0.81	0.39	0.81	0.35
70	0	1	147,580	0.66	0.47	0.66	0.50
71	0	1	147,580	0.63	0.48	0.63	0.47
72	0	1	147,580	0.68	0.47	0.68	0.48
73	0	1	147,580	0.52	0.50	0.52	0.55
74	0	1	147,580	0.61	0.49	0.61	0.56
75	0	1	147,580	0.46	0.50	0.46	0.43
76	0	1	147,580	0.44	0.50	0.44	0.51
77	0	1	147,580	0.60	0.49	0.60	0.50
78	0	1	147,580	0.31	0.46	0.31	0.47
79	0	1	147,580	0.71	0.45	0.71	0.57
80	0	1	147,580	0.37	0.48	0.37	0.44
81	0	1	147,580	0.59	0.49	0.59	0.61
82	0	1	147,580	0.56	0.50	0.56	0.56
83	0	1	147,580	0.44	0.50	0.44	0.58
84	0	1	147,580	0.78	0.41	0.78	0.48
85	0	1	147,580	0.56	0.50	0.56	0.55
86*	0	16	147,580	12.45	3.47	0.78	0.72

*Item 86 represents the Lab Performance Test section.

2.3 DISCRIMINATION ON DIFFICULTY SCATTER PLOT

Figure 1 shows a scatter plot of item discrimination values (y-axis) and item difficulty values (x-axis). The distributions of p-value and point-biserials, including mean, minimum, Q1, median, Q3, and maximum, are also presented in Table 4.




Figure 1 Scatter Plot: Regents Examination in Physical Setting/Earth Science

Table 4 Descriptive Statistics in *p*-value and Point-Biserial Correlation: Regents Examination in Physical Setting/Earth Science

Statistics	N	Mean	Min	Q1	Median	Q3	Max
<i>p</i> -value	86	0.64	0.31	0.53	0.64	0.74	0.87
Point-Biserial	86	0.43	0.21	0.37	0.43	0.49	0.72

2.4 OBSERVATIONS AND INTERPRETATIONS

The *p*-values for the MC items ranged from about 0.40 to 0.87, while the mean proportion-correct values for the CR items (Table 3) ranged from about 0.31 to 0.86. From the difficulty distributions illustrated in the plot, a wide range of item difficulties appeared on each exam, which was one test development goal.

Chapter 3: IRT Calibrations, Equating, and Scaling (Standards 2, and 4.10)

The item response theory (IRT) model used for the Regents Examination in Physical Setting/Earth Science is based on the work of Georg Rasch (Rasch, 1960). The Rasch model has a long-standing presence in applied testing programs. IRT has several advantages over classical test theory, and it has become the standard procedure for analyzing item response data in large-scale assessments. According to van der Linden and Hambleton (1997), "The central feature of IRT is the specification of a mathematical function relating the probability of an examinee's response on a test item to an underlying ability." Ability in this sense can be thought of as performance on the test and is defined as "the expected value of observed performance on the test of interest" (Hambleton, Swaminathan, and Roger, 1991). This performance value is often referred to as θ . Performance and θ will be used interchangeably through the remainder of this report.

A fundamental advantage of IRT is that it links examinee performance and item difficulty estimates and places them on the same scale, allowing for an evaluation of examinee performance that considers the difficulty of the test. This is particularly valuable for final test construction and test form equating, as it facilitates a fundamental attention to fairness for all examinees across items and test forms.

This chapter outlines the procedures used for calibrating the operational Regents Examination in Physical Setting/Earth Science items. Generally, item calibration is the process of assigning a difficulty, or item "location," estimate to each item on an assessment so that all items are placed onto a common scale. This chapter briefly introduces the Rasch model, reports the results from evaluations of the adequacy of the Rasch assumptions, and summarizes the Rasch item statistics.

3.1 DESCRIPTION OF THE RASCH MODEL

The Rasch model (Rasch, 1960) was used to calibrate multiple-choice items, and the partial credit model, or PCM (Wright and Masters, 1982), was used to calibrate constructed-response items. The PCM extends the Rasch model for dichotomous (0, 1) items so that it accommodates the polytomous CR item data. Under the PCM model, for a given item i with m_i score categories, the probability of person n scoring x (x = 0, 1, 2,... m_i) is given by

$$P_{ni}(X = x) = \frac{\exp \sum_{j=0}^{x} (\theta_{n} - D_{ij})}{\sum_{k=0}^{m_{i}} \exp \sum_{j=0}^{k} (\theta_{n} - D_{ij})},$$

where θ_n represents examinee ability, and D_{ij} is the step difficulty of the j^{th} step on item i. D_{ij} can be expressed as $D_{ij} = D_i - F_{ij}$, where D_i is the difficulty for item i and F_{ij} is a step deviation value for the j^{th} step. For dichotomous MC items, the PCM reduces to the standard Rasch model and the single step difficulty is referred to as the item's difficulty. The Rasch model predicts the probability of person n getting item i correct as follows:

$$P_{ni}(X=1) = \frac{\exp(\theta_n - D_{ij})}{1 + \exp(\theta_n - D_{ij})}.$$

The Rasch model places both performance and item difficulty (estimated in terms of logodds or logits) on the same continuum. When the model assumptions are met, the Rasch model provides estimates of examinee performance and item difficulty that are theoretically invariant across random samples of the same examinee population.

3.2 SOFTWARE AND ESTIMATION ALGORITHM

Item calibration was implemented via the WINSTEPS 3.60 computer program (Wright and Linacre, 2015), which employs unconditional (UCON), joint maximum likelihood estimation (JMLE).

3.3 CHARACTERISTICS OF THE TESTING POPULATION

The data analyses reported here are based on all students who took the Regents Examination in Physical Setting/Earth Science in the June 2018 administration. The characteristics of this population are provided in Table 1.

3.4. ITEM DIFFICULTY-STUDENT PERFORMANCE MAPS

The distributions of the Rasch item logits (item difficulty estimates) and student performance are shown on the item difficulty—student performance map presented in Figure 2. This graphic illustrates the location of student performance and item difficulty on the same scale, along with their respective distributions and cut scores (indicated by the horizontal dotted lines). The figure shows more difficult items and higher examinee performance at the top and lower performance and easier items at the bottom.




Figure 2 Student Performance Map: Regents Examination in Physical Setting/Earth Science

3.5 CHECKING RASCH ASSUMPTIONS

Since the Rasch model was the basis of all calibration, scoring, and scaling analyses associated with the Regents Examination in Physical Setting/Earth Science, the validity of the inferences from these results depends on the degree to which the assumptions of the model were met and how well the model fits the test data. Therefore, it is important to check these assumptions. This section evaluates the dimensionality of the data, local item independence, and item fit. It should be noted that only operational items were analyzed, since they are the basis of student scores.

Unidimensionality

Rasch models assume that one dominant dimension determines the differences in students' performances. Principal Components Analysis (PCA) can be used to assess the unidimensionality assumption. The purpose of the analysis is to verify whether or not any other dominant components exist among the items. If any other dimensions are found, the unidimensionality assumption would be violated.

A parallel analysis (Horn, 1965) can be further helpful in distinguishing components that are real from components that are random. Parallel analysis is a technique to decide how many factors exist in principal components. For the parallel analysis, 100 random data sets of sizes equal to the original data were created. For each random data set, a PCA was performed and the resulting eigenvalues stored. Then for each component, the upper 95th percentile value of the distribution of the 100 eigenvalues from the random data sets was plotted. Given the size of the data generated for the parallel analysis, the reference line is essentially equivalent to plotting a reference line for an eigenvalue of 1.

Figure 3 shows the PCA and parallel analysis results for the Regents Examination in Physical Setting/Earth Science. The results include the eigenvalues and the percentage of variance explained for the first five components, as well as the scree plots. The scree plots show the eigenvalues plotted by component number and the results of a parallel analysis. Although the total number of components in PCA is same as the total number of items in a test, Figure 3 shows only the first 10 components. This view is sufficient for interpretation because components are listed in descending eigenvalue order. The fact that the eigenvalues for components 2 through 10 are much lower than the first component demonstrates that there is only one dominant component, showing evidence of unidimensionality.

As rule of thumb, Reckase (1979) proposed that the variance explained by the primary dimension should be greater than 20 percent in order to indicate unidimensionality. However, as this rule is not absolute, it is helpful to consider three additional characteristics of the PCA and parallel analysis results: 1) whether the ratio of the first to the second eigenvalue is greater than 3, 2) whether the second value is not much larger than the third value, and 3) whether the second value is not significantly different from those from the parallel analysis.

As shown in Figure 3, the primary dimension explained less than 20 percent, but only slightly so at 19.70 percent of the total variance for the Regents Examination in Physical Setting/Earth Science). The eigenvalue of the second dimension is less than one-third of the first, at 1.78, and the second value is not significantly different from the parallel analysis. Overall, the PCA suggests that the test is reasonably unidimensional.




Figure 3 Scree Plot: Regents Examination in Physical Setting/Earth Science

Local Independence

Local independence (LI) is a fundamental assumption of IRT. This means that, for statistical purposes, an examinee's response to any one item should not depend on the examinee's response to any other item on the test. In formal statistical terms, a test X that is comprised of items X_1 , X_2 ,... X_n is locally independent with respect to the latent variable θ if, for all $x = (x_1, x_2,...x_n)$ and θ ,

$$P(\mathbf{X} = \mathbf{x} \mid \theta) = \prod_{i=1}^{I} P(X_i = x_i \mid \theta).$$

This formula essentially states that the probability of any pattern of responses across all items (\mathbf{x}), after conditioning on the examinee's true score (θ) as measured by the test, should be equal to the product of the conditional probabilities across each item (i.e., the multiplication rule for independent events where the joint probabilities are equal to the product of the associated marginal probabilities).

The equation above shows the condition after satisfying the strong form of local independence. A weak form of local independence (WLI) is proposed by McDonald (1979). The

distinction is important because many indicators of local dependency are actually framed by WLI. For WLI, the conditional covariances of all pairs of item responses, conditioned on the abilities, are assumed to be equal to zero. When this assumption is met, the joint probability of responses to an item pair, conditioned on the abilities, is the product of the probabilities of responses to these two items, as shown below. Based on the WLI, the following expression can be derived:

$$P(X_i = X_i, X_j = X_j \mid \theta) = P(X_i = X_i \mid \theta)P(X_j = X_j \mid \theta).$$

Marais and Andrich (2008) point out that local item dependence in the Rasch model can occur in two ways that may be difficult to distinguish. The first way occurs when the assumption of unidimensionality is violated. Here, other nuisance dimensions besides a dominant dimension determine student performance (this can be called "trait dependence"). The second way occurs when responses to an item depend on responses to another item. This is a violation of statistical independence and can be called response dependence. By distinguishing the two sources of local dependence, one can see that, while local independence can be related to unidimensionality, the two are different assumptions and therefore require different tests.

Residual item correlations provided in WINSTEPS for each item pair were used to assess the local dependence between the Regents Examination in Physical Setting/Earth Science items. In general, these residuals are computed as follows. First, expected item performance based on the Rasch model is determined using (θ) and item parameter estimates. Next, deviations (residuals) between the examinees' expected and observed performance are determined for each item. Finally, for each item pair, a correlation between the respective deviations is computed.

Three types of residual correlations are available in WINSTEPS: raw, standardized, and logit. It is noted that the raw score residual correlation essentially corresponds to Yen's Q_3 index, a popular statistic used to assess local independence. The expected value for the Q_3 statistic is approximately -1/(k-1) when no local dependence exists, where k is test length (Yen, 1993). Thus, the expected Q_3 values should be approximately -0.01 for the items on the exam. Index values that are greater than 0.20 indicate a degree of local dependence that probably should be examined by test developers (Chen & Thissen, 1997).

Since the three residual correlations are very similar, the default "standardized residual correlation" in WINSTEPS was used for these analyses. Table 5 shows the summary statistics — mean, standard deviation, minimum, maximum, and several percentiles (P_{10} , P_{25} , P_{50} , P_{75} , P_{90}) — for all the residual correlations for each test. The total number of item pairs (N) and the number of pairs with residual correlations greater than 0.20 are also reported in this table. There was only one item pair with residual correlations greater than 0.20. The mean residual correlations were very slightly negative or positive. All residual correlations were very small with a maximum of 0.27, suggesting that local item independence generally holds for the Regents Examination in Physical Setting/Earth Science.

Table 5 Summary of Item Residual Correlations: Regents Examination in Physical Setting/Earth Science

Statistic Type	Value
N	3,570
Mean	-0.01
SD	0.02
Minimum	-0.09
P ₁₀	-0.04
P ₂₅	-0.03
P ₅₀	-0.01
P ₇₅	0.00
P ₉₀	0.02
Maximum	0.27
> 0.20	1

Item Fit

An important assumption of the Rasch model is that the data for each item fit the model. WINSTEPS provides two item fit statistics (INFIT and OUTFIT) for evaluating the degree to which the Rasch model predicts the observed item responses for a given set of test items. Each fit statistic can be expressed as a mean square (MnSq) statistic or on a standardized metric (Zstd with mean = 0 and variance = 1). MnSq values are more oriented toward practical significance, while Zstd values are more oriented toward statistical significance. INFIT MnSq values are the average of standardized residual variance (the difference between the observed score and the Rasch estimated score divided by the square root of the Rasch-model variance). The INFIT statistic is weighted by the (θ) relative to item difficulty.

The expected MnSq value is 1.0 and can range from 0.0 to infinity. Deviation in excess of the expected value can be interpreted as noise or lack of fit between the items and the model. Values lower than the expected value can be interpreted as item redundancy or overfitting items (too predictable, too much redundancy), and values greater than the expected value indicate underfitting items (too unpredictable, too much noise). Rules of thumb regarding "practically significant" MnSq values vary.

Table 6 presents the summary statistics of INFIT mean square statistics for the Regents Examination in Physical Setting/Earth Science, including the number of items, mean, standard deviation, and minimum and maximum values.

The number of items within a targeted range of [0.7, 1.3] is also reported in Table 6. The mean INFIT value is 1.00, with 85 of 85 items falling in a targeted range of [0.7, 1.3]. As the range of [0.7, 1.3] is used as guide for ideal fit, fit values outside of the range are considered individually. There was no item with INFIT value outside of the defined range. Overall, these results indicate that, for most items, the Rasch model fits the Regents Examination in Physical Setting/Earth Science item data well.

Table 6 Summary of INFIT Mean Square Statistics: Regents Examination in Physical Setting/Earth Science

		INFIT Mean Square				
	N	Mean	SD	Min	Max	[0.7, 1.3]
Physical Setting/ Earth Science	85	1.00	0.11	0.77	1.26	[85/85]

Items for the Regents Examination in Physical Setting/Earth Science were field tested in 2015 through 2017, and a separate technical report was produced for each year to document the full test development, scoring, scaling, and data analysis conducted.

3.6 SCALING OF OPERATIONAL TEST FORMS

Operational test items were selected based on content coverage, content accuracy, and statistical quality. The sets of items on each operational test conformed to the coverage determined by content experts working from the learning standards established by the New York State Education Department and explicated in the test blueprint. Each item's classical and Rasch statistics were used to assess item quality. Items were selected to vary in difficulty in order to accurately measure students' abilities across the ability continuum. Appendix A contains the operational test maps for the August 2017, January 2018, and June 2018 administrations. These test maps do not include information about a lab component. Note that statistics presented in the test maps were generated based on the field test data.

All Regents Examinations are pre-equated, meaning that the parameters used to derive the relationship between the raw and scale scores are estimated prior to the construction and administration of the operational form. These field tests are administered to as small a sample of students as possible, in order to minimize the effect on student instructional time across the state. The small n-counts associated with such administrations are sufficient for reasonably accurate estimation of most items' parameters.

The New York State Regents Examination in Physical Setting/Earth Science has three cut scores, which are set at the scale scores of 55, 65, and 85. One of the primary considerations during test construction was to select items so as to minimize changes in the raw scores corresponding to these scale scores. Maintaining a consistent mean Rasch difficulty level from administration to administration facilitates this. For this assessment, the target value for the mean Rasch difficulty was set at -0.088. It should be noted that the raw scores corresponding to the scale score cut scores may still fluctuate, even if the mean Rasch difficulty level is maintained at the target value, due to differences in the distributions of the Rasch difficulty values among the items from administration to administration.

The relationship between raw and scale scores is explicated in the scoring tables for each administration. These tables for the August 2017, January 2018, and June 2018 administrations can be found in Appendix B. Note that the tables were made based only on a written part of Physical Setting/Earth Science. These tables are the end product of the following scaling procedure.

All Regents Examinations are equated back to a base scale, which is held constant from year to year. Specifically, they are equated to the base scale through the use of a calibrated item pool. The Rasch difficulties from the items' initial administration in a previous year's field test are used to equate the scale for the current administration to the base administration. For this examination, the base administration was the June 2004 administration. Scale scores from the August 2017, January 2018, and June 2018 administrations are on the same scale and can be directly compared to scale scores on all previous administrations back to the June 2004 administration.

When the base administration was concluded, the initial raw score-to-scale score relationship was established. Three raw scores were fixed at specific scale scores. Scale scores of 0 and 100 were fixed to correspond to the minimum and maximum possible raw scores. In addition, a standard setting had been held to determine the passing and passing with distinction cut scores in the raw score metric. The scale score points of 65 and 85 were set to correspond to those raw score cuts. A third-degree polynomial is required to fit a line exactly to four arbitrary points (e.g., the raw scores corresponding to the four critical scale scores of 0, 65, 85, and 100). The general form of this best-fitting line is:

$$SS = m3 * RS^3 + m2 * RS^2 + m1 * RS^1 + m0.$$

where SS is the scaled score, RS is the raw score, and m0 through m3 are the transformation constants that convert the raw score into the scale score (please note that m0 will always be equal to zero in this application, since a raw score of zero corresponds to a scale score of zero). A subscript for a person on both dependent and independent variables is not present for simplicity. The above relationship and the values of m1 to m3 specific to this subject were then used to determine the scale scores corresponding to the remainder of the raw scores on the examination. This initial relationship between the raw and scale scores became the base scale.

The Rasch difficulty parameters for the items on the base form were then used to derive a raw score-to-Rasch student ability (theta score) relationship. This allowed the relationship between the Rasch theta score and the scale score to be known, mediated through their common relationship with the raw scores.

In succeeding years, each test form was selected from the pool of items that had been tested in previous years' field tests, each of which had known Rasch item difficulty parameter(s). These known parameters were then used to construct the relationship between the raw and Rasch theta scores for that particular form. Because the Rasch difficulty parameters are all on a common scale, the Rasch theta scores were also on a common scale with previously administered forms. The remaining step in the scaling process was to find the scale score equivalent for the Rasch theta score corresponding to each raw score point on the new form, using the theta-to-scale score relationship established in the base year. This was done via linear interpolation.

This process results in a relationship between the raw scores on the form and the overall scale scores. The scale scores corresponding to each raw score are then rounded to the nearest integer for reporting on the conversion chart (posted at the close of each administration). The only exceptions are for the minimum and maximum raw scores and the raw scores that correspond to the scaled cut scores of 55, 65, and 85.

The minimum (zero) and maximum possible raw scores are assigned scale scores of 0 and 100, respectively. In the event that there are raw scores less than the maximum with scale scores that round to 100, their scale scores are set equal to 99. A similar process is followed with the minimum score; if any raw scores other than zero have scale scores that round to zero, their scale scores are instead set equal to one.

With regard to the cuts, if two or more scale scores round to 55, 65, or 85, the lowest raw score's scale score is set equal to 55, 65, or 85 and the scale scores corresponding to the higher raw scores are set to 56, 66, or 86 as appropriate. If no scale score rounds to these critical cuts, then the raw score with the largest scale score that is less than the cut is set equal to the cut. The overarching principle, when two raw scores both round to either scale score cut, is that the lower of the raw scores is always assigned to be equal to the cut so that students are never penalized for this ambiguity.

The New York State Regents Examination in Physical Setting/Earth Science contains both a written and a lab (or performance) component. The lab component remains constant from year to year, while the written component is refreshed with each successive administration. Only the written component was addressed in the present report. Students taking the assessment receive two scale scores, one from each of the two components. The scale score of the performance component is similar to that of the written component in that it ranges from 0 to 100, and it was subjected to a standard setting that determined the raw score points that were fixed to the scale scores of 65 and 85. A student's final scale score on the assessment is a weighted sum of his or her written and performance scale scores and is determined via the following formula:

$$SS_{Total} = 0.15 * SS_{Performance} + 0.85 * SS_{Written}$$

where SS_{Total} is the total scale score and $SS_{Performance}$ and $SS_{Written}$ are the scale scores from the performance and written components of the test, respectively.

Chapter 4: Reliability (Standard 2)

Test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a measure of the extent to which the items on a test provide consistent information about student mastery of a domain. Reliability should ultimately demonstrate that examinee score estimates maximize consistency and therefore minimize error or, theoretically speaking, that examinees who take a test multiple times would get the same score each time.

According to the *Standards for Educational and Psychological Testing*, "A number of factors can have significant effects on reliability/precision, and in some cases, these factors can lead to misinterpretations of test scores, if not taken into account" (AERA et al., 2014, p. 38). First, test length and the variability of observed scores can both influence reliability estimates. Tests with fewer items or with a lack of heterogeneity in scores tend to produce lower reliability estimates. Second, reliability is specifically concerned with random sources of error. Accordingly, the degree of inconsistency due to random error sources is what determines reliability: less consistency is associated with lower reliability, and more consistency is associated with higher reliability. Of course, systematic error sources also exist.

The remainder of this chapter discusses reliability results for Regents Examination in Physical Setting/Earth Science and three additional statistical measures to address the multiple factors affecting an interpretation of the exam's reliability:

- standard errors of measurement
- decision consistency
- group means

4.1 RELIABILITY INDICES (STANDARD 2.20)

Classical test theory describes reliability as a measure of the internal consistency of test scores. The reliability (ρ_X^2) is defined as the ratio of true score variance (σ_T^2) to the observed score variance (σ_X^2) , as presented in the equation below. The total variance contains two components: 1) the variance in true scores and 2) the variance due to the imperfections in the measurement process (σ_E^2) . Put differently, total variance equals true score variance plus error variance.³

$$\rho_X^2 = \frac{\sigma_T^2}{\sigma_Y^2} = \frac{\sigma_T^2}{\sigma_T^2 + \sigma_E^2}$$

Reliability coefficients indicate the degree to which differences in test scores reflect true differences in the attribute being tested rather than random fluctuations. Total test score variance (i.e., individual differences) is partly due to real differences in the construct (true variance) and partly due to random error in the measurement process (error variance).

³ A covariance term is not required, as true scores and error are assumed to be uncorrelated in classical test theory.

Reliability coefficients range from 0.0 to 1.0. The index will be 0.0 if none of the test score variances is true. If all test score variances were true, the index would equal 1.0. Such scores would be pure random noise (i.e., all measurement error). If the index achieved a value of 1.0, scores would be perfectly consistent (i.e., contain no measurement error). Although values of 1.0 are never achieved in practice, it is clear that larger coefficients are more desirable because they indicate that the test scores are less influenced by random error.

Coefficient Alpha

Reliability is most often estimated by using the formula for Coefficient Alpha, which provides a practical internal consistency index. Coefficient Alpha can be conceptualized as the extent to which an exchangeable set of items from the same domain would result in a similar rank ordering of students. Note that relative error is reflected in this index. Excessive variation in student performance from one sample of items to the next should be of particular concern for any achievement test user.

A general computational formula for Coefficient Alpha is as follows:

$$\alpha = \frac{N}{N-1} \left(1 - \frac{\sum_{i=1}^{N} \sigma_{Yi}^2}{\sigma_{X}^2} \right),$$

where N is the number of parts (items), σ_X^2 is the variance of the observed total test scores, and σ_{Yi}^2 is the variance of part i.

4.2 STANDARD ERROR OF MEASUREMENT (STANDARDS 2.13, 2.14, 2.15)

Reliability coefficients best reflect the extent to which measurement inconsistencies may be present or absent. The standard error of measurement (SEM) is another indicator of test score precision that is better suited for determining the effect of measurement inconsistencies for the scores obtained by individual examinees. This is particularly so for conditional SEMs (CSEMs), discussed further below.

Traditional Standard Error of Measurement

The standard error of measurement is defined as the standard deviation of the distribution of observed scores for students with identical true scores. Because the SEM is an index of the random variability in test scores in test score units, it represents important information for test score users.

The SEM formula is provided below.

$$SEM = SD\sqrt{1-\alpha}$$

This formula indicates that the value of the SEM depends on both the reliability coefficient (the Coefficient Alpha, as detailed previously) and the standard deviation of test scores. If the reliability were equal to 0.00 (the lowest possible value), the SEM would be equal to the standard deviation of the test scores. If test reliability were equal to 1.00 (the highest possible value), the SEM would be 0.0. In other words, a perfectly reliable test has no measurement

error (Harvill, 1991). Additionally, the value of the SEM takes the group variation (i.e., score standard deviation) into account. Consider that a SEM of 3 on a 10-point test would be very different from a SEM of 3 on a 100-point test.

Traditional Standard Error of Measurement Confidence Intervals

The SEM is an index of the random variability in test scores reported in actual score units, which is why it has such great utility for test score users. SEMs allow statements regarding the precision of individual test scores. SEMs help place "reasonable limits" (Gulliksen, 1950) around observed scores through the construction of an approximate score band. Often referred to as confidence intervals, these bands are constructed by taking the observed scores, *X*, and adding and subtracting a multiplicative factor of the SEM. As an example, students with a given true score will have observed scores that fall between ±1 SEM about two-thirds of the time.⁴ For ±2 SEM confidence intervals, this increases to about 95 percent.

The Coefficient Alpha and associated SEM for the Regents Examination in Physical Setting/Earth Science are provided in Table 7.

Table 7 Reliabilities and Standard Errors of Measurement: Regents Examination in Physical Setting/Earth Science

Subject	Coefficient Alpha	SEM
Physical Setting/ Earth Science	0.95	3.86

Assuming normally distributed scores, one would expect about two-thirds of the observations to be within one standard deviation of the mean. An estimate of the standard deviation of the true scores can be computed as

$$\hat{\sigma}_{_T} = \sqrt{\hat{\sigma}_x^2 - \hat{\sigma}_x^2(1 - \hat{\rho}_{xx})} \ . \label{eq:sigmaT}$$

Conditional Standard Error of Measurement

Every time an assessment is administered, the score the student receives contains some error. If the same exam were administered an infinite number of times to the same student, the mean of the distribution of the student's raw scores would be equal to their true score (θ), the score obtained with no error), and the standard deviation of the distribution of their raw scores would be the conditional standard error. Since there is a one-to-one correspondence between the raw score and θ in the Rasch model, we can apply this concept more generally to all students who obtained a particular raw score and calculate the probability of obtaining each possible raw score given the student's estimated θ . The standard deviation of this conditional distribution is defined as the conditional standard error of measurement (CSEM). The computer program POLYCSEM (Kolen, 2004) was used to carry out the mechanics of this computation.

⁴ Some prefer the following interpretation: If a student were tested an infinite number of times, the ±1 SEM confidence intervals constructed for each score would capture the student's true score 68 percent of the time.

The relationship between θ and the scale score is not expressible in a simple mathematical form because it is a blend of the third-degree polynomial relationship between the raw and scale scores, along with the nonlinear relationship between the expected raw and θ scores. In addition, as the exam is equated from year to year, the relationship between the raw and scale scores moves away from the original third-degree polynomial relationship to one that is also no longer expressible in a simple mathematical form. In the absence of a simple mathematical relationship between θ and the scale scores, the CSEMs that are available for each θ score via Rasch IRT cannot be converted directly to the scale score metric.

The use of Rasch IRT to scale and equate the Regents Examinations does, however, make it possible to calculate CSEMs by using the procedures described by Kolen, Zeng, and Hanson (1996) for dichotomously scored items and extended by Wang, Kolen, and Harris (2000) to polytomously scored items. For tests such as the Regents Examination in Physical Setting/Earth Science that have a one-to-one relationship between raw (θ) and scale scores, the CSEM for each achievable scale score can be calculated using the compound multinomial distribution to represent the conditional distribution of raw scores for each level of θ .

Consider an examinee with a certain performance level. If it were possible to measure this examinee's performance perfectly, without any error, this measure could be called the examinee's "true score," as discussed earlier. This score is equal to the expected raw score. However, whenever an examinee takes a test, their observed test score always includes some level of measurement error. Sometimes, this error is positive, and the examinee achieves a higher score than would be expected, given their level of θ ; other times, it is negative, and the examinee achieves a lower-than-expected score. If we could give an examinee the same test multiple times and record their observed test scores, the resulting distribution would be the conditional distribution of raw scores for that examinee's level of θ with a mean value equal to the examinee's expected raw (true) score. The CSEM for that level of θ in the raw score metric is the square root of the variance of this conditional distribution.

The conditional distribution of raw scores for any level of θ is the compound multinomial distribution (Wang et al., 2000). An algorithm to compute this can be found in Hanson (1994) and Thissen, Pommerich, Billeaud, and Williams (1995) and is also implemented in the computer program POLYCSEM (Kolen, 2004). The compound multinomial distribution yields the probabilities that an examinee with a given level of θ has of achieving each achievable raw (and accompanying scale) score. The point values associated with each achievable raw or scale score point can be used to calculate the mean and variance of this distribution in the raw or scale score metric, respectively; the square root of the variance is the CSEM of the raw or scale score point associated with the current level of θ .

Conditional Standard Error of Measurement Confidence Intervals

CSEMs allow statements regarding the precision of individual tests scores. Like SEMs, they help place reasonable limits around observed scaled scores through the construction of an approximate score band. The confidence intervals are constructed by adding and subtracting a multiplicative factor of the CSEM.

Conditional Standard Error of Measurement Characteristics

The relationship between the scale score CSEM and θ depends both on the nature of the raw-to-scale score transformation (Kolen and Brennan, 2005; Kolen and Lee, 2011) and on whether the CSEM is derived from the raw scores or from θ (Lord, 1980). The pattern of CSEMs for raw scores and linear transformations of the raw score tend to have a characteristic "inverted-U" shape, with smaller CSEMs at the ends of the score continuum and larger CSEMs toward the middle of the distribution.

Achievable raw score points for these distributions are spaced equally across the score range. Kolen and Brennan (2005, p. 357) state, "When, relative to raw scores, the transformation compresses the scale in the middle and stretches it at the ends, the pattern of the conditional standard errors of measurement will be concave up (U-shaped), even though the pattern for the raw scores was concave down (inverted-U shape)."

Results and Observations

The relationship between raw and scale scores for the Regents Examinations tends to be roughly linear from scale scores of 0 to 65 and then concave down from about 65 to 100. In other words, the scale scores track linearly with the raw scores for the first quarter of the scale score range and then are compressed relative to the raw scores for the remaining three-quarters of the range, though there are slight variations. The CSEMs for the Regents Examinations can be expected to have inverted-U shaped patterns, with some variations.

Figure 4 shows this type of CSEM variation for the Regents Examination in Physical Setting/Earth Science in which the compression of raw score to scale scores around the cut score of 65 changes the shape of the curve slightly. This type of expansion and compression can be seen in Figure 4 by looking at the changing density of raw score points along the scale score range on the horizontal axis. Specifically, compression visibly begins around a scale score of 50.




Figure 4 Conditional Standard Error Plot: Regents Examination in Physical Setting/Earth Science

4.3 DECISION CONSISTENCY AND ACCURACY (STANDARD 2.16)

In a standards-based testing program, there is interest in knowing how accurately students are classified into performance categories. In contrast to the Coefficient Alpha, which is concerned with the relative rank-ordering of students, it is the absolute values of student scores that are important in decision consistency and accuracy.

Classification consistency refers to the degree to which the achievement level for each student can be replicated upon retesting using an equivalent form (Huynh, 1976). Decision consistency answers the following question: What is the agreement in classifications between the two non-overlapping, equally difficult forms of the test? If two parallel forms of the test were given to the same students, the consistency of the measure would be reflected by the extent to which the classification decisions based on the first set of test scores matched the decisions based on the second set of test scores. Consider the following tables.

		TEST ONE			
		LEVEL I	LEVEL II	MARGINAL	
L 0	LEVEL I	φ11	φ12	φ1●	
TEST TWO	LEVEL II	φ21	φ22	φ2●	
	MARGINAL	φ●1	φ●2	1	

TEST ONE

Figure 5 Pseudo-Decision Table for Two Hypothetical Categories

		TEST ONE				
		LEVEL I	LEVEL II	LEVEL III	LEVEL IV	MARGINAL
_	LEVEL I	φ11	φ12	φ13	φ14	φ1●
TWO	LEVEL II	φ21	φ22	φ23	φ24	φ2●
_	LEVEL III	φ31	φ32	φ33	φ34	φ3●
TEST	LEVEL IV	φ41	φ42	φ43	φ44	φ4●
-	MARGINAL	φ●1	φ●2	φ●3	φ●4	1

Figure 6 Pseudo-Decision Table for Four Hypothetical Categories

If a student is classified as being in one category based on Test One's score, how probable would it be that the student would be reclassified as being in the same category if he or she took Test Two (a non-overlapping, equally difficult form of the test)? This proportion is a measure of decision consistency.

The proportions of correct decisions, φ, for two and four categories are computed by the following two formulas, respectively:

$$\varphi = \varphi_{11} + \varphi_{22}$$

$$\varphi = \varphi_{11} + \varphi_{22} + \varphi_{33} + \varphi_{44}$$

The sum of the diagonal entries — that is, the proportion of students classified by the two forms into exactly the same achievement level — signifies the overall consistency.

Classification accuracy refers to the agreement of the observed classifications of students with the classifications made on the basis of their true scores. As discussed above, an observed score contains measurement error while a true score is theoretically free of measurement error. A student's observed score can be formulated by the sum of his or her true score plus measurement error, or Observed = True + Error. Decision accuracy is an index to determine the extent to which measurement error causes a classification different from the one expected from the true score.

Since true scores are unobserved and decision consistency is computed based on a single administration of the Regents Examination in Physical Setting/Earth Science, a statistical model using solely data from the available administration is used to estimate the true scores and to project the consistency and accuracy of classifications (Hambleton & Novick, 1973). Although a number of procedures are available, a well-known method developed by Livingston and Lewis (1995) that utilizes a specific true score model is used.

Several factors might affect decision consistency and accuracy. One important factor is the reliability of the scores. All other things being equal, more reliable test scores tend to result in more similar reclassifications and less measurement error. Another factor is the location of the cut score in the score distribution. More consistent and accurate classifications are observed when the cut scores are located away from the mass of the score distribution. The number of performance levels is also a consideration. Consistency and accuracy indices based on four performance levels should be lower than those based on two performance levels. This is not surprising, since classification and accuracy using four performance levels would allow more opportunity to change performance levels. Hence, there would be more classification errors and less accuracy with four performance levels, resulting in lower consistency indices.

Results and Observations

The results for the dichotomies created by the three cut scores are presented in Table 8. The tabled values are derived with the program *BB-Class* (Brennan, 2004) using the Livingston and Lewis method. Decision consistency ranged from 0.91 to 0.94, and the decision accuracy ranged from 0.94 to 0.96. Both decision consistency and accuracy values based on individual cut points indicate very good consistency and accuracy of examinee classifications, as shown in Table 8.

Table 8 Decision Consistency and Accuracy Results: Regents Examination in Physical Setting/Earth Science

Statistic	1/2	2/3	3/4
Consistency	0.94	0.92	0.91
Accuracy	0.96	0.94	0.94

4.4 GROUP MEANS (STANDARD 2.17)

Mean scale scores were computed based on reported gender, race/ethnicity, English language learner/multilingual learner status, economically disadvantaged status, and student with a disability status. The results are reported in Table 9.

Table 9 Group Means: Regents Examination in Physical Setting/Earth Science

Demographics	Number	Mean Scale Score	SD Scale Score		
All Students*	147,580	75.93	16.58		
Ethnicity					
American Indian/Alaska Native	866	69.95	16.95		
Asian/Native Hawaiian/Other Pacific Islander	12,142	81.09	15.32		
Black/African American	20,101	64.95	17.05		
Hispanic/Latino	31,951	68.90	16.77		
Multiracial	2,673	76.76	16.02		
White	79,841	80.77	14.04		
English Language Learner/Multilingual Learner					
No	140,661	76.85	16.00		
Yes	6,919	57.38	17.42		
Economically Disadvantaged					
No	81,304	81.12	14.30		
Yes	66,276	69.57	16.97		
Gender					
Female	75,053	75.87	16.41		
Male	72,521	76.00	16.76		
Student with a Disability					
No	129,916	77.82	15.50		
Yes	17,664	62.06	17.69		

^{*}Note: Six students were not reported in the Ethnicity group, but they are reflected in "All Students."

4.5 STATE PERCENTILE RANKINGS

State percentile rankings based on raw score distributions are noted in Table 10. The percentiles are based on the distribution of all students taking the Regents Examination in Physical Setting/Earth Science for the June 2018 administration. Note that the scale scores for the Regents Examination range from 0 to 100, but some scale scores may not be obtainable depending on the raw score to scale score relationship for a specific administration. The percentile ranks are computed in the following manner:

- A student's assigned "state percentile rank" will be the cumulative percentage of students scoring at the immediate lower score plus half of the percentage of students obtaining the given score.
- Students who obtain the highest possible score will receive a percentile rank of 99.

Table 10 State Percentile Ranking for Raw Score – Regents Examination in Physical Setting/Earth Science

Scale Score	Percentile Rank	Scale Score	Percentile Rank	Scale Score	Percentile Rank	Scale Score	Percentile Rank
0	1	26	1	52	10	78	47
1	1	27	1	53	11	79	50
2	1	28	1	54	12	80	52
3	1	29	1	55	13	81	54
4	1	30	1	56	14	82	56
5	1	31	1	57	15	83	58
6	1	32	1	58	16	84	61
7	1	33	1	59	17	85	64
8	1	34	2	60	18	86	67
9	1	35	2	61	19	87	69
10	1	36	2	62	20	88	71
11	1	37	3	63	21	89	74
12	1	38	3	64	22	90	77
13	1	39	3	65	24	91	80
14	1	40	4	66	25	92	83
15	1	41	4	67	27	93	86
16	1	42	4	68	28	94	88
17	1	43	5	69	30	95	91
18	1	44	5	70	31	96	93
19	1	45	6	71	33	97	95
20	1	46	6	72	35	98	98
21	1	47	7	73	37	99	99
22	1	48	7	74	39	100	99
23	1	49	8	75	41		
24	1	50	9	76	43		
25	1	51	9	77	45		

Chapter 5: Validity (Standard 1)

Restating the purpose and uses of the Regents Examination in Physical Setting/Earth Science, this exam measures examinee achievement against the New York State learning standards. The exam is prepared by teacher examination committees and New York State Education Department subject matter and testing specialists, and it provides teachers and students with important information about student learning and performance against the established curriculum standards. Results of this exam may be used to identify student strengths and needs, in order to guide classroom teaching and learning. The exams also provide students, parents, counselors, administrators, and college admissions officers with objective and easily understood achievement information that may be used to inform empirically based educational and vocational decisions about students. As a state-provided objective benchmark, the Regents Examination in Physical Setting/Earth Science is intended for use in satisfying state testing requirements for students who have finished a course in Earth Science. A passing score on the exam counts toward requirements for a high school diploma described in the New York state diploma requirements: http://www.nysed.gov/common/nysed/files/programs/curriculuminstruction/currentdiplomarequirements2.pdf. Results of the Regents Examination in Physical Setting/Earth Science may also be used to satisfy various locally established requirements

The validity of score interpretations for the Regents Examination in Physical Setting/Earth Science is supported by multiple sources of evidence. Chapter 1 of the *Standards for Educational Psychological Testing* (AERA et al., 2014) specifies five sources of validity evidence that are important to gather and document in order to support validity claims for an assessment:

test content

throughout the state.

- response processes
- internal test structure
- relation to other variables
- consequences of testing

It is important to note that these categories are not mutually exclusive. One source of validity evidence often falls into more than one category, as discussed in more detail in this chapter. Nevertheless, these classifications provide a useful framework within the *Standards* (AERA et al., 2014) for the discussion and documentation of validity evidence, so they are used here. The process of gathering evidence of the validity of score interpretations is best characterized as ongoing throughout test development, administration, scoring, reporting, and beyond.

5.1 EVIDENCE BASED ON TEST CONTENT

The validity of test content is fundamental to arguments that test scores are valid for their intended purpose. It demands that a test developer provide evidence that test content is well-aligned with the framework and standards used in curriculum and instruction. Accordingly, detailed attention was given to this correspondence between standards and test content during test design and construction.

The Regents Examination in Physical Setting/Earth Science measures student achievement on the NYS P–12 Curriculum Standards for Physical Setting/Earth Science. The Physical Setting/Earth Science standards can be found at http://www.nysed.gov/common/nysed/files/programs/curriculum-instruction/earthsci.pdf.

Content Validity

Content validity is necessarily concerned with the proper definition of the construct and evidence that the test provides an accurate measure of examinee performance within the defined construct. The test blueprint for the Regents Examination in Physical Setting/Earth Science is essentially the design document for constructing the exam. It provides an explicit definition of the content domain that is to be represented on the exam. The test development process (discussed in the next section) is in place to ensure, to the extent possible, that the blueprint is met in all operational forms of the exam.

Table 11 displays the targeted proportions of content standards on the exam.

Table 11 Test Blueprint, Regents Examination in Physical Setting/Earth Science

Content	Approximate Weight (%)
Standard 1 (Analysis, Inquiry, and Design)	15–20
Mathematical Analysis	
Scientific Inquiry	
Engineering Design	
Standard 2	0–5
Information Systems	
Standard 6 (Interconnectedness: Common Themes)	15–20
Systems Thinking	
Models	
Magnitude and Scale	
Equilibrium and Stability	
Patterns of Change	
Optimization	
Standard 7 (Interdisciplinary Problem Solving)	5–10
Connections	
Strategies	
Standard 4	_
Key Idea 1	20–25
Key Idea 2	20–25
Key Idea 3	0–5

Item Development Process

Test development for the Regents Examination in Physical Setting/Earth Science is a detailed, step-by-step process of development and review cycles. An important element of this process is that all test items are developed by New York State educators in a process facilitated by state subject matter and testing experts. Bringing experienced classroom teachers into this central item development role serves to draw a strong connection between classroom and test content.

Only New York State-certified educators may participate in this process. The New York State Education Department asks for nominations from districts, and all recruiting is done with diversity of participants in mind, including diversity in gender, ethnicity, geographic region, and teaching experience. Educators with item-writing skills from around the state are retained to write all items for the Regents Examination in Physical Setting/Earth Science, under strict guidelines that leverage best practices (see Appendix C). State educators also conduct all item quality and bias reviews, in order to ensure that item content is appropriate to the construct being measured and fair for all students. Finally, educators use the defined standards, test blueprint targets, and statistical information generated during field testing, in order to select the highest quality items for use in the operational test.

Figure 7 summarizes the full test development process, with steps 3 and 4 addressing initial item development and review. This figure also demonstrates the ongoing nature of ensuring the content validity of items through field test trials, and final item selection for operational testing.

Initial item development is conducted under the criteria and guidance provided by the Department. Both multiple-choice and constructed-response items are included in the Regents Examination in Physical Setting/Earth Science, in order to ensure appropriate coverage of the construct domain.

NEW YORK STATE EDUCATION DEPARTMENT TEST DEVELOPMENT PROCESS 1 Review/develop syllabi/standards 5 Assemble field test (FT) forms 10 Develop test sampler (new test) 13 Setting Standards (new test) Develop and publish test sample for any new test Assemble forms (Test owners/ content specialists) a. Choose methodology Train a committee of statewide stakeholders 2 Design test specifications b. Determine representative sample c. Compile data from answer papers after test is administered 11 Select and prepare operational test d. Select and instruct committees of teachers for standard setting 3 Develop test items a. Select test form based on field d. Review forms (Committee of content specialists) Conduct standard setting with committees of teachers. Cut score recommended a. Solicit item writers specifications b. Instruct item writers e. Print field tests b. Review and edit operational Facilitate a committee of statewide stakeholders to recommend cut score c. Write items f. Develop rubrics for field tests c. Conduct Final Eyes Review of test (Committee of content experts) d. Edit items g. Pack and ship field tests to e. Create art for test items schools. Ensure security of field tests g. Conduct statistical analysis on recommended cut scorés d. Determine cut scores and develop conversion chart for Senior Management approval h. Submit recommendations to the 4 Review test items i. Determine cut score e Prepare and review scoring key and rating guide (Commissioner) a. Review content Develop conversion chart for online posting b. Advise on specia f. Develop large type, Braille, and translations issues/populations g. Conduct final output 8 Read and score performance items Determine any changes that should be made to the test based on evaluations Printing, distribution, administration, and scoring of operational test a. Select rangefinders a. Print test b. Instruct rangefinders b. Pack and ship tests to schools. Tests administered to students c. Conduct rangefinding Develop new items (Continuou cycle starting with Step 3) d. Score field tests Post scoring key, rating guide, and conversion chart online at the appropriate time 9 Conduct test item analysis d. Score test a. Calculate field test statistics e. Answer questions from teachers during scoring process b. Estimate reliability/ c. Describe performance

Figure 7 New York State Education Department Test Development Process

Item Review Process

The item review process helps to ensure the consistent application of rigorous item reviews intended to assess the quality of the items developed and identify items that require edits or removal from the pool of items to be field tested. This process allows high-quality items to be continually developed in a manner that is consistent with the test blueprint.

All reviewers participate in rigorous training designed to assist in a consistent interpretation of the standards throughout the item review process. This is a critical step in item development because consistency between the standards and what the items are asking examinees is a fundamental form of evidence of the validity of the intended score interpretations. Another integral component of this item review process is to review the scoring rules, or "rubrics," for their clarity and consistency in what the examinee is being asked to demonstrate by responding to each item. Each of these elements of the review process is in place, ultimately, to target fairness for all students by targeting consistency in examinee scores and providing evidence of the validity of their interpretations.

Specifically, the item review process articulates the four major item characteristics that the New York State Education Department looks for when developing quality items:

- 1. language and graphical appropriateness
- 2. sensitivity/bias
- 3. fidelity of measurement to standards
- 4. conformity to the expectations for the specific item types and formats (e.g., multiple-choice questions and 1-point constructed-response questions)

Each section of the criteria includes pertinent questions that help reviewers determine whether an item is of sufficient quality. Within the first two categories, criteria for language appropriateness are used, to help ensure that students understand what is asked in each question and that the language in the question does not adversely affect a student's ability to perform the required task. Similarly, sensitivity/bias criteria are used to evaluate whether questions are unbiased, non-offensive, and not disadvantageous to any given subgroup(s).

The third category of item review, alignment, addresses how each item measures a given standard. This category asks the reviewer to comment on key aspects of how the item addresses and calls for the skills demanded by the standards.

The fourth category addresses the specific demands for different item types and formats. Reviewers evaluate each item to ensure that it conforms to the given requirements. For example, multiple-choice items must have, among other characteristics, one unambiguously correct answer and several plausible, but incorrect, answer choices. Following these reviews, only items that are approved by an assigned educator panel move forward for field testing.

Ongoing attention is also given to the relevance of the standards used to guide curriculum and assessment. Consistent with a desire to assess this relevance, the New York State Education Department is committed to ongoing standards review over time and periodically

solicits thoughtful, specific responses from stakeholders about individual standards within the NYS P–12 Standards.

5.2 EVIDENCE BASED ON RESPONSE PROCESSES

The second source of validity evidence is based on examinee response processes. This standard requires evidence that examinees are responding in the manner intended by the test items and rubrics and that raters are scoring those responses in a manner that is consistent with the rubrics. Accordingly, it is important to control and monitor whether or not construct-irrelevant variance in response patterns has been introduced at any point in the test development, administration, or scoring processes.

The controls and monitoring in place for the Regents Examination in Physical Setting/Earth Science include the item development process, with attention paid to mitigating the introduction of construct-irrelevant variance. The development process described in the previous sections details the process and attention given to reducing the potential for construct irrelevance in response processes by attending to the quality and alignment of test content to the test blueprint and to the item development guidelines (Appendix C). Further evidence is documented in the test administration and scoring procedures, as well as in the results of statistical analyses, which are covered in the following two sections.

Administration and Scoring

Adherence to standardized administration procedures is fundamental to the validity of test scores and their interpretation, as such procedures allow for adequate and consistently applied conditions for scoring the work of every student who takes the examination. For this reason, guidelines, which are contained in the *School Administrator's Manual, Secondary Level Examinations* (http://www.p12.nysed.gov/assessment/manuals/), have been developed and implemented for the New York State Regents testing program. All secondary-level Regents Examinations are administered under these standard conditions in order to support valid inferences for all students. These standard procedures also cover testing students with disabilities who are provided testing accommodations consistent with their Individualized Education Programs (IEPs) or Section 504 Accommodation Plans (504 Plans). Full test administration procedures are available at http://www.p12.nysed.gov/assessment/hsgen/.

The implementation of rigorous scoring procedures directly supports the validity of the scores. Regents test-scoring practices, therefore, focus on producing high-quality scores. Multiple-choice items are scored via local scanning at testing centers, and trained educators score constructed-response items. There are many studies that focus on various elements of producing valid and reliable scores for constructed-response items, but generally, attention to the following all contribute to valid and reliable scores for constructed-response items:

- 1. Quality training (Hoyt & Kerns, 1999; Lumley & McNamara, 1995; Wang, Wong, and Kwong, 2010; Gorman & Rentsch, 2009; Schleicher, Day, Bronston, Mayes, and Riggo, 2002; Woehr & Huffcutt, 1994; Johnson, Penny, and Gordon, 2008; Weigle, 1998)
- 2. Detection and correction of rating bias (McQueen & Congdon, 1997; Congdon & McQueen, 2000; Myford & Wolfe, 2009; Barkaoui, 2011; Patz, Junker, Johnson, and Mariano, 2002)

- 3. Consistency or reliability of ratings (Congdon & McQueen, 2000; Harik, Clauser, Grabovsky, Nungester, Swanson, & Nandakumar, 2009; McQueen & Congdon, 1997; Myford & Wolfe, 2009; Mero & Motowidlo, 1995; Weinrott & Jones, 1984)
- Rubric designs that facilitate consistency of ratings (Pecheone & Chung, 2006; Wolfe & Gitomer, 2000; Cronbach, Linn, Brennan, & Haertel, 1995; Cook & Beckman, 2009; Penny, Johnson, & Gordon, 2000; Smith, 1993; Leacock, Gonzalez, and Conarroe, 2014)

The distinct steps for operational test scoring include close attention to each of these elements, and begin before the operational test is even selected. After the field test process, during which many more items than appear on the operational test are administered to a representative sample of students, a set of "anchor" papers representing student responses across the range of possible responses for constructed-response items is selected. The objective of these "range-finding" efforts is to create a training set for scorer training and execution, the scores from which are used to generate important statistical information about the item. Training scorers to produce reliable and valid scores is the basis for creating rating guides and scoring ancillaries to be used during operational scoring.

To review and select these anchor papers, NYS educators serve as table leaders during the range-finding session. In the range-finding process, committees of educators receive a set of student papers for each field-tested question. Committee members familiarize themselves with each item type and score a number of responses that are representative of each of the different score points. After the independent scoring is completed, the committee reviews and discusses their results and determines consensus scores for the student responses. During this process, atypical responses are important to identify and annotate for use in training and live scoring. The range-finding results are then used to build training materials for the vendor's scorers, who then score the rest of the field test responses to constructed-response items. The final rating guides for the August 2017, January 2018, and June 2018 administrations of the Regents Examination in Physical Setting/Earth Science are located http://www.nvsedregents.org/EarthScience.

During the range-finding and field test scoring processes, it is important to be aware of and control for sources of variation in scoring. One possible source of variation in constructed-response scores is unintended rater bias associated with items and examinee responses. Because the rater is often unaware of such bias, this type of variation may be the most challenging source of variation in scoring to control and measure. Rater biases can appear as severity or leniency in applying the scoring rubric. Bias also includes phenomena such as the halo effect, which occurs when good or poor performance on one element of the rubric encourages inaccurate scoring of other elements. These types of rater bias can be effectively controlled by training practices with a strict focus on rubric requirements.

The training process for operational scoring by state educators begins with a review and discussion of actual student work on constructed-response test items. This helps raters understand the range and characteristics typical of examinee responses, as well as the kinds of mistakes that students commonly make. This information is used to train raters on how to consistently apply key elements of the scoring rubric across the domain of student responses.

Raters then receive training consistent with the guidelines and ancillaries produced after field testing and are allowed to practice scoring prior to the start of live scoring. Throughout the scoring process, there are important procedures for correcting inconsistent scoring or the misapplication of scoring rubrics for constructed-response items. When monitoring and correction do not occur during scoring, construct-irrelevant variation may be introduced. Accordingly, a scoring lead may be assigned to review the consistency of scoring for their assigned staff against model responses and to be available for consultation throughout the scoring process.

Attention to the rubric design also fundamentally contributes to the validity of examinee response processes. The rubric specifies what the examinee needs to provide as evidence of learning based on the question asked. The more explicit the rubric (and the item), the more clear the response expectations are for examinees. To facilitate the development of constructed-response scoring rubrics, NYSED training for writing items includes specific attention to rubric development as follows:

- The rubric should clearly specify the criteria for awarding each credit.
- The rubric should be aligned to what is asked for in the item and correspond to the knowledge or skill being assessed.
- Whenever possible, the rubric should be written to allow for alternative approaches and other legitimate methods.

In support of the goal of valid score interpretations for each examinee, then, such scoring training procedures are implemented for the Regents Examination in Physical Setting/Earth Science. Operational raters are selected based on expertise in the exam subject and are assigned a specific set of items to score. No more than approximately one-half of the items on the test are assigned to any one rater. This has the effect of increasing the consistency of scoring across examinee responses by allowing each rater to focus on a subset of items. It also assures that no one rater is allowed to score the entire test for any one student. This practice reduces the effect of any potential bias of a single rater on individual examinees. Additionally, no rater is allowed to score the responses of his or her own students.

Statistical Analysis

One statistic that is useful for evaluating the response processes for multiple-choice items is an item's point-biserial correlation on the distractors. A high point-biserial on a distractor may indicate that students are not able to identify the correct response for a reason other than the difficulty of the item. A finding of poor model fit for an item may also support a finding that examinees are not responding the way that the item developer intended them to. As documented in Table 2, the point-biserial statistics for distractors in the multiple-choice items all appear to be negative or close to zero, indicating that, for the most part, examinees are not being drawn to an unintended construct.

5.3 EVIDENCE BASED ON INTERNAL STRUCTURE

The third source of validity evidence comes from the internal structure of the test. This requires that test developers evaluate the test structure to ensure that the test is functioning as intended. Such an evaluation may include attention to item interactions, tests of dimensionality, or indications of test bias for or against one or more subgroups of examinees detected by

differential item functioning (DIF) analysis. Evaluation of internal test structure also includes a review of the results of classical item analyses, test reliability, and the IRT scaling and equating.

The following analyses were conducted for the Regents Examination in Physical Setting/Earth Science:

- item difficulty
- item discrimination
- differential item functioning
- IRT model fit
- test reliability
- classification consistency
- test dimensionality

Item Difficulty

Multiple analyses allow an evaluation of item difficulty. For this exam, *p*-values and Rasch difficulty (item location) estimates were computed for MC and CR items. Items for the June 2018 Regents Examination in Physical Setting/Earth Science show a range of *p*-values consistent with the targeted exam difficulty. Item *p*-values ranged from 0.31 to 0.87, with a mean of 0.64. The difficulty distribution illustrated in Figure 1 shows a wide range of item difficulties on the exam. This is consistent with general test development practice, which seeks to measure student ability along a full range of difficulty. Refer to Chapter 2 of this report for additional details.

Item Discrimination

How well the items on a test discriminate between high- and low-performing examinees is an important measure of the structure of a test. Items that do not discriminate well generally provide less reliable information about student performance. Table 2 and Table 3 provide point-biserial values on the correct responses, and Table 2 also provides point-biserial values on the three distractors. The values for correct answers are 0.21 or higher for all but one item, indicating that the items are discriminating reasonably well between high- and low-performing examinees. Point-biserials for all distractors are negative, zero, or very close to zero, indicating that examinees are responding to the items as expected during item development.

Differential Item Functioning

Differential item functioning (DIF) for gender was conducted following field testing of the items in 2012 through 2017. Sample sizes for subgroups based on ethnicity and English language learner/multilingual learner status were, unfortunately, too small to reliably compute DIF statistics, so only gender DIF analyses were conducted. The Mantel-Haenszel χ^2 and standardized mean difference were used to detect items that may function differently for any of these subgroups. The Mantel-Haenszel χ^2 is a conditional mean comparison of the ordered response categories for reference and focal groups combined over values of the matching variable score. "Ordered" means that a response earning a score of "1" on an item is better than a response earning a score of "0," a "2" is better than "1," and so on. "Conditional," on the other hand, refers to the comparison of members from the two groups who received the same score on the matching variable — the total test score in our analysis.

Fifteen operational items for the June 2018 administration had DIF flags from the field test. Five items (#s 20, 29, 58, 67, 71) had a moderate DIF favoring female students, while six items (#s 1, 9, 12, 16, 38, 57) had a moderate DIF favoring male students. There were also three items (#s 31, 66, 74) with a strong DIF favoring the female students, while one item (# 3) with a strong DIF favoring the male students. These items were subsequently reviewed by content specialists. They were unable to identify content-based reasons why the items might be functioning differently between male students and female students and did not see any issue with using them for the operational exam.

Full differential item functioning results are reported in Appendix C of the 2012 technical report, Appendix E of the 2013, 2014, and 2015 technical reports, and Appendix F of the 2016 and 2017 technical reports.

IRT Model Fit

Model fit for the Rasch method used to estimate location (difficulty) parameters for the items on the Regents Examination in Physical Setting/Earth Science provide important evidence that the internal structure of the test is of high technical quality. The number of items within a targeted range of [0.7, 1.3] is reported in Table 5. The mean INFIT value is 1.00, with all items falling in a targeted range of [0.7, 1.3]. As the range of [0.7, 1.3] is used as guide for ideal fit, fit values outside of the range are considered individually. These results indicate that, for most items, the Rasch model fits the Regents Examination in Physical Setting/Earth Science item data well.

Test Reliability

As discussed, test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a measure of the extent to which the items on a test provide consistent information about student mastery of the domain. Reliability should ultimately demonstrate that examinee score estimates maximize consistency and therefore minimize error or, theoretically speaking, that examinees who take a test multiple times would get the same score each time. The reliability estimate for the Regents Examination in Physical Setting/Earth Science is 0.95, showing high reliability of examinee scores. Refer to Chapter 4 of this report for additional details.

Classification Consistency and Accuracy

A decision consistency analysis measures the agreement between the classifications based on two non-overlapping, equally difficult forms of the test. If two parallel forms of the test were given to the same students, the consistency of the measure would be reflected by the extent to which the classification decisions based on the first set of test scores matched the decisions based on the second set of test scores. Decision accuracy is an index to determine the extent to which measurement error causes a classification different from that expected from the true score. High decision consistency and accuracy provide strong evidence that the internal structure of a test is sound.

For the Regents Examination in Physical Setting/Earth Science, both decision consistency and accuracy values are high, indicating very good consistency and accuracy of examinee classifications. Decision consistency ranged from 0.91 to 0.94, and the decision accuracy ranged from 0.94 to 0.96. Both decision consistency and accuracy values based on individual

cut points indicate very good consistency and accuracy of examinee classifications. Refer to Table 7 for details.

Dimensionality

In addition to model fit, a strong assumption of the Rasch model is that the construct measured by a test is unidimensional. Violation of this assumption might suggest that the test is measuring something other than the intended content and indicate that the quality of the test structure is compromised. A principal components analysis was conducted to test the assumption of unidimensionality, and the results provide strong evidence that a single dimension in the Regents Examination in Physical Setting/Earth Science is explaining a large portion of the variance in student response data. This analysis does not characterize or explain the dimension, but a reasonable assumption can be made that the test is largely unidimensional and that the dimension most present is the targeted construct. Refer to Chapter 3 for details of this analysis.

Considering this collection of detailed analyses of the internal structure of the Regents Examination in Physical Setting/Earth Science, strong evidence exists that the exam is functioning as intended and is providing valid and reliable information about examinee performance.

5.4 EVIDENCE BASED ON RELATIONS TO OTHER VARIABLES

Another source of validity evidence is based on the relation of the test to other variables. This source commonly encompasses two validity categories prevalent in the literature and practice — concurrent and predictive validity. To make claims about the validity of a test that is to be used for high-stakes purposes, such as the Regents Examination in Physical Setting/Earth Science, these claims could be supported by providing evidence that performance on this test correlates well with other tests that measure the same or similar constructs. Although not absolute in its ability to offer evidence that concurrent test score validity exists, such correlations can be helpful for supporting a claim of concurrent validity, if the correlation is high. To conduct such studies, matched examinee score data for other tests measuring the same content as the Regents Examination in Physical Setting/Earth Science are ideal, but the systematic acquisition of such data is complex and costly.

Importantly, a strong connection between classroom curriculum and test content may be inferred by the fact that New York State educators, deeply familiar with both the curriculum standards and their enactment in the classroom, develop all content for the Regents Examination in Physical Setting/Earth Science.

In terms of predictive validity, time is a fundamental constraint on gathering evidence. The gold standard for supporting the validity of predictive statements about test scores requires empirical evidence of the relationship between test scores and future performance on a defined characteristic. To the extent that the objective of the standards is to prepare students for meeting graduation requirements, it will be important to gather evidence of this empirical relationship over time.

5.5 EVIDENCE BASED ON TESTING CONSEQUENCES

There are two general approaches in the literature to evaluating consequential validity. Messick (1995) points out that adverse social consequences invalidate test use mainly if they are due to flaws in the test. In this sense, the sources of evidence documented in this report (based on the construct, internal test structure, response processes, and relation to other variables) serve as a consequential validity argument, as well. This evidence supports conclusions based on test scores that social consequences are not likely to be traced to characteristics or qualities of the test itself.

Cronbach (1988), on the other hand, argues that negative consequences could invalidate test use. From this perspective, the test user is obligated to make the case for test use and to ensure appropriate and supported uses. Regardless of perspective on the nature of consequential validity, it is important to caution against uses that are not supported by the validity claims documented for this test. For example, use of this test to predict examinee scores on other tests is not directly supported by either the stated purposes or by the development process and research conducted on examinee data. A brief survey of websites of New York State universities and colleges finds that, beyond the explicitly defined use as a testing requirement toward graduation for students who have completed a course in Physical Setting/Earth Science, the exam is most commonly used to inform admissions and course placement decisions. Such uses can be considered reasonable, assuming that the competencies demonstrated in the Regents Examination in Physical Setting/Earth Science are consistent with those required in the courses for which a student is seeking enrollment or placement. Educational institutions using the exam for placement purposes are advised to examine the scoring rules for the Regents Examination in Physical Setting/Earth Science and to assess their appropriateness for the inferences being made about course placement.

As stated, the nature of validity arguments is not absolute, but it is supported through ongoing processes and studies designed to accumulate support for validity claims. The evidence provided in this report documents the evidence to date that supports the use of the Regents Examination in Physical Setting/Earth Science scores for the purposes described.

References

- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (2014). *Standards for educational and psychological testing*. Washington, DC: American Educational Research Association.
- Barkaoui, Khaled. (2011). Effects of marking method and rater experience on ESL essay scores and rater performance. Assessment in Education: Principles, Policy & Practice, 18:3.
- Congdon, P. J., & McQueen, J. (2000). The stability of rater severity in large-scale assessment programs. *Journal of Educational Measurement*, *37*(2), 163–178.
- Cook, D. A., & Beckman, T. J. (2009). Does scale length matter? A comparison of nine- versus five-point rating scales for mini-CEX. *Advances in Health Sciences Education*, *14*, 655–684.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, *16*, 297–334.
- Cronbach, L. J. (1988). Five Perspectives on validity argument. In H. Wainer & H. Braun (Eds.), Test Validity (pp. 3–17) Hillsdale, NJ: Lawrence Erlbaum.
- Cronbach, L. J., Linn, R. L., Brennan, R. T., & Haertel, E. (1995, Summer). Generalizability analysis for educational assessments. Los Angeles, CA: University of California, Center for the Study of Evaluation/National Center for Research on Evaluation, Standards, and Student Testing.
- Gorman, C. A., & Rentsch, J. R. (2009). Evaluating frame-of-reference rater training effectiveness using performance schema accuracy. *Journal of Applied Psychology*, *94*(5), 1336–1344.
- Gulliksen, H. (1950). Theory of mental tests. New York: Wiley.
- Hambleton, R. K., & Novak, M. R. (1973). Toward an integration of theory and methods for criterion-referenced tests. *Journal of Educational Measurement*, *10*, 159–170.
- Hambleton, R. K., Swaminathan, H., & Rogers, H. J. (1991). *Item response theory*. Newbury Park, CA: Sage Publications.
- Hanson, B. A. (1994). Extension of Lord-Wingersky algorithm to computing test scores for polytomous items. Retrieved February 17, 2016 from http://www.b-a-h.com/papers/note9401.pdf.
- Harik, P., Clauser, B. E., Grabovsky, I., Nungester, R. J., Swanson, D., & Nandakumar, R. (2009, Spring). An examination of rater drift within a generalizability theory framework. *Journal of Educational Measurement*, 46(1), 43–58.

- Harvill, L. M. (1991). Standard error of measurement. *Educational Measurement: Issues and Practices*, 10(2), 33–41.
- Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis. *Psychometrika*, 32, 179–185.
- Hoyt, W. T., & Kerns, M. (1999). Magnitude and moderators of bias in observer ratings: A metaanalysis. *Psychological Methods*, *4*, 403–424.
- Huynh, H. (1976). Statistical consideration of mastery scores. *Psychometrika*, 41, 65–78.
- Johnson, R. L., Penny, J. A., & Gordon, B. (2008). Assessing performance. New York, NY: The Guilford Press.
- Kolen, M. J. (2004). POLYCSEM [Computer program]. University of Iowa. Retrieved August 1, 2012, from https://education.uiowa.edu/centers/center-advanced-studies-measurement-and-assessment/computer-programs.
- Kolen, M. J., & Brennan, R. L. (2005). *Test equating, scaling, and linking: Methods and practices* (2nd ed.). New York: Springer-Verlag.
- Kolen, M. J., & Lee, W. (2011). Psychometric Properties of Raw and Scale Scores on Mixed-Format Tests. *Educational Measurement: Issues and Practice* 30(2), 15–24.
- Kolen, M. J., Zeng, L., & Hanson, B. A. (1996). Conditional standard errors of measurement for scale scores using IRT. *Journal of Educational Measurement*, *33*(2), 129–140.
- Leacock, Claudia, Gonzalez, Erin, Conarroe, Mike. (2014). *Developing effective scoring rubrics for AI short answer scoring*. CTB McGraw-Hill Education Innovative Research and Development Grant.
- Livingston, S. A., & Lewis, C. (1995). Estimating the consistency and accuracy of classifications based on test scores. *Journal of Educational Measurement*, *32*, 179–197.
- Lord, F. M. (1980). *Applications of item response theory to practical testing problems*. Hillsdale, NJ: Lawrence Erlbaum.
- Lumley, T., & McNamara, T. F. (1995). Rater characteristics and rater bias: Implications for training. *Language Testing*, *12*, 54–72.
- McDonald, R. P. (1979). The structural analysis of multivariate data: A sketch of general theory. *Multivariate Behavioral Research*, 14, 21–38.
- McQueen, J., & Congdon, P. J. (1997, March). *Rater severity in large-scale assessment: Is it invariant?* Paper presented at the Annual Meeting of the American Educational Research Association, Chicago, IL.

- Mero, N. P., & Motowidlo, S. J. (1995). Effects of rater accountability on the accuracy and the favorability of performance ratings. *Journal of Applied Psychology, 80*(4), 517–524.
- Messick, S. (1995). Standards of Validity and the validity of and standards in performance assessment. *Educational Measurement: Issues and Practice*, 14(4), 5–8.
- Myford, C. M., & Wolfe, E. W. (2009). Monitoring rater performance over time: A framework for detecting differential accuracy and differential scale use. *Journal of Educational Measurement*, 46(4), 371–389.
- National Governors Association Center for Best Practices, & Council of Chief State School Officers. (2010). *Common Core State Standards*. Washington, DC: Authors.
- Patz, R. J., Junker, B. W., Johnson, M. S., and Mariano, L. T. (2002). The Hierarchical Rater Model for Rated Test Items and its Application to Large-Scale Educational Assessment Data. *Journal of Educational and Behavioral Statistics*, 27: 341.
- Pearson, K. (1896). Mathematical Contributions to the Theory of Evolution. III. Regression, Heredity and Panmixia. *Philosophical Transactions of the Royal Society of London*, 187, 253–318.
- Pecheone, R. L., & Chung Wei, R. R. (2007). Performance assessment for California teachers: Summary of validity and reliability studies for the 2003–04 pilot year. Palo Alto, CA: Stanford University PACT Consortium.
- Penny, J., Johnson, R. L., & Gordon, B. (2000). Using rating augmentation to expand the scale of an analytic rubric. *The Journal of Experimental Education*, *68*(3), 269–287.
- Schleicher, D. J., Day, D. V., Bronston, T., Mayes, B. T., & Riggo, R. E. (2002). A new frame for frame-of-reference training: Enhancing the construct validity of assessment centers. *Journal of Applied Psychology, 87*(4), 735–746.
- Thissen, D., Pommerich, M., Billeaud, K., & Williams, V. S. L. (1995). Item response theory for scores on tests including polytomous items with ordered responses. *Applied Psychological Measurement*, 19, 39–49.
- van der Linden, W. J., & Hambleton, R. K. (Eds.). (1997). *Handbook of modern item response theory*. New York, NY: Springer-Verlag.
- Wang, T., Kolen, M. J., & Harris, D. J. (2000). Psychometric properties of scale scores and performance levels for performance assessments using polytomous IRT. *Journal of Educational Measurement*, 37(2), 141–162.
- Wang, X. M., Wong, K. F. E., & Kwong, J. Y. Y. (2010). The roles of rater goals and ratee performance levels in the distortion of performance ratings. *Journal of Applied Psychology*, *95*(3), 546–561.

- Weigle, S. C. (1998). Using FACETS to model rater training effects. *Language Testing* 15, 263–287.
- Weinrott, L., & Jones, B. (1984). Overt verses covert assessment of observer reliability. *Child Development*, *55*, 1125–1137.
- Woehr, D. J., & Huffcutt, A. I. (1994). Rater training for performance appraisal: A quantitative review. *Journal of Occupational and Organizational Psychology*, 67, 189–205.
- Wolfe, E. W., & Gitomer, D. H. (2000). The influence of changes in assessment design on the psychometric quality of scores. Princeton, NJ: Educational Testing Service.

Appendix A: Operational Test Maps

Table A.1 Test Map for August 2017 Administration

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
1	MC	1	1	4	1.2b	0.77	0.46	-0.7645	0.92
2	MC	1	1	4	1.2a	0.46	0.37	0.7808	1.14
3	MC	1	1	4	1.1e	0.61	0.44	0.0000	0.98
4	MC	1	1	4	1.1i	0.54	0.43	0.4278	1.02
5	MC	1	1	4	1.1g	0.56	0.49	0.3346	1.03
6	MC	1	1	4	1.1a	0.43	0.39	0.8900	1.06
7	MC	1	1	4	1.2g	0.56	0.32	0.3261	1.14
8	MC	1	1	4	2.1c	0.56	0.41	0.3223	1.04
9	MC	1	1	4	2.1g	0.54	0.42	0.4317	1.08
10	MC	1	1	4	2.1i	0.79	0.45	-0.9751	0.94
11	MC	1	1	4	2.1h	0.41	0.43	0.7300	0.99
12	MC	1	1	4	2.2c	0.76	0.48	-0.7350	0.90
13	MC	1	1	4	2.2b	0.40	0.31	1.1169	1.16
14	MC	1	1	4	2.2a	0.55	0.46	0.3361	1.00
15	MC	1	1	4	2.1a	0.51	0.51	0.5861	1.00
16	MC	1	1	4	2.2a	0.40	0.45	1.0875	1.00
17	MC	1	1	4	2.1L	0.63	0.51	-0.0656	0.99
18	MC	1	1	4	2.1j	0.53	0.43	0.4361	1.04
19	MC	1	1	4	2.1n	0.49	0.42	0.6641	1.03
20	MC	1	1	4	2.1r	0.70	0.40	-0.3655	1.01
21	MC	1	1	4	2.1r	0.57	0.37	0.2842	1.10
22	MC	1	1	4	2.1u	0.59	0.36	0.1835	1.09
23	MC	1	1	4	2.1u	0.72	0.29	-0.5311	1.19
24	MC	1	1	4	3.1a	0.78	0.44	-0.9948	0.99
25	MC	1	1	4	3.1c	0.89	0.36	-1.9036	0.95
26	MC	1	1	4	1.1f	0.75	0.45	-0.7583	0.94
27	MC	1	1	4	2.1b	0.52	0.36	0.5275	1.11
28	MC	1	1	4	1.2g	0.81	0.46	-1.2202	0.92
29	MC	1	1	4	1.2j	0.69	0.38	-0.3349	1.04
30	MC	1	1	4	2.2d	0.34	0.37	1.4637	1.16
31	MC	1	1	4	1.2j	0.47	0.36	0.7713	1.10
32	MC	1	1	4	1.2j	0.55	0.42	0.3560	1.07
33	MC	1	1	4	3.1c	0.84	0.37	-1.3019	0.95
34	MC	1	1	4	2.1c	0.57	0.30	0.2467	1.19
35	MC	1	1	4	2.1m	0.78	0.42	-0.9059	0.97
36	MC	1	1	4	1.2c	0.44	0.43	0.8913	1.05

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
37	MC	1	1	4	1.2a	0.34	0.40	1.3799	1.06
38	MC	1	1	4	2.1j	0.73	0.44	-0.5587	0.96
39	MC	1	1	4	1.1d	0.63	0.36	-0.0661	1.13
40	MC	1	1	4	1.1h	0.55	0.49	0.3818	0.98
41	MC	1	1	4	1.1d	0.72	0.38	-0.5409	1.08
42	MC	1	1	4	1.2g	0.61	0.35	0.0707	1.15
43	MC	1	1	4	1.2j	0.43	0.40	0.9370	1.10
44	MC	1	1	4	2.1u	0.41	0.26	1.0696	1.22
45	MC	1	1	4	2.1u	0.45	0.48	0.8613	0.97
46	MC	1	1	4	2.1v	0.54	0.42	0.4090	1.04
47	MC	1	1	4	1.2j	0.55	0.46	0.3827	0.98
48	MC	1	1	4	1.2j	0.69	0.38	-0.3207	1.03
49	MC	1	1	4	1.2j	0.64	0.39	-0.0802	1.04
50	MC	1	1	4	1.2j	0.40	0.40	1.0875	1.04
51	CR	1	1	4	1.1a	0.30	0.52	1.6988	0.95
52	CR	1	1	4	1.1a	0.35	0.55	1.4507	0.92
53	CR	1	1	4	1.1a	0.45	0.50	0.8970	1.01
54	CR	1	1	4	1.2b	0.65	0.44	-0.1604	1.03
55	CR	1	1	4	1.2b	0.77	0.49	-0.8611	0.89
56	CR	1	1	4	1.2b	0.31	0.56	1.5957	0.88
57	CR	1	1	4	1.2b	0.65	0.53	-0.1724	0.90
58	CR	1	1	4	2.1q	0.63	0.44	-0.0206	0.98
59	CR	1	1	4	2.1q	0.38	0.50	1.2241	0.92
60	CR	1	1	4	2.1q	0.30	0.53	1.6351	0.89
61	CR	1	1	4	2.1q	0.36	0.52	1.2969	0.93
62	CR	1	1	4	2.1j	0.47	0.61	0.7382	0.83
63	CR	1	1	4	2.1j	0.48	0.50	0.7213	0.97
64	CR	1	1	4	1.2j	0.58	0.56	0.2200	0.88
65	CR	1	1	4	2.1j	0.30	0.51	1.6420	0.94
66	CR	1	1	4	1.1h	0.38	0.57	1.2157	0.85
67	CR	1	1	4	1.1e	0.32	0.50	1.5339	0.93
68	CR	1	1	4	1.1h	0.25	0.48	1.9045	0.93
69	CR	1	1	4	1.1c	0.72	0.38	-0.4988	1.02
70	CR	1	1	4	2.1e	0.51	0.52	0.5651	0.93
71	CR	1	1	4	2.1d	0.26	0.42	1.8632	1.02
72	CR	1	1	4	2.1h	0.73	0.45	-0.5841	0.93
73	CR	1	1	4	3.1c	0.28	0.56	1.7376	0.84
74	CR	1	1	4	1.2j	0.31	0.43	1.5863	1.00
75	CR	1	1	4	1.2j	0.38	0.55	1.1948	0.89
76	CR	1	1	4	2.1u	0.21	0.34	2.2426	1.10

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
77	CR	1	1	4	1.2j	0.45	0.55	0.8535	0.92
78	CR	1	1	4	2.1v	0.34	0.58	1.4439	0.86
79	CR	1	1	4	2.1u	0.35	0.50	1.3641	0.97
80	CR	1	1	4	2.2c	0.41	0.62	1.0272	0.81
81	CR	1	1	4	2.1a	0.44	0.50	0.9082	0.96
82	CR	1	1	4	3.1c	0.64	0.56	-0.1101	0.91
83	CR	1	1	4	3.1c	0.70	0.57	-0.4338	0.87
84	CR	1	1	4	3.1c	0.59	0.62	0.1769	0.83
85	CR	1	1	4	3.1c	0.31	0.52	1.6575	0.95

Table A.2 Test Map for January 2018 Administration

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
1	MC	1	1	4	1.1	0.63	0.45	-0.0156	0.98
2	MC	1	1	4	1.2	0.40	0.38	1.1330	1.11
3	MC	1	1	4	1.2	0.50	0.42	0.6229	1.04
4	MC	1	1	4	1.2	0.62	0.4	-0.0123	1.08
5	MC	1	1	4	2.1	0.54	0.39	0.4445	1.02
6	MC	1	1	4	2.2	0.76	0.41	-0.7416	0.98
7	MC	1	1	4	2.1	0.46	0.47	0.8021	0.94
8	MC	1	1	4	1.2	0.49	0.32	0.6300	1.15
9	MC	1	1	4	1.1	0.73	0.46	-0.5733	0.98
10	MC	1	1	4	2.1	0.51	0.46	0.5367	1.02
11	MC	1	1	4	2.1	0.76	0.36	-0.6696	0.99
12	MC	1	1	4	2.2	0.52	0.45	0.5237	1.00
13	MC	1	1	4	2.2	0.56	0.45	0.3227	0.99
14	MC	1	1	4	2.2	0.64	0.41	-0.0689	1.02
15	MC	1	1	4	1.2	0.49	0.45	0.6139	1.01
16	MC	1	1	4	1.2	0.70	0.35	-0.5876	1.06
17	MC	1	1	4	1.2	0.47	0.43	0.7518	1.06
18	MC	1	1	4	1.2	0.50	0.41	0.5724	1.09
19	MC	1	1	4	2.1	0.81	0.43	-1.0910	0.99
20	MC	1	1	4	2.1	0.65	0.41	-0.1048	1.02
21	MC	1	1	4	2.1	0.56	0.36	0.1540	1.09
22	MC	1	1	4	2.1	0.45	0.33	0.8428	1.12
23	MC	1	1	4	2.1	0.43	0.35	0.9416	1.11
24	MC	1	1	4	2.1	0.74	0.48	-0.6434	0.93
25	MC	1	1	4	2.1	0.63	0.50	-0.0428	0.92
26	MC	1	1	4	2.1	0.31	0.27	1.5498	1.16
27	MC	1	1	4	2.1	0.74	0.44	-0.6218	0.97
28	MC	1	1	4	3.1	0.68	0.40	-0.3055	1.04
29	MC	1	1	4	3.1	0.56	0.49	0.3393	0.95
30	MC	1	1	4	2.1	0.54	0.39	0.4056	1.11
31	MC	1	1	4	3.1	0.74	0.52	-0.6506	0.87
32	MC	1	1	4	2.1	0.37	0.48	1.2265	0.94
33	MC	1	1	4	2.1	0.72	0.50	-0.4759	0.91
34	MC	1	1	4	3.1	0.47	0.41	0.7575	1.03
35	MC	1	1	4	2.2	0.40	0.30	1.0619	1.16
36	MC	1	1	4	2.1	0.60	0.41	0.1547	1.08
37	MC	1	1	4	2.1	0.61	0.34	0.1075	1.17
38	MC	1	1	4	1.1	0.78	0.43	-0.8459	0.95

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
39	MC	1	1	4	1.1	0.53	0.47	0.4792	0.98
40	MC	1	1	4	1.1	0.72	0.48	-0.4759	0.94
41	MC	1	1	4	1.1	0.55	0.31	0.3501	1.15
42	MC	1	1	4	1.1	0.45	0.47	0.8457	0.97
43	MC	1	1	4	1.1	0.38	0.26	1.1721	1.20
44	MC	1	1	4	1.1	0.63	0.48	-0.0371	0.94
45	MC	1	1	4	1.2	0.77	0.41	-0.8311	0.97
46	MC	1	1	4	1.2	0.61	0.44	0.1000	1.01
47	MC	1	1	4	1.2	0.53	0.44	0.4561	1.02
48	MC	1	1	4	2.1	0.53	0.40	0.4656	1.01
49	MC	1	1	4	1.2	0.63	0.38	-0.0160	1.01
50	MC	1	1	4	2.1	0.55	0.40	0.4075	1.02
51	CR	1	1	4	1.2	0.74	0.51	-0.5982	0.87
52	CR	1	1	4	1.2	0.40	0.45	1.1045	1.00
53	CR	1	1	4	1.2	0.24	0.50	1.9904	0.92
54	CR	1	1	4	1.2	0.72	0.51	-0.5644	0.91
55	CR	1	1	4	1.2	0.24	0.50	1.9744	0.93
56	CR	1	1	4	2.1	0.51	0.52	0.5816	0.92
57	CR	1	1	4	2.1	0.38	0.55	1.2062	0.88
58	CR	1	1	4	2.1	0.34	0.55	1.3744	0.88
59	CR	1	1	4	2.2	0.46	0.60	0.7879	0.84
60	CR	1	1	4	2.2	0.30	0.50	1.6084	0.96
61	CR	1	1	4	2.2	0.55	0.39	0.3458	1.10
62	CR	1	1	4	1.1	0.65	0.48	-0.1370	0.96
63	CR	1	1	4	1.1	0.66	0.41	-0.1557	1.03
64	CR	1	1	4	1.1	0.44	0.45	0.9240	1.00
65	CR	1	1	4	1.1	0.50	0.48	0.6229	0.97
66	CR	1	1	4	2.1	0.34	0.47	1.3530	0.93
67	CR	1	1	4	2.1	0.42	0.53	0.9775	0.88
68	CR	1	1	4	2.2	0.27	0.46	1.7341	0.91
69	CR	1	1	4	1.2	0.61	0.43	0.0956	1.06
70	CR	1	1	4	1.2	0.34	0.51	1.4738	0.92
71	CR	1	1	4	1.2	0.26	0.54	1.9248	0.84
72	CR	1	1	4	1.1	0.27	0.27	1.7600	1.11
73	CR	1	1	4	1.1	0.31	0.45	1.5532	0.93
74	CR	1	1	4	1.1	0.31	0.44	1.5111	0.96
75	CR	1	1	4	1.1	0.31	0.52	1.5351	0.87
76	CR	1	1	4	2.1	0.39	0.49	1.1500	0.97
77	CR	1	1	4	2.1	0.66	0.40	-0.1808	1.03
78	CR	1	1	4	2.1	0.59	0.50	0.1711	0.94

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
79	CR	1	1	4	2.1	0.66	0.49	-0.1651	0.94
80	CR	1	1	4	2.1	0.32	0.54	1.4955	0.86
81	CR	1	1	4	2.1	0.60	0.50	0.1412	0.93
82	CR	1	1	4	3.1	0.78	0.39	-0.9165	1.01
83	CR	1	1	4	3.1	0.44	0.58	0.9348	0.87
84	CR	1	1	4	3.1	0.75	0.58	-0.6949	0.82
85	CR	1	1	4	3.1	0.57	0.47	0.3176	1.02

Table A.3 Test Map for June 2018 Administration

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
1	MC	1	1	4	1.1	0.72	0.41	-0.1630	0.96
2	MC	1	1	4	1.2	0.40	0.38	1.3816	1.10
3	MC	1	1	4	1.2	0.73	0.35	-0.2273	1.03
4	MC	1	1	4	1.1	0.66	0.38	0.1096	1.07
5	MC	1	1	4	1.1	0.61	0.45	0.3700	0.95
6	MC	1	1	4	2.1	0.62	0.53	0.2961	0.93
7	MC	1	1	4	2.1	0.75	0.36	-0.3942	1.05
8	MC	1	1	4	2.1	0.55	0.28	0.6442	1.22
9	MC	1	1	4	1.1	0.51	0.47	0.8688	1.01
10	MC	1	1	4	1.2	0.54	0.37	0.7150	1.09
11	MC	1	1	4	1.1	0.53	0.39	0.7733	1.06
12	MC	1	1	4	1.1	0.68	0.38	-0.0151	1.11
13	MC	1	1	4	2.1	0.60	0.43	0.3848	1.02
14	MC	1	1	4	2.2	0.78	0.36	-0.6280	1.07
15	MC	1	1	4	2.2	0.47	0.39	0.7378	1.11
16	MC	1	1	4	1.2	0.69	0.51	-0.0546	0.92
17	MC	1	1	4	1.2	0.61	0.42	0.4125	0.97
18	MC	1	1	4	2.2	0.56	0.38	0.6389	1.01
19	MC	1	1	4	1.2	0.39	0.38	1.4388	1.07
20	MC	1	1	4	1.2	0.90	0.37	-1.6471	0.93
21	MC	1	1	4	2.2	0.47	0.44	1.0459	1.02
22	MC	1	1	4	2.1	0.43	0.33	1.2603	1.21
23	MC	1	1	4	1.2	0.58	0.35	0.4943	1.10
24	MC	1	1	4	2.1	0.55	0.44	0.6576	1.01
25	MC	1	1	4	2.1	0.62	0.46	0.3578	0.93
26	MC	1	1	4	2.1	0.53	0.34	0.7315	1.15
27	MC	1	1	4	2.1	0.59	0.46	0.4728	0.98
28	MC	1	1	4	3.1	0.72	0.45	-0.1772	0.92
29	MC	1	1	4	3.1	0.41	0.42	1.3097	1.04
30	MC	1	1	4	2.1	0.73	0.38	-0.3089	1.05
31	MC	1	1	4	3.1	0.76	0.37	-0.4226	0.97
32	MC	1	1	4	2.1	0.72	0.33	-0.2130	1.09
33	MC	1	1	4	2.2	0.84	0.31	-1.0535	1.03
34	MC	1	1	4	2.1	0.70	0.37	-0.1619	1.13
35	MC	1	1	4	3.1	0.57	0.44	0.5656	1.01
36	MC	1	1	4	1.1	0.79	0.32	-0.6321	1.08
37	MC	1	1	4	1.1	0.85	0.35	-1.1304	1.02
38	MC	1	1	4	1.1	0.77	0.56	-0.5060	0.83

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
39	MC	1	1	4	1.1	0.59	0.39	0.4852	1.06
40	MC	1	1	4	1.2	0.78	0.38	-0.6085	1.01
41	MC	1	1	4	1.2	0.45	0.30	1.0980	1.20
42	MC	1	1	4	1.2	0.42	0.36	1.2516	1.12
43	MC	1	1	4	1.2	0.65	0.37	0.1727	1.12
44	MC	1	1	4	1.2	0.74	0.31	-0.3857	1.12
45	MC	1	1	4	2.1	0.69	0.40	-0.0749	1.00
46	MC	1	1	4	2.1	0.58	0.42	0.5244	1.04
47	MC	1	1	4	2.1	0.73	0.33	-0.2842	1.07
48	MC	1	1	4	2.1	0.87	0.40	-1.3342	0.95
49	MC	1	1	4	1.2	0.70	0.47	-0.1264	0.99
50	MC	1	1	4	2.1	0.82	0.27	-0.9675	1.15
51	CR	1	1	4	3.1	0.56	0.59	0.5916	0.86
52	CR	1	1	4	3.1	0.67	0.60	0.0529	0.83
53	CR	1	1	4	3.1	0.57	0.58	0.5854	0.87
54	CR	1	1	4	3.1	0.31	0.57	1.9017	0.84
55	CR	1	1	4	1.1	0.58	0.60	0.5158	0.84
56	CR	1	1	4	1.1	0.47	0.47	1.0791	1.00
57	CR	1	1	4	1.1	0.41	0.56	1.3575	0.88
58	CR	1	1	4	1.1	0.62	0.50	0.3161	0.95
59	CR	1	1	4	2.1	0.73	0.49	-0.2914	0.89
60	CR	1	1	4	2.1	0.37	0.63	1.5201	0.79
61	CR	1	1	4	2.1	0.54	0.54	0.7031	0.90
62	CR	1	1	4	2.1	0.35	0.59	1.6156	0.83
63	CR	1	1	4	1.2	0.33	0.48	1.7772	0.97
64	CR	1	1	4	1.2	0.58	0.57	0.5358	0.90
65	CR	1	1	4	2.1	0.58	0.58	0.5109	0.87
66	CR	1	1	4	2.1	0.49	0.48	0.9622	0.99
67	CR	1	1	4	2.1	0.38	0.44	1.4911	1.02
68	CR	1	1	4	2.1	0.53	0.45	0.7519	1.03
69	CR	1	1	4	1.2	0.77	0.31	-0.5379	1.11
70	CR	1	1	4	1.2	0.54	0.50	0.6617	0.95
71	CR	1	1	4	1.2	0.50	0.51	0.8882	0.94
72	CR	1	1	4	1.2	0.51	0.53	0.8070	0.92
73	CR	1	1	4	2.1	0.52	0.47	0.7909	0.93
74	CR	1	1	4	2.1	0.46	0.44	1.0821	0.96
75	CR	1	1	4	2.1	0.34	0.42	1.6283	0.97
76	CR	1	1	4	2.2	0.41	0.47	1.3219	0.98
77	CR	1	1	4	2.2	0.31	0.43	1.8680	1.02
78	CR	1	1	4	2.2	0.29	0.49	1.9799	0.94

Position	Item Type	Max Points	Weight	Standard	PI	Mean	Point- Biserial	RID	INFIT
79	CR	1	1	4	1.2	0.70	0.52	-0.0702	0.89
80	CR	1	1	4	1.2	0.38	0.42	1.5265	1.02
81	CR	1	1	4	1.1	0.56	0.60	0.6148	0.83
82	CR	1	1	4	1.2	0.52	0.55	0.8158	0.89
83	CR	1	1	4	2.1	0.39	0.57	1.4388	0.87
84	CR	1	1	4	2.1	0.66	0.54	0.0651	0.87
85	CR	1	1	4	1.2	0.36	0.57	1.5693	0.86

Appendix B: Raw-to-Theta-to-Scale Score Conversion Tables

Table B.1 Score Table for August 2017 Administration

Raw Score	Ability	Scale Score
0	-5.5710	0.000
1	-4.3499	1.626
2	-3.6323	3.438
3	-3.2027	5.144
4	-2.8910	6.867
5	-2.6440	8.530
6	-2.4378	10.183
7	-2.2600	11.924
8	-2.1028	13.628
9	-1.9614	15.244
10	-1.8324	16.909
11	-1.7135	18.610
12	-1.6027	20.245
13	-1.4990	21.868
14	-1.4011	23.494
15	-1.3083	25.109
16	-1.2197	26.747
17	-1.1351	28.387
18	-1.0537	29.940
19	-0.9754	31.475
20	-0.8996	33.005
21	-0.8262	34.547
22	-0.7550	36.092
23	-0.6856	37.642
24	-0.6179	39.080
25	-0.5518	40.627
26	-0.4870	42.067
27	-0.4235	43.503
28	-0.3611	44.937
29	-0.2998	46.358
30	-0.2394	47.708
31	-0.1798	49.128
32	-0.1210	50.450
33	-0.0629	51.781
34	-0.0053	53.117
35	0.0517	54.442
36	0.1083	55.734
37	0.1645	56.990
38	0.2203	58.278
39	0.2759	59.490
40	0.3313	60.706

Raw Score	Ability	Scale Score
41	0.3864	61.923
42	0.4415	63.096
43	0.4965	64.247
44	0.5515	65.410
45	0.6066	66.557
46	0.6617	67.734
47	0.7170	68.832
48	0.7726	69.892
49	0.8283	70.938
50	0.8845	72.034
51	0.9410	73.093
52	0.9980	74.097
53	1.0555	75.088
54	1.1136	76.083
55	1.1724	77.080
56	1.2320	78.044
57	1.2924	78.977
58	1.3538	79.931
59	1.4162	80.862
60	1.4798	81.821
61	1.5447	82.719
62	1.6111	83.572
63	1.6791	84.402
64	1.7489	85.299
65	1.8208	86.157
66	1.8949	86.948
67	1.9715	87.738
68	2.0510	88.531
69	2.1337	89.320
70	2.2201	90.114
71	2.3108	90.881
72	2.4064	91.593
73	2.5077	92.360
74	2.6159	93.050
75	2.7321	93.739
76	2.8583	94.427
77	2.9966	95.112
78	3.1506	95.784
79	3.3250	96.383
80	3.5275	97.060
81	3.7706	97.646
<u> </u>	3.7700	57.040

Raw Score	Ability	Scale Score
82	4.0781	98.232
83	4.5033	98.818
84	5.2160	99.417
85	6.4336	100.000

Table B.2 Score Table for January 2018 Administration

Raw Score	Ability	Scale Score
0	-5.4873	0.000
1	-4.2704	1.827
2	-3.5586	3.640
3	-3.1343	5.445
4	-2.8278	7.243
5	-2.5855	8.946
6	-2.3841	10.641
7	-2.2105	12.438
8	-2.0575	14.130
9	-1.9200	15.727
10	-1.7947	17.418
11	-1.6794	19.109
12	-1.5722	20.698
13	-1.4717	22.304
14	-1.3770	23.934
15	-1.2873	25.478
16	-1.2017	27.086
17	-1.1199	28.682
18	-1.0413	30.175
19	-0.9656	31.668
20	-0.8925	33.150
21	-0.8216	34.645
22	-0.7528	36.140
23	-0.6857	37.639
24	-0.6203	39.030
25	-0.5563	40.522
26	-0.4938	41.916
27	-0.4323	43.303
28	-0.3720	44.686
29	-0.3126	46.069
30	-0.2541	47.366
31	-0.2341	48.746
32	-0.1304	50.036
33	-0.1393	51.320
34	-0.0829	52.613
35	0.0283	53.899
36	0.0283	55.175
	0.0833	
37 38	0.1380	56.381 57.647
39	0.2464	58.846
40	0.3003	60.023

Raw	Ability	Scale Score			
Score	0.2544				
41	0.3541	61.213			
42	0.4078	62.390			
43	0.4615	63.504			
44	0.5152	64.656			
45	0.5690	65.761			
46	0.6230	66.923			
47	0.6772	68.044			
48	0.7316	69.119			
49	0.7863	70.142			
50	0.8414	71.195			
51	0.8969	72.273			
52	0.9529	73.306			
53	1.0095	74.294			
54	1.0666	75.280			
55	1.1246	76.269			
56	1.1833	77.264			
57	1.2429	78.208			
58	1.3034	79.155			
59	1.3651	80.095			
60	1.4280	81.046			
61	1.4922	81.995			
62	1.5579	82.895			
63	1.6252	83.738			
64	1.6945 84.602				
65	1.7657 85.509				
66	1.8392	86.356			
67	1.9153	87.160			
68	1.9942	87.968			
69	2.0765	88.777			
70	2.1625	89.588			
71	2.2527	90.404			
72	2.3479	91.151			
73	2.4488	91.131			
74	2.5566	92.677			
75	2.5566 92.677 2.6725 93.392				
76	2.7983	94.107			
77	2.9363 94.820				
78					
	3.0900 95.536				
79	3.2642	96.174			
80	3.4663	96.873			
81	3.7092	97.507			

Raw Score	Ability	Scale Score
82	4.0165	98.125
83	4.4415	98.743
84	5.1540	99.365
85	6.3714	100.000

Table B.3 Score Table for June 2018 Administration

Raw		Scale
Score	Ability	Score
0	-5.4952	0.000
1	-4.2755	2.068
2	-3.5600	4.039
3	-3.1322	5.988
4	-2.8223	7.885
5	-2.5771	9.702
6	-2.3727	11.560
7	-2.1964	13.403
8	-2.0409	15.126
9	-1.9010	16.866
10	-1.7737	18.633
11	-1.6562	20.314
12	-1.5471	21.975
13	-1.4448	23.622
14	-1.3485	25.246
15	-1.2571	26.888
16	-1.1702	28.517
17	-1.0869	30.045
18	-1.0071	31.557
19	-0.9302	33.053
20	-0.8560	34.557
21	-0.7841	36.057
22	-0.7143	37.555
23	-0.6463	38.948
24	-0.5801	40.424
25	-0.5154	41.816
26	-0.4521	43.186
27	-0.3901	44.551
28	-0.3291	45.914
29	-0.2693	47.198
30	-0.2103	48.538
31	-0.1521	49.816
32	-0.0947	51.068
33	-0.0380	52.328
34	0.0182	53.581
35	0.0739 54.824	
36	0.1290	56.017
37	0.1839 57.215	
38	0.2383	58.412
39	0.2925	59.550
40	0.3465	60.691

Ability	Scale	
	Score	
0.4004	62.228	
0.4541	63.353	
0.5078	64.493	
0.5614	65.608	
0.6152	66.748	
0.6690	67.880	
0.7230	68.950	
0.7773	69.978	
0.8318	71.006	
0.8866	72.076	
0.9419	73.109	
0.9976	74.090	
1.0539	75.061	
1.1108	76.036	
1.1684	77.012	
1.2267	77.966	
1.2859	78.873	
1.3461	79.819	
1.4074	80.725	
1.4698	81.680	
1.5336	82.569	
1.5988	83.427	
1.6657	84.226	
1.7343	85.116	
1.8050	85.986	
1.8780	86.772	
1.9535	87.556	
2.0319	88.347	
2.1135	89.133	
2.1989	89.926	
2.2885	90.718	
2.3830	91.408	
2.4833	92.202	
	92.896	
2.7055	93.591	
2.8306	94.287	
2.9679	94.979	
3.1209 95.677		
3.4957	96.975	
3.7377	97.577	
	0.4541 0.5078 0.5614 0.6152 0.6690 0.7230 0.7773 0.8318 0.8866 0.9419 0.9976 1.0539 1.1108 1.1684 1.2267 1.2859 1.3461 1.4074 1.4698 1.5336 1.5988 1.6657 1.7343 1.8050 1.8780 1.9535 2.0319 2.1135 2.1989 2.2885 2.3830 2.4833 2.5904 2.7055 2.8306 2.9679 3.1209 3.2942 3.4957	

Raw Score	Ability	Scale Score
82	4.0443	98.179
83	4.4684	98.781
84	5.1801	99.387
85	6.3970	100.000

Appendix C: Item Writing Guidelines

GUIDELINES FOR WRITING MULTIPLE-CHOICE ITEMS

- 1. The item should focus on a single issue, problem, or topic stated clearly and concisely in the stem.
- 2. The item should be written in clear and simple language, with vocabulary and sentence structure kept as simple as possible.
- 3. The stem should be written as a direct question or an incomplete statement
- 4. The stem should not contain irrelevant or unnecessary detail.
- 5. The stem should be stated positively. Avoid using negatively stated stems.
- 6. The phrase *which* of the following should not be used to refer to the alternatives. Instead use *which* followed by a noun.
- 7. The stem should include any words that must otherwise be repeated in each alternative.
- 8. The item should have one and only one correct answer (key).
- 9. The distractors should be plausible and attractive to students who lack the knowledge, understanding, or ability assessed by the item.
- 10. The alternatives should be grammatically consistent with the stem.
- 11. The alternatives should be parallel with one another in form.
- 12. The alternatives should be arranged in logical order, when possible.
- 13. The alternatives should be independent and mutually exclusive.
- 14. The item should not contain extraneous clues to the correct answer.
- 15. Items should be written in the third person. Use generic terms instead of proper nouns, such as first names and brand names.

CHECKLIST OF TEST CONSTRUCTION PRINCIPLES

(Multiple-Choice Items)

		YES	NO
1.	Is the item significant?		
2.	Does the item have curricular validity?		
3.	Is the item presented in clear and simple language, with vocabulary kept as simple as possible?		
4.	Does the item have one and only one correct answer?		
5.	Does the item state one single central problem completely in the stem? (See Helpful Hint below.)		
6.	Does the stem include any extraneous material ("window dressing")?		
7.	Are all responses grammatically consistent with the stem and parallel with one another in form?		
8.	Are all responses plausible (attractive to students who lack the information tested by the item)?		
9.	Are all responses independent and mutually exclusive?		
10.	Are there any extraneous clues due to grammatical inconsistencies, verbal associations, length of response, etc.?		
11.	Were the principles of Universal Design used in constructing the item?		

HELPFUL HINT

To determine if the stem is complete (meaningful all by itself):

- 1. Cover up the responses and read just the stem.
- 2. Try to turn the stem into a short-answer question by drawing a line after the last word. If it is not a good-short answer item, then there may a problem with the stem.
- 3. The stem must consist of a statement that contains a verb.

GUIDELINES FOR WRITING CONSTRUCTED-RESPONSE ITEMS

- 1. The item should focus on a single issue, problem, or topic stated clearly and concisely.
- 2. The item should be written with terminology, vocabulary and sentence structure kept as simple as possible. The item should be free of irrelevant or unnecessary detail.
- 3. The item should be written in the third person. Use generic terms instead of proper nouns such as first names and brand names.
- 4. The item should not contain extraneous clues to the correct answer.
- 5. The item should assess student understanding of the material by requiring responses that show evidence of knowledge, comprehension, application, analysis, synthesis, and/or evaluation.
- 6. When a stimulus is used, an introduction is required.
- 7. The item should clearly specify what the student is expected to do to provide an acceptable response.
- 8. A group of constructed response items should be arranged in logical sequence, and each item should test different knowledge, understandings, and/or skills.
- 9. The stimulus should provide information/data that is scientifically accurate.
- 10. The source of each stimulus must be clearly identified for all material that is not original.
- 11. The introduction, stimulus (when used), item, student answer space, and rating guide must correspond.
- 12. The rating guide must provide examples of correct responses.
- 13. The rating guide and items should clearly specify if credit is allowed for labeling units. If no credit is allowed for units, the unit should be provided within the student answer space.
- 14. The rating guide should specify the acceptable range for numerical responses.

Appendix D: Tables and Figures for August 2017 Administration

Table D.1 Multiple-Choice Item Analysis Summary: Regents Examination in Physical Setting/Earth Science

Item	Number of Students	<i>p</i> -Value	SD	Point- Biserial	Point- Biserial Distractor 1	Point- Biserial Distractor 2	Point- Biserial Distractor 3
1	11,185	0.63	0.48	0.26	-0.14	-0.16	-0.07
2	11,185	0.38	0.49	0.20	-0.11	-0.02	-0.13
3	11,185	0.58	0.49	0.34	-0.13	-0.25	-0.15
4	11,185	0.38	0.48	0.20	-0.16	-0.04	-0.02
5	11,185	0.37	0.48	0.20	-0.16	-0.14	-0.03
6	11,185	0.26	0.44	0.18	-0.13	-0.09	0.01
7	11,185	0.42	0.49	0.12	0.02	-0.08	-0.07
8	11,185	0.51	0.50	0.23	-0.12	-0.12	-0.12
9	11,185	0.49	0.50	0.27	-0.10	-0.15	-0.10
10	11,185	0.78	0.41	0.36	-0.20	-0.17	-0.20
11	11,185	0.34	0.47	0.22	-0.05	-0.11	-0.10
12	11,185	0.59	0.49	0.29	-0.14	-0.16	-0.12
13	11,185	0.44	0.50	0.18	-0.08	-0.02	-0.14
14	11,185	0.38	0.49	0.25	-0.04	-0.20	-0.16
15	11,185	0.36	0.48	0.25	-0.01	-0.18	-0.12
16	11,185	0.28	0.45	0.22	-0.08	-0.10	-0.04
17	11,185	0.40	0.49	0.21	-0.11	-0.10	-0.05
18	11,185	0.41	0.49	0.23	-0.09	-0.15	-0.03
19	11,185	0.38	0.49	0.19	-0.07	-0.06	-0.11
20	11,185	0.54	0.50	0.19	-0.06	-0.09	-0.10
21	11,185	0.53	0.50	0.18	-0.05	-0.16	-0.10
22	11,185	0.51	0.50	0.22	-0.13	-0.09	-0.08
23	11,185	0.61	0.49	0.16	-0.05	-0.07	-0.10
24	11,185	0.75	0.44	0.37	-0.21	-0.16	-0.19
25	11,185	0.81	0.39	0.31	-0.14	-0.16	-0.19
26	11,185	0.64	0.48	0.32	-0.16	-0.15	-0.17
27	11,185	0.42	0.49	0.16	-0.06	-0.15	0.01
28	11,185	0.70	0.46	0.35	-0.16	-0.21	-0.16
29	11,185	0.71	0.45	0.33	-0.17	-0.17	-0.17
30	11,185	0.23	0.42	0.17	-0.06	-0.05	-0.06
31	11,185	0.37	0.48	0.17	-0.07	-0.06	-0.08
32	11,185	0.40	0.49	0.19	-0.08	-0.14	-0.02
33	11,185	0.79	0.41	0.38	-0.19	-0.20	-0.20

Item	Number of Students	<i>p</i> -Value	SD	Point- Biserial	Point- Biserial Distractor 1	Point- Biserial Distractor 2	Point- Biserial Distractor 3
34	11,185	0.44	0.50	0.09	-0.06	0.00	-0.05
35	11,185	0.63	0.48	0.28	-0.16	-0.17	-0.07
36	11,185	0.34	0.47	0.30	-0.08	-0.08	-0.16
37	11,185	0.30	0.46	0.25	-0.11	-0.08	-0.08
38	11,185	0.61	0.49	0.29	-0.05	-0.20	-0.17
39	11,185	0.51	0.50	0.19	0.01	-0.16	-0.19
40	11,185	0.31	0.46	0.20	-0.05	-0.09	-0.07
41	11,185	0.58	0.49	0.22	-0.14	-0.09	-0.09
42	11,185	0.52	0.50	0.17	-0.06	-0.15	-0.05
43	11,185	0.30	0.46	0.18	-0.14	-0.07	-0.04
44	11,185	0.26	0.44	0.08	-0.11	-0.09	0.09
45	11,185	0.36	0.48	0.29	-0.19	-0.11	-0.03
46	11,185	0.36	0.48	0.15	0.05	-0.15	-0.14
47	11,185	0.37	0.48	0.24	-0.12	-0.07	-0.08
48	11,185	0.56	0.50	0.24	-0.12	-0.10	-0.11
49	11,185	0.50	0.50	0.18	-0.09	-0.06	-0.10
50	11,185	0.29	0.45	0.23	-0.07	-0.10	-0.06

Table D.2 Constructed-Response Item Analysis Summary: Regents Examination in Physical Setting/Earth Science

ltem	Min. score	Max. score	Number of Students	Mean	SD	<i>p</i> -Value	Point- Biserial
51	0	1	11,185	0.13	0.33	0.13	0.23
52	0	1	11,185	0.28	0.45	0.28	0.33
53	0	1	11,185	0.49	0.50	0.49	0.27
54	0	1	11,185	0.51	0.50	0.51	0.29
55	0	1	11,185	0.74	0.44	0.74	0.37
56	0	1	11,185	0.31	0.46	0.31	0.43
57	0	1	11,185	0.62	0.49	0.62	0.41
58	0	1	11,185	0.60	0.49	0.60	0.36
59	0	1	11,185	0.46	0.50	0.46	0.39
60	0	1	11,185	0.13	0.34	0.13	0.34
61	0	1	11,185	0.26	0.44	0.26	0.36
62	0	1	11,185	0.27	0.44	0.27	0.34
63	0	1	11,185	0.33	0.47	0.33	0.39
64	0	1	11,185	0.45	0.50	0.45	0.42
65	0	1	11,185	0.11	0.32	0.11	0.29
66	0	1	11,185	0.20	0.40	0.20	0.31
67	0	1	11,185	0.35	0.48	0.35	0.25
68	0	1	11,185	0.13	0.33	0.13	0.27
69	0	1	11,185	0.64	0.48	0.64	0.35
70	0	1	11,185	0.31	0.46	0.31	0.26
71	0	1	11,185	0.19	0.39	0.19	0.31
72	0	1	11,185	0.78	0.41	0.78	0.28
73	0	1	11,185	0.10	0.30	0.10	0.28
74	0	1	11,185	0.28	0.45	0.28	0.28
75	0	1	11,185	0.21	0.40	0.21	0.35
76	0	1	11,185	0.10	0.30	0.10	0.20
77	0	1	11,185	0.34	0.47	0.34	0.39
78	0	1	11,185	0.18	0.39	0.18	0.38
79	0	1	11,185	0.23	0.42	0.23	0.31
80	0	1	11,185	0.29	0.46	0.29	0.43
81	0	1	11,185	0.58	0.49	0.58	0.35
82	0	1	11,185	0.45	0.50	0.45	0.44
83	0	1	11,185	0.57	0.49	0.57	0.45
84	0	1	11,185	0.47	0.50	0.47	0.42
85	0	1	11,185	0.17	0.37	0.17	0.32
86	0	16	11,185	9.68	4.69	0.61	0.68

*Item 86 represents the Lab Performance Test section.




Figure D.1 Scatter Plot: Regents Examination in Physical Setting/Earth Science

Table D.3 Descriptive Statistics in p-value and Point-Biserial Correlation: Regents Examination in Physical Setting/Earth Science

Statistics	N	Mean	Min	Q1	Median	Q3	Max
<i>p</i> -value	86	0.42	0.10	0.29	0.40	0.57	0.81
Point-Biserial	86	0.28	0.08	0.20	0.28	0.35	0.68




Figure D.2 Student Performance Map: Regents Examination in Physical Setting/Earth Science




Figure D.3 Scree Plot: Regents Examination in Physical Setting/Earth Science

Table D.4 Summary of Item Residual Correlations: Regents Examination in Physical Setting/Earth Science

Statistic Type	Value
N	3,570
Mean	-0.01
SD	0.03
Minimum	-0.09
P ₁₀	-0.04
P ₂₅	-0.03
P ₅₀	-0.01
P ₇₅	0.00
P ₉₀	0.02
Maximum	0.24
> 0.20	1

Table D.5 Summary of INFIT Mean Square Statistics: Regents Examination in Physical Setting/Earth Science

		INFIT Mean Square					
	N	Mean	SD	Min	Max	[0.7, 1.3]	
Physical Setting/ Earth Science	85	1.00	0.06	0.89	1.13	[85/85]	

Table D.6 Reliabilities and Standard Errors of Measurement: Regents Examination in Physical Setting/Earth Science

Alpha	SEM	
0.87	4.09	
	•	

Table D.7 Decision Consistency and Accuracy Results: Regents Examination in Physical Setting/Earth Science

Statistic	1/2	2/3	3/4
Consistency	0.84	0.89	0.99
Accuracy	0.89	0.92	0.99




Figure D.4 Conditional Standard Error Plot: Regents Examination in Physical Setting/Earth Science

Table D.8 Group Means: Regents Examination in Physical Setting/Earth Science

Demographics	Number	Mean Scale Score	SD Scale Score				
All Students*	11,185	57.28	14.25				
Ethnicity							
American Indian/Alaska Native	99	58.74	13.94				
Asian/Native Hawaiian/Other Pacific Islander	684	59.82	17.93				
Black/African American	2,861	54.42	14.00				
Hispanic/Latino	3,184	54.77	13.91				
Multiracial	211	58.47	12.21				
White	4,141	60.71	13.24				
English Language Learner/Multilingual Learner							
No	10,403	58.10	13.92				
Yes	782	46.50	14.28				
Economically Disadvantaged							
No	4,467	60.65	14.11				
Yes	6,718	55.04	13.90				
Gender							
Female	6,088	58.36	13.55				
Male	5,092	56.02	14.94				
Student with a Disability							
No	8,947	58.78	13.85				
Yes	2,238	51.31	14.27				

^{*}Note: Five students were not reported in the Ethnicity and Gender group, but they are reflected in "All Students."

Appendix E: Tables and Figures for January 2018 Administration

Table E.1 Multiple-Choice Item Analysis Summary: Regents Examination in Physical Setting/Earth Science

Item	Number of Students	<i>p</i> -Value	SD	Point- Biserial	Point- Biserial Distractor 1	Point- Biserial Distractor 2	Point- Biserial Distractor 3
1	9,449	0.46	0.50	0.30	-0.07	-0.09	-0.22
2	9,449	0.29	0.46	0.27	-0.12	-0.12	-0.03
3	9,449	0.39	0.49	0.26	-0.07	-0.11	-0.13
4	9,449	0.56	0.50	0.21	-0.14	-0.11	-0.10
5	9,449	0.44	0.50	0.29	-0.12	-0.11	-0.13
6	9,449	0.55	0.50	0.25	-0.13	-0.10	-0.13
7	9,449	0.30	0.46	0.32	-0.11	-0.16	-0.12
8	9,449	0.48	0.50	0.23	-0.15	-0.10	-0.03
9	9,449	0.48	0.50	0.36	-0.15	-0.19	-0.14
10	9,449	0.36	0.48	0.21	-0.11	-0.11	-0.08
11	9,449	0.56	0.50	0.25	-0.13	-0.13	-0.10
12	9,449	0.32	0.46	0.32	-0.17	-0.18	-0.06
13	9,449	0.23	0.42	0.29	-0.06	-0.15	-0.06
14	9,449	0.61	0.49	0.27	-0.08	-0.15	-0.15
15	9,449	0.38	0.49	0.30	-0.15	-0.15	-0.08
16	9,449	0.71	0.45	0.36	-0.21	-0.18	-0.17
17	9,449	0.35	0.48	0.29	-0.08	-0.12	-0.15
18	9,449	0.29	0.46	0.21	-0.05	-0.15	-0.03
19	9,449	0.66	0.47	0.17	-0.05	-0.08	-0.13
20	9,449	0.39	0.49	0.26	-0.09	-0.15	-0.12
21	9,449	0.47	0.50	0.24	-0.08	-0.23	0.00
22	9,449	0.41	0.49	0.24	-0.05	-0.16	-0.08
23	9,449	0.24	0.43	0.14	-0.08	0.02	-0.12
24	9,449	0.62	0.49	0.38	-0.20	-0.21	-0.15
25	9,449	0.39	0.49	0.36	-0.16	-0.21	-0.08
26	9,449	0.26	0.44	0.08	-0.07	0.02	-0.03
27	9,449	0.61	0.49	0.34	-0.18	-0.20	-0.11
28	9,449	0.58	0.49	0.33	-0.12	-0.20	-0.14
29	9,449	0.37	0.48	0.31	-0.12	-0.11	-0.13
30	9,449	0.38	0.48	0.14	-0.09	-0.06	0.00
31	9,449	0.48	0.50	0.33	-0.13	-0.18	-0.13
32	9,449	0.19	0.39	0.27	-0.03	-0.15	-0.08
33	9,449	0.43	0.50	0.32	-0.15	-0.12	-0.13

Item	Number of Students	<i>p</i> -Value	SD	Point- Biserial	Point- Biserial Distractor 1	Point- Biserial Distractor 2	Point- Biserial Distractor 3
34	9,449	0.36	0.48	0.21	-0.09	0.00	-0.13
35	9,449	0.32	0.47	0.18	-0.10	-0.02	-0.11
36	9,449	0.42	0.49	0.25	-0.11	-0.15	-0.05
37	9,449	0.46	0.50	0.23	-0.10	-0.12	-0.08
38	9,449	0.52	0.50	0.34	-0.13	-0.20	-0.15
39	9,449	0.40	0.49	0.25	-0.10	-0.11	-0.09
40	9,449	0.53	0.50	0.29	-0.15	-0.15	-0.09
41	9,449	0.44	0.50	0.19	-0.04	-0.13	-0.07
42	9,449	0.27	0.44	0.22	0.03	-0.15	-0.12
43	9,449	0.33	0.47	0.07	-0.08	-0.10	0.09
44	9,449	0.41	0.49	0.33	-0.11	-0.19	-0.10
45	9,449	0.62	0.49	0.32	-0.10	-0.22	-0.14
46	9,449	0.38	0.49	0.23	-0.09	-0.09	-0.08
47	9,449	0.46	0.50	0.29	-0.11	-0.16	-0.09
48	9,449	0.30	0.46	0.16	0.02	-0.03	-0.18
49	9,449	0.48	0.50	0.30	-0.10	-0.19	-0.09
50	9,449	0.37	0.48	0.21	-0.06	-0.13	-0.05

Table E.2 Constructed-Response Item Analysis Summary: Regents Examination in Physical Setting/Earth Science

Item	Min. score	Max. score	Number of Students	Mean	SD	<i>p</i> -Value	Point- Biserial
51	0	1	9,449	0.57	0.50	0.57	0.43
52	0	1	9,449	0.29	0.46	0.29	0.29
53	0	1	9,449	0.14	0.34	0.14	0.40
54	0	1	9,449	0.43	0.49	0.43	0.42
55	0	1	9,449	0.19	0.39	0.19	0.45
56	0	1	9,449	0.40	0.49	0.40	0.40
57	0	1	9,449	0.16	0.36	0.16	0.41
58	0	1	9,449	0.22	0.41	0.22	0.41
59	0	1	9,449	0.25	0.43	0.25	0.44
60	0	1	9,449	0.13	0.33	0.13	0.37
61	0	1	9,449	0.63	0.48	0.63	0.28
62	0	1	9,449	0.51	0.50	0.51	0.37
63	0	1	9,449	0.47	0.50	0.47	0.36
64	0	1	9,449	0.32	0.47	0.32	0.25
65	0	1	9,449	0.34	0.47	0.34	0.22
66	0	1	9,449	0.31	0.46	0.31	0.36
67	0	1	9,449	0.13	0.34	0.13	0.39
68	0	1	9,449	0.12	0.32	0.12	0.38
69	0	1	9,449	0.67	0.47	0.67	0.33
70	0	1	9,449	0.27	0.44	0.27	0.26
71	0	1	9,449	0.17	0.38	0.17	0.47
72	0	1	9,449	0.29	0.46	0.29	0.23
73	0	1	9,449	0.23	0.42	0.23	0.35
74	0	1	9,449	0.21	0.40	0.21	0.38
75	0	1	9,449	0.18	0.39	0.18	0.35
76	0	1	9,449	0.16	0.37	0.16	0.42
77	0	1	9,449	0.64	0.48	0.64	0.38
78	0	1	9,449	0.46	0.50	0.46	0.41
79	0	1	9,449	0.36	0.48	0.36	0.41
80	0	1	9,449	0.12	0.32	0.12	0.44
81	0	1	9,449	0.46	0.50	0.46	0.40
82	0	1	9,449	0.59	0.49	0.59	0.44
83	0	1	9,449	0.19	0.39	0.19	0.48
84	0	1	9,449	0.45	0.50	0.45	0.49
85	0	1	9,449	0.45	0.50	0.45	0.38
86	0	16	9,449	9.17	4.84	0.57	0.68

^{*}Item 86 represents the Lab Performance Test section.




Figure E.1 Scatter Plot: Regents Examination in Physical Setting/Earth Science

Table E.3 Descriptive Statistics in *p*-value and Point-Biserial Correlation: Regents Examination in Physical Setting/Earth Science

Statistics	N	Mean	Min	Q1	Median	Q3	Max
<i>p</i> -value	86	0.39	0.12	0.29	0.39	0.48	0.71
Point-Biserial	86	0.31	0.07	0.25	0.32	0.38	0.68




Figure E.2 Student Performance Map: Regents Examination in Physical Setting/Earth Science




Figure E.3 Scree Plot: Regents Examination in Physical Setting/Earth Science

Table E.4 Summary of Item Residual Correlations: Regents Examination in Physical Setting/Earth Science

ıe
70
1
3
.0
5
3
1
0
2
3

Table E.5 Summary of INFIT Mean Square Statistics: Regents Examination in Physical Setting/Earth Science

		INFIT Mean Square					
	N	Mean	SD	Min	Max	[0.7, 1.3]	
Physical Setting/ Earth Science	85	1	0.07	0.87	1.18	[85/85]	

Table E.6 Reliabilities and Standard Errors of Measurement: Regents Examination in Physical Setting/Earth Science

Subject	Coefficient Alpha	SEM
Physical Setting/ Earth Science	0.89	4.08

Table E.7 Decision Consistency and Accuracy Results: Regents Examination in Physical Setting/Earth Science

Statistic	1/2	2/3	3/4
Consistency	0.88	0.93	0.98
Accuracy	0.92	0.95	0.99




Figure E.4 Conditional Standard Error Plot: Regents Examination in Physical Setting/Earth Science

Table E.8 Group Means: Regents Examination in Physical Setting/Earth Science

Demographics	Number	Mean Scale Score	SD Scale Score
All Students	9,449	52.95	15.51
Ethnicity			
American Indian/Alaska Native	89	52.75	14.04
Asian/Native Hawaiian/Other Pacific Islander	666	57.23	16.55
Black/African American	2,582	49.44	14.30
Hispanic/Latino	3,329	51.24	14.52
Multiracial	129	55.15	17.01
White	2,648	57.35	16.25
English Language Learner/Multilingual Learner			
No	8,201	53.85	15.23
Yes	1,248	47.09	16.09
Economically Disadvantaged			
No	2,699	55.95	17.00
Yes	6,750	51.75	14.71
Gender			
Female	5,022	53.65	14.86
Male	4,421	52.15	16.18
Student with a Disability			
No	7,622	54.39	15.37
Yes	1,827	46.97	14.65